

### Piaba Underground Drill Results

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Section	Length (m)	Dip	Azimuth
BRAZD695A	423.00	431.00	8.00	1.81	1.00	100W	526.35	-70	165
incl.	428.00	431.00	3.00	3.03	1.00				
and	434.00	436.00	2.00	1.64	1.00				
and	445.00	453.00	8.00	2.00	1.00				
incl.	446.00	448.00	2.00	3.93	1.00				
and	466.00	476.00	10.00	3.45	1.00				
incl.	468.00	471.00	3.00	8.17	3.00				
and	483.00	489.00	6.00	6.68	1.00				
incl.	484.00	487.00	3.00	12.57	10.00				
and	494.00	497.00	3.00	3.95	1.00				
incl.	494.00	495.00	1.00	9.66					
and	500.00	502.00	2.00	1.69	1.00				
BRAZD696	298.00	299.00	1.00	4.64		750W	495.80	-64	166
and	314.00	338.00	24.00	5.56	1.00				
incl.	320.00	322.00	2.00	7.09	3.00				
incl.	324.00	335.00	11.00	9.85	3.00				
incl.	332.00	335.00	3.00	20.98	10.00				
and	358.00	360.00	2.00	1.32	1.00				
and	368.00	377.00	9.00	1.93	1.00				
and	382.00	392.00	10.00	1.57	1.00				
and	396.00	402.00	6.00	1.20	1.00				
BRAZD697	424.00	425.00	1.00	1.10		100E	530.32	-65	167
and	438.00	440.00	2.00	3.21	1.00				
and	445.00	449.00	4.00	1.28	1.00				
and	452.00	463.00	11.00	2.40	1.00				
and	467.00	476.00	9.00	4.65	1.00				
incl.	468.00	471.00	3.00	7.08	3.00				
and	479.00	486.00	7.00	1.28	1.00				
and	489.00	490.00	1.00	2.15					
and	494.00	495.00	1.00	2.30					
and	498.00	499.00	1.00	7.03					
BRAZD698	282.00	283.00	1.00	96.80		1450W	339.81	-66	166
and	289.00	293.00	4.00	1.33	1.00				
and	297.00	299.00	2.00	1.95	1.00				
and	304.00	306.00	2.00	1.20	1.00				
and	325.00	326.00	1.00	3.05					
BRAZD699	375.00	376.00	1.00	9.85		0500W	472.79	-66	166
and	394.00	395.00	1.00	1.08					
and	416.00	417.00	1.00	1.77					
and	435.00	436.00	1.00	1.10					
and	440.00	442.00	2.00	4.43	3.00				
and	456.00	457.00	1.00	6.78					

### Piaba Underground Drill Results

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Section	Length (m)	Dip	Azimuth
BRAZD700	285.00	297.00	12.00	3.17	1.00	1550W	357.63	-69	166
incl.	287.00	293.00	6.00	5.38	3.00				
BRAZD701	353.00	354.00	1.00	1.37		0150E	486.07	-75	170
and	363.00	364.00	1.00	2.53					
and	375.00	376.00	1.00	1.10					
and	379.00	386.00	7.00	4.20	1.00				
and	389.00	395.00	6.00	2.91	1.00				
and	398.00	404.00	6.00	5.39	1.00				
and	407.00	409.00	2.00	13.71	1.00				
and	413.00	419.00	6.00	1.57	1.00				
and	421.00	426.00	5.00	1.10	1.00				
and	428.00	436.00	8.00	1.72	1.00				
and	439.00	446.00	7.00	2.65	1.00				
and	453.00	456.00	3.00	1.63	1.00				
and	466.00	470.00	4.00	2.18	1.00				
BRAZD702	369.00	370.00	1.00	1.08		450W	451.36	-66	165
incl.	372.00	379.21	7.21	1.55	1.00				
and	381.00	382.00	1.00	1.09					
and	408.00	409.00	1.00	5.50					
BRAZD703	290.00	297.00	7.00	2.65	1.00	1650W	352.82	-68	169
and	301.00	306.00	5.00	2.24	1.00				
and	330.00	332.00	2.00	5.01	1.00				
BRAZD704	267.00	269.00	2.00	1.91	1.00	1050E	331.08	-61	168
and	286.00	287.00	1.00	6.85					
and	291.00	292.00	1.00	1.31					
and	296.00	305.00	9.00	1.50	1.00				
and	313.00	314.00	1.00	2.74					
BRAZD705	354.00	359.00	5.00	1.57	1.00	1150E	460.9	-70	168
and	364.00	379.00	15.00	2.75	1.00				
and	383.00	385.00	2.00	1.10	1.00				
BRAZD706	290.00	291.00	1.00	3.07		0250E	415.18	-70	168
and	315.00	321.60	6.60	3.22	1.00				
and	323.00	324.00	1.00	1.18					
and	331.00	332.00	1.00	1.00					
incl.	337.00	338.00	1.00	6.66					
BRAZD707A	368.00	369.00	1.00	1.16		1050E	483.23	-71	168
and	389.00	397.00	8.00	2.74	1.00				
and	414.00	415.00	1.00	1.50					
BRAZD708	305.00	316.00	11.00	4.18	1.00	0750W	446.96	-60	168
and	321.00	324.00	3.00	3.21	1.00				
and	344.00	348.28	4.28	4.43	1.00				
and	352.00	360.00	8.00	3.08	1.00				
and	363.00	374.00	11.00	6.15	1.00				
incl.	368.00	369.00	1.00	55.30					

### Piaba Underground Drill Results

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Section	Length (m)	Dip	Azimuth
BRAZD709	297.00	301.00	4.00	1.76	1.00	1125E	375.24	-60	168
and	304.00	318.00	14.00	3.35	1.00				
incl.	304.00	309.00	5.00	5.80	3.00				
BRAZD710	298.00	299.00	1.00	1.15		0350E	472.03	-72	167
and	303.00	306.00	3.00	1.65	1.00				
and	318.00	319.00	1.00	1.07					
and	325.00	328.00	3.00	1.53	1.00				
and	330.00	331.00	1.00	1.78	1.00				
and	336.00	343.00	7.00	1.64	1.00				
and	353.00	354.00	1.00	1.68					
and	356.00	357.00	1.00	1.05					
BRAZD711	190.00	195.00	5.00	1.78	1.00	1125E	272.17	-57	168
and	198.00	203.00	5.00	1.47	1.00				
and	206.00	208.00	2.00	3.49	3.00				
and	211.00	218.00	7.00	1.39	1.00				
and	225.00	226.00	1.00	1.75					
and	230.00	234.00	4.00	3.23	1.00				
and	240.00	241.00	1.00	1.17					
BRAZD712A	389.00	390.00	1.00	29.10		0750W	588.36	-68	170
and	415.00	416.00	1.00	4.25					
and	425.00	426.00	1.00	1.18					
and	433.00	435.00	2.00	1.09	1.00				
and	457.00	459.00	2.00	6.15	3.00				
and	474.00	480.00	6.00	3.15	3.00				
and	484.00	486.00	2.00	3.38	1.00				
and	489.00	495.00	6.00	1.85	1.00				
and	504.00	505.00	1.00	1.60					
and	510.00	511.00	1.00	1.47					
and	515.00	518.00	3.00	1.05	1.00				
and	521.00	529.00	8.00	1.91	1.00				
and	543.00	544.00	1.00	1.22					
BRAZD713	172.80	192.00	19.20	2.58	1.00	1050E	218.34	-61	168
incl.	180.00	185.00	5.00	5.48	3.00				
BRAZD714	no significant mineralization					1350E	272.13	-55	168
BRAZD715	no significant mineralization					1300E	186.76	-60	168
BRAZD716	172.00	174.00	2.00	1.01	1.00	1250E	251.63	-60	168
and	179.00	180.00	1.00	1.01					
and	188.00	190.00	2.00	1.91	1.00				
incl.	197.00	199.00	2.00	1.22	1.00				

### Piaba Underground Drill Results

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Section	Length (m)	Dip	Azimuth	
BRAZD717	348.20	352.00	3.80	2.65	1.00	0150E	439.43	-62	167	
and	357.00	367.00	10.00	1.24	1.00					
and	370.00	376.00	6.00	1.45	1.00					
and	378.00	383.00	5.00	1.37	1.00					
and	389.00	392.00	3.00	2.84	1.00					
BRAZD718	348.00	349.00	1.00	1.21		0950W	495.08	-67	170	
and	352.00	370.00	18.00	2.05	1.00					
	incl.	355.00	358.00	3.00	4.89	3.00				
BRAZD719	395.00	396.00	1.00	1.05		0850W	454.33	-63	170	
and	397.00	406.00	9.00	3.15	1.00					
	incl.	400.00	402.80	2.80	6.09					3.00
	and	416.00	417.00	1.00	3.09					
BRAZD720	475.00	476.00	1.00	4.27		0850W	555.21	-71	170	
and	495.00	496.00	1.00	1.34						
and	501.00	513.00	12.00	2.53	1.00					
and	522.00	523.00	1.00	1.07						
and	537.00	538.00	1.00	3.74						
BRAZD721	377.00	378.00	1.00	1.84		0050W	474.25	-58	170	
and	388.00	389.00	1.00	5.54						
and	393.00	398.00	5.00	1.06	1.00					
and	402.00	410.00	8.00	1.56	1.00					
and	421.00	424.00	3.00	1.04	1.00					
and	426.00	429.00	3.00	1.17	1.00					
and	435.00	436.00	1.00	1.07						
and	443.00	444.00	1.00	2.52						
and	454.00	459.00	5.00	2.02	1.00					
BRAZD722	458.00	461.00	3.00	3.92	1.00	0000	563.92	-67	169	
and	465.00	466.00	1.00	1.69						
and	471.00	477.00	6.00	8.24	1.00					
	incl.	471.00	474.00	3.00	15.37					3.00
and	479.00	486.00	7.00	2.21	1.00					
and	492.00	493.00	1.00	1.91	1.00					
and	495.00	510.00	15.00	3.43	1.00					
	incl.	495.00	499.00	4.00	5.24					3.00
	incl.	507.00	510.00	3.00	5.91					3.00
and	516.00	525.00	9.00	1.58	1.00					
and	527.00	531.00	4.00	1.63	1.00					
and	538.00	542.00	4.00	3.43	1.00					
and	545.00	551.00	6.00	1.39	1.00					

### Piaba Underground Drill Results

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Section	Length (m)	Dip	Azimuth
BRAZD723	369.00	371.00	2.00	2.00	1.00	0050E	465.33	-60	170
and	374.00	375.00	1.00	1.82					
and	378.00	380.00	2.00	1.18	1.00				
and	383.00	385.00	2.00	1.89	1.00				
and	394.00	405.00	11.00	3.07	1.00				
incl.	397.00	399.00	2.00	7.51	3.00				
and	407.00	408.00	1.00	1.11					
and	410.00	415.00	5.00	3.02	1.00				
BRAZD724	462.00	463.00	1.00	1.16		0950W	543.74	-74	170
and	487.00	488.00	1.00	1.36					
and	491.00	492.00	1.00	3.11					
and	514.00	515.00	1.00	1.20					
and	527.00	530.00	3.00	1.23	1.00				
BRAZD725	394.00	396.00	2.00	2.35	1.00	0200W	486.49	-59	168
and	402.00	405.00	3.00	3.24	1.00				
and	414.00	417.00	3.00	3.88	1.00				
and	420.00	421.00	1.00	2.72					
and	423.00	426.00	3.00	3.20	3.00				
and	432.00	440.00	8.00	2.07	1.00				
and	442.00	445.00	3.00	3.10	1.00				
BRAZD726	422.00	427.00	5.00	1.42	1.00	0300W	531.21	-63.5	168
and	429.00	431.00	2.00	1.14	1.00				
and	435.00	441.00	6.00	1.08	1.00				
and	443.00	450.00	7.00	2.58	1.00				
and	454.00	456.00	2.00	4.29	1.00				
and	458.00	462.00	4.00	2.67	1.00				
and	470.00	483.00	13.00	2.49	1.00				
BRAZD727	410.00	412.00	2.00	2.43	1.00	0250W	519.18	-57	168
and	416.00	419.00	3.00	2.65	1.00				
and	422.00	433.00	11.00	2.42	1.00				
incl.	426.00	429.00	3.00	4.38	3.00				
and	438.00	444.00	6.00	2.33	1.00				
and	450.00	451.00	1.00	1.21					
and	453.00	457.00	4.00	1.13	1.00				
BRAZD728	431.00	434.00	3.00	1.81	1.00	0900W	508.48	-72	170
and	437.00	440.00	3.00	1.30	1.00				
and	449.00	452.00	3.00	2.92	1.00				
incl.	451.00	452.00	1.00	7.28	3.00				
and	456.00	467.00	11.00	1.98	1.00				
incl.	463.00	467.00	4.00	3.23	3.00				

### Piaba Underground Drill Results

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Section	Length (m)	Dip	Azimuth
BRAZD729	159.00	160.00	1.00	1.78		1250E	413.81	-57	22
and	170.00	172.00	2.00	1.39	1.00				
and	182.00	187.00	5.00	2.66	1.00				
and	202.00	203.00	1.00	3.54					
and	228.00	233.00	5.00	1.89	1.00				
and	235.00	243.00	8.00	2.95	3.00				
incl.	235.00	239.00	4.00	5.22	3.00				
and	255.00	259.00	4.00	1.54	1.00				
and	261.00	262.00	1.00	1.27					
and	264.00	265.00	1.00	2.75					
and	270.00	271.00	1.00	1.18					
and	284.00	288.00	4.00	1.81	1.00				
and	297.00	301.00	4.00	0.92	1.00				
and	308.00	310.00	2.00	1.06	1.00				
and	318.00	322.00	4.00	1.56	1.00				
BRAZD730	443.00	446.00	3.00	1.15	1.00	0250W	566.48	-66	168
and	456.00	457.00	1.00	1.05	1.00				
and	458.00	468.00	10.00	2.37	1.00				
incl.	458.00	461.00	3.00	5.18	3.00				
and	472.00	481.00	9.00	3.62	3.00				
and	492.00	493.00	1.00	1.73	1.00				
and	499.00	510.00	11.00	4.42	1.00				
incl.	499.00	503.00	4.00	4.01	3.00				
incl.	506.00	509.00	3.00	9.30	3.00				
and	512.00	517.00	5.00	1.84	3.00				
BRAZD731	398.00	399.00	1.00	1.33		0150W	509.78	-56	169
and	403.00	406.00	3.00	3.80	1.00				
and	411.00	414.00	3.00	1.24	3.00				
and	418.00	424.00	6.00	1.08	1.00				
BRAZD732	388.00	397.00	9.00	1.17	1.00	0800W	500.14	-65	168
and	404.00	406.00	2.00	1.75	1.00				
and	410.00	415.00	5.00	1.39	1.00				
and	417.00	427.00	10.00	3.08	3.00				
incl.	417.00	419.00	2.00	7.27	1.00				
and	451.00	454.00	3.00	3.53	3.00				
BRAZD733	256.00	257.00	1.00	2.04		1750W	330.00	-70	167
and	267.00	271.00	4.00	1.31	1.00				
and	275.00	288.00	13.00	1.80	1.00				
and	291.00	295.00	4.00	1.44	1.00				
BRAZD734	116.00	117.00	1.00	1.23		1250E	196.13	-57	168
and	142.00	145.00	3.00	1.89	1.00				
and	153.00	154.00	1.00	1.70					
and	172.00	180.00	8.00	1.95	1.00				

### Piaba Underground Drill Results

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Section	Length (m)	Dip	Azimuth
BRAZD735	388.00	391.00	3.00	5.16	3.00	0050W	454.47	-51	170
and	395.00	409.70	14.70	2.24	1.00				
and	420.00	422.00	2.00	2.95	1.00				
BRAZD736	427.00	428.00	1.00	2.70		0000	512.92	-58	170
and	431.00	432.00	1.00	1.75					
and	434.00	437.00	3.00	1.41	1.00				
and	439.00	443.00	4.00	2.48	1.00				
and	447.00	457.00	10.00	2.35	1.00				
and	460.00	461.00	1.00	5.23					
and	464.00	473.00	9.00	1.80	1.00				
and	477.00	482.00	5.00	3.60	1.00				
and	484.00	493.00	9.00	3.84	1.00				
BRAZD737	430.00	431.00	1.00	1.44		0050E	536.36	-67	170
and	437.00	441.00	4.00	2.93	1.00				
and	446.00	447.00	1.00	2.40					
and	452.00	489.00	37.00	4.35	1.00				
incl.	460.00	470.00	10.00	7.16	1.00				
incl.	471.00	476.00	5.00	6.62	3.00				
incl.	477.00	479.00	2.00	8.40	3.00				
and	491.00	494.00	3.00	3.93	3.00				
and	504.00	507.00	3.00	3.66	3.00				
BRAZD738	333.00	339.00	6.00	1.14	1.00	1700W	382.56	-65	167
and	342.00	349.00	7.00	2.22	1.00				
and	374.00	376.00	2.00	9.87	1.00				
BRAZD739	335.00	345.00	10.00	2.09	1.00	0950W	441.95	-55	169
and	349.00	351.00	2.00	1.46	1.00				
BRAZD740	446.00	450.00	4.00	3.12	1.00	0050W	575.7	-66	169
and	461.00	462.00	1.00	1.46					
and	474.00	481.00	7.00	1.64	1.00				
and	485.00	494.00	9.00	1.42	1.00				
and	499.00	500.00	1.00	1.60					
and	502.00	510.00	8.00	1.66	1.00				
and	516.00	525.00	9.00	3.04	1.00				
incl.	516.00	518.00	2.00	6.55	3.00				
and	528.00	534.00	6.00	2.59	1.00				
and	540.00	551.00	11.00	2.55	1.00				
incl.	546.00	551.00	5.00	4.01	3.00				
and	553.00	560.00	7.00	1.59	1.00				
BRAZD742	468.00	469.00	1.00	1.87		0250W	603.10	-71	168
and	471.00	476.00	5.00	1.75	1.00				
and	478.00	479.00	1.00	1.50					
and	481.00	487.00	6.00	2.48	1.00				
and	489.00	499.00	10.00	1.62	1.00				
and	500.00	506.00	6.00	9.10	1.00				
and	508.00	521.00	13.00	2.63	1.00				

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Section	Length (m)	Dip	Azimuth
BRAZD743	363.00	372.00	9.00	4.40	1.00	0850W	410.35	-55	170
and	387.00	389.00	2.00	1.40	1.00				
BRAZD746	75.00	77.00	2.00	1.66	1.00	0500E	160.95	-54	168
and	91.00	94.00	3.00	3.43	1.00				
and	97.00	106.00	9.00	1.83	1.00				
and	113.00	117.00	4.00	1.72	1.00				
and	120.00	125.00	5.00	1.23	1.00				
BRAZD750	assays pending					0250W	764.15	-80	168
BRAZD758	assays pending					0900W	578.66	-70	156
BRAZD761	assays pending					0050E	1154.99	-80	168

**Qualified Person and Disclosure Statement**

Scott Heffernan, M.Sc., P.Geo., the Company's EVP Exploration and a Qualified Person under National Instrument 43-101, has reviewed and approved that the technical information contained in this document is accurate. Drill composites for underground targets were calculated using cut-off values of 1.0 g/t, 3.0 g/t or 10.0 g/t gold as specified in the drill table and contain no more than 3 metres of internal waste. Drill composites for open-pit targets were calculated using cut-off values of 0.3 g/t, 1.0 g/t or 5.0 g/t gold as specified in the drill table and contain no more than 5 metres of internal waste. Drill intersections are calculated using uncut assays and are reported as drilled thicknesses. True widths of the mineralized intervals are interpreted to be 60 to 90 percent of the reported lengths depending on the angle of intersection of the drill hole relative to the mineralized zone. All samples were submitted to ALS Chemex in Belo Horizonte, Brazil for sample preparation. Sample pulps were then sent to ALS Chemex in Lima, Peru for geochemical analysis for gold by fire assay of a 30-gram charge with an Atomic Absorption finish (AA) and for a 33 multi-element geochemical suite by 4-acid digestion and Inductively-Coupled Mass Spectrometry (ICP-MS). Samples with AA gold values over 10.0 g/t are re-assayed by Screen Metallics fire assay. Control samples (accredited standards, blanks and duplicate samples at the field and preparation stages) were inserted on a regular basis. Results were monitored upon receipt of assays.