

Aurizona Near-Mine Drilling - 2017

Genipapo

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Length (m)	Dip	Azimuth	Material
BRAZD533	162.00	163.00	1.00	1.05		Genipapo	176.60	-55	45	Transition
BRAZD544	No significant results					Genipapo	206.80	-55	180	
BRAZD545	50.00	52.00	2.00	1.08	0.3	Genipapo	220.25	-55	205	Saprolite
and	62.00	65.40	3.40	1.46	0.3					"
and	68.00	72.60	4.60	1.24	0.3					"
and	75.00	79.00	4.00	3.28	1.0					Transition
and	82.00	84.00	2.00	0.75	0.3					"
and	88.65	94.00	5.35	0.82	0.3					"
and	101.00	101.85	0.85	5.54						"
and	176.00	176.62	0.62	0.53						Fresh Rock
and	178.00	179.00	1.00	0.34						"
and	190.00	191.00	1.00	0.49						"
BRAZD546	3.00	16.00	13.00	1.89	0.3	Genipapo	222.05	-55	0	Laterite
incl	10.00	13.00	3.00	5.57	1.0					
and	29.00	32.68	3.68	0.95	0.3					Saprolite
and	37.00	38.00	1.00	0.35						"
and	42.00	45.70	3.70	1.61	0.3					"
and	52.40	53.80	1.40	0.52	0.3					"
and	59.00	60.00	1.00	0.47						"
and	119.00	120.00	1.00	0.41						Fresh Rock
and	145.70	147.45	1.75	0.46	0.3					"
BRAZD547	37.00	38.00	1.00	1.53	1.0	Genipapo	183.49	-55	205	Saprolite
BRAZD548	30.00	31.00	1.00	4.49		Genipapo	229.95	-57	205	Saprolite
and	33.20	36.90	3.70	0.33	0.3					"
and	40.00	41.00	1.00	0.36						"
and	146.00	147.00	1.00	0.33						Fresh Rock
and	174.00	175.00	1.00	0.36						"
and	182.00	183.00	1.00	7.08						"
and	225.00	226.00	1.00	0.41						"
BRAZD552	0.00	1.00	1.00	0.50		Genipapo	215.00	-62	176	Laterite
and	18.00	20.00	2.00	0.66	0.3					Saprolite
and	51.30	54.00	2.70	0.61	0.3					"
and	80.00	86.00	6.00	1.89	0.3					Transition
incl	85.00	86.00	1.00	5.31						
BRAZD602	55.00	56.00	1.00	0.72		Genipapo	175.55	-55	180	Transition
and	68.00	69.00	1.00	1.06						"
and	115.20	116.00	0.80	0.54	0.30					Fresh Rock
and	119.00	121.00	2.00	0.77	0.30					"
BRAZD605	26.00	27.00	1.00	0.36		Genipapo	176.80	-55	180	Saprolite
and	33.00	41.00	8.00	0.52	0.30					"
and	135.00	136.00	1.00	1.58						Fresh Rock
BRAZD606	No significant results					Genipapo	45.00	-53	180	
BRAZD607	4.00	5.00	1.00	0.42		Genipapo	45.10	-53	180	Laterite
and	20.00	24.00	4.00	0.84	0.30					Saprolite
BRAZD608	3.00	12.00	9.00	0.49	0.30	Genipapo	45.00	-53	180	Laterite
and	16.00	19.00	3.00	0.57	0.30					Saprolite
BRAZD609	1.00	8.00	7.00	0.48	0.30	Genipapo	45.40	-53	180	Laterite
BRAZD610	No significant results					Genipapo	46.00	-53	180	
BRAZD611	0.00	4.00	4.00	2.20	0.30	Genipapo	45.30	-53	180	Laterite
incl	1.00	3.00	2.00	3.79	1.00					
BRAZD616	3.00	4.00	1.00	0.33		Genipapo	130.70	-53	180	Laterite

Genipapo

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Length (m)	Dip	Azimuth	Material
BRAZD626	1.00	61.00	60.00	1.18	0.3	Genipapo	125.55	-55	205	Saprolite
incl	29.00	33.00	4.00	3.35	1.0					
incl	44.00	46.00	2.00	4.23	1.0					
incl	54.00	56.00	2.00	2.54	1.0					
and	64.00	67.00	3.00	0.71	0.3					Saprolite
and	76.00	77.00	1.00	0.40						Transition
and	80.00	81.00	1.00	0.93						"
and	90.00	94.00	4.00	0.81	0.3					"
BRAZD627	4.00	8.00	4.00	0.47	0.3	Genipapo	75.45	-50	205	Laterite
and	17.00	39.00	22.00	0.87	0.30					Saprolite
incl	21.00	22.00	1.00	5.68						"
incl	30.00	31.00	1.00	1.63						"
and	44.00	45.00	1.00	1.28						"
and	52.00	55.00	3.00	0.50	0.3					"
and	58.00	61.00	3.00	0.44	0.3					"
BRAZD628	19.00	21.00	2.00	0.38	0.3	Genipapo	109.80	-50	205	Saprolite
and	67.00	68.00	1.00	0.37						"
and	84.00	85.00	1.00	0.77						Transition
BRAZD629	21.00	24.00	3.00	0.34	0.3	Genipapo	70.50	-55	205	Saprolite
and	34.00	35.00	1.00	0.49						"
and	42.00	43.00	1.00	0.39						"
and	58.00	59.00	1.00	1.11						"
BRAZD631	4.00	28.00	24.00	0.70	0.3	Genipapo	70.90	-55	205	Saprolite
BRAZD632	26.00	28.00	2.00	0.64	0.3	Genipapo	41.10	-55	180	Saprolite
BRAZD634	No significant results					Genipapo	40.00	-50	180	
BRAZD635	No significant results					Genipapo	45.15	-50	180	
BRAZD637	51.00	52.00	1.00	0.67		Genipapo	64.90	-50	180	Saprolite
and	61.00	62.00	1.00	0.60						Saprolite
BRAZD638	No significant results					Genipapo	46.85	-50	180	
BRAZD639	18.00	25.00	7.00	1.02	0.3	Genipapo	57.65	-50	180	Saprolite
incl	18.00	20.00	2.00	2.45	1.0					"
and	27.00	29.00	2.00	0.47	0.3					"
BRAZD640	No significant results					Genipapo	73.9	-50	180	
BRAZD641	No significant results					Genipapo	60.4	-50	180	
BRAZD642	1.00	2.00	1.00	0.56		Genipapo	50.85	-50	180	Laterite
BRAZD643	No significant results					Genipapo	51.75	-50	180	

* Results from holes BRAZD533, -544 to -547 released September 12th, 2017.

3193.74

Micote

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Length (m)	Dip	Azimuth	Material
BRAZD554	0.00	4.00	4.00	0.57	0.3	Micote	198.60	-64	180	Laterite
and	48.00	57.00	9.00	3.28	0.3					Transition
incl	50.00	54.00	4.00	6.61	1.0					"
and	74.00	75.00	1.00	0.56						"
and	96.00	103.00	7.00	0.66	0.3					Fresh Rock
and	110.00	121.00	11.00	1.90	0.3					"
incl	113.00	116.00	3.00	4.02	1.0					"
and	138.00	140.00	2.00	0.58	0.3					"
and	151.00	152.00	1.00	0.54						"
BRAZD550	10.00	11.00	1.00	1.20		Micote	141.85	-55	180	Laterite
and	126.00	127.00	1.00	0.70						Transition
and	130.00	131.00	1.00	1.16						"
BRAZD556	No significant results					Micote	164.95	-58	160	
BRAZD612*	1.00	2.00	1.00	0.41	0.3	Micote	61.10	-70	0	Saprolite
and	5.00	26.00	21.00	84.33	0.3					"
incl	12.00	13.00	1.00	1005						"
incl	13.00	14.00	1.00	735						"
and	28.00	30.00	2.00	5.58	1.0					"
and	33.00	36.00	3.00	0.54	0.3					"

* twin of historic hole

Mestre Chico

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Length (m)	Dip	Azimuth	Material
BRAZD551	154.00	155.00	1.00	1.03	0.3	Mestre Chico	247.83	-77	168	Fresh Rock
and	210.00	211.00	1.00	0.66	0.3					"
BRAZD555	57.00	58.00	1.00	1.23	0.3	Mestre Chico	143.80	-68	135	Saprolite
and	61.00	62.00	1.00	3.12	0.3					"
BRAZD600*	0.00	1.00	1.00	0.36		Mestre Chico	140.60	-60	180	Laterite
and	8.00	9.00	1.00	0.32						Saprolite
and	21.00	51.00	30.00	1.05	0.30					"
incl	27.00	28.00	1.00	11.00						"
incl	49.00	50.00	1.00	5.25						"
and	56.00	57.00	1.00	2.77						"
and	64.00	69.00	5.00	0.52	0.30					"
and	80.00	83.00	3.00	1.38	0.30					"
and	98.00	99.00	1.00	1.18						Transition
and	106.00	107.00	1.00	0.69						"
and	138.90	139.80	0.90	0.80						Fresh Rock
BRAZD615	35.00	36.00	1.00	4.88		Mestre Chico	183.45	-55	90	Saprolite
and	40.00	56.00	16.00	1.56	0.30					"
incl	41.00	43.00	2.00	4.45	1.00					"
and	64.00	67.00	3.00	2.69	0.30					"
and	71.00	74.00	3.00	0.76	0.30					"
and	85.00	86.00	1.00	0.47						"
and	90.00	91.00	1.00	0.53						"
and	102.00	103.00	1.00	0.59						Fresh Rock
and	110.00	115.00	5.00	8.50	0.30					"
incl	112.00	115.00	3.00	13.88	1.00					"
and	120.00	121.00	1.00	0.49						"
and	154.00	155.00	1.00	0.36						"

* twin of historic hole

Barriguda

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Length (m)	Dip	Azimuth	Material
BRAZD549	2.00	5.00	3.00	0.34	0.3	Barriguda	134.70	-50	143	Saprolite
and	21.20	22.20	1.00	0.35	0.3					"
and	27.00	28.00	1.00	1.09						"
and	60.00	64.00	4.00	1.89	0.3					"
incl	63.00	64.00	1.00	5.91						"
and	82.00	85.00	3.00	2.54	0.3					Transition
BRAZD553	1.00	4.00	3.00	0.32	0.3	Barriguda	152.00	-66	180	Saprolite
and	37.00	39.00	2.00	1.40	0.3					"
and	63.20	64.30	1.10	0.77						"
and	66.10	67.00	0.90	0.62						Transition
and	99.00	100.00	1.00	3.31						"

Goibal

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Length (m)	Dip	Azimuth	Material
BRAZD557	22.00	23.00	1.00	0.46		Goibal	186.05	-55	168	Saprolite
and	156.00	157.00	1.00	0.32						Fresh Rock
BRAZD558	No significant results					Goibal	179.03	-58	168	
BRAZD559	33.00	34.00	1.00	0.39		Goibal	171.21	-55	168	Transition

Lote 88

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Length (m)	Dip	Azimuth	Material
BRAZD625	48.00	49.00	1.00	0.32		Lote 88	200.45	-55	168	Saprolite

Qualified Person and Disclosure Statement

Scott Heffernan, M.Sc., P.Geo., the Company's EVP Exploration and Qualified Person under National Instrument 43-101, has reviewed and verified that the technical information contained in this document is accurate and approves the written disclosure of the same. Drill composites were calculated using cut-off values of 0.3 g/t, 1.0 g/t or 5.0 g/t gold as specified in the drill table and contain no more than 3 metres of internal waste. Drill intersections are calculated using uncut assays and are reported as drilled thicknesses. True widths of the mineralized intervals are interpreted to be 60 to 90 percent of the reported lengths. All samples were submitted to ALS Chemex in Belo Horizonte, Brazil for sample preparation. Sample pulps were then sent to ALS Chemex in Lima, Peru for geochemical analysis for gold by fire assay of a 30-gram charge with an Atomic Absorption finish (AA) and for a 33 multi-element geochemical suite by 4-acid digestion and Inductively-Coupled Mass Spectrometry (ICP-MS). Samples with AA gold values over 10.0 g/t are re-assayed by Screen Metallics fire assay. Control samples (accredited standards, blanks and duplicate samples at the field and preparation stages) were inserted on a regular basis. Results were monitored upon receipt of assays.