

Piaba Drilling - 2017

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD578	23.00	24.00	1.00	0.31	0.3	Piaba West	1850W	68.00	-55	168	Saprolite
and	28.00	30.00	2.00	0.36	0.3						"
and	32.00	40.00	8.00	2.14	0.3						"
incl	37.00	40.00	3.00	4.58	1.0						"
and	42.00	43.00	1.00	0.68	0.3						"
BRAZD578A	No significant results					Piaba West	1850W	72.10	-55	168	
BRAZD587	5.00	6.00	1.00	0.53	0.3	Piaba Infill	1500W	127.05	-63	168	Saprolite
and	10.00	11.00	1.00	0.33	0.3						"
and	22.00	26.00	4.00	0.62	0.3						"
and	45.00	54.00	9.00	0.66	0.3						Transition
and	58.00	63.00	5.00	0.21	0.3						Fresh Rock
and	64.00	82.00	18.00	1.23	0.3						"
incl	66.00	68.00	2.00	2.81	1.0						"
incl	71.00	73.00	2.00	3.64	1.0						"
and	87.40	88.00	0.60	0.58	0.3						"
BRAZD588	34.00	35.00	1.00	0.44	0.3	Piaba West	1950W	123.8	-60	168	Saprolite
and	44.00	49.00	5.00	1.72	0.3						"
incl	47.00	48.00	1.00	3.40	1.0						"
and	53.00	54.00	1.00	0.30	0.3						"
BRAZD589	0.00	7.00	7.00	0.31	0.3	Piaba West	1850W	122.9	-60	168	Laterite
and	16.00	17.00	1.00	0.32	0.3						"
and	23.00	26.00	3.00	0.51	0.3						Saprolite
and	29.00	29.80	0.80	0.61	0.3						"
and	42.00	43.00	1.00	0.99	0.3						Transition
BRAZD590	5.00	6.00	1.00	0.41	0.3	Piaba West	1850W	100.65	-60	168	Laterite
and	34.00	35.00	1.00	0.33	0.3						Transition
BRAZD591	42.00	43.00	1.00	0.53	0.3	Piaba Infill	1450W	130.7	-59	168	Saprolite
and	58.00	61.00	3.00	0.65	0.3						Transition
and	66.00	84.00	18.00	0.58	0.3						Fresh Rock
and	97.00	98.00	1.00	0.49	0.3						"
and	99.00	100.00	1.00	0.77	0.3						"
and	103.00	104.00	1.00	0.63	0.3						"
BRAZD592	84.00	85.00	1.00	1.01	0.3	Piaba West	2150W	230.4	-53	168	Fresh Rock
and	172.00	173.00	1.00	6.21	0.3						"
and	179.00	182.00	3.00	0.30	0.3						"
BRAZD593	74.00	75.00	1.00	1.94	0.3	Piaba West	1850W	257.9	-70	168	Transition
and	160.00	164.00	4.00	0.54	0.3						Fresh Rock
and	167.30	171.00	3.70	1.28	0.3						"
and	173.00	174.00	1.00	0.34	0.3						"
and	176.00	181.00	5.00	0.65	0.3						"
and	185.00	188.00	3.00	0.55	0.3						"
and	197.00	200.00	3.00	0.55	0.3						"
and	202.00	207.20	5.20	1.29	0.3						"
incl	206.00	207.20	1.20	2.56	1.0						"
BRAZD594	105.00	106.00	1.00	0.40	0.3	Piaba Infill	1250W	271.15	-73	168	Fresh Rock
and	154.00	193.00	39.00	1.40	0.3						"
incl	158.00	159.20	1.20	4.49	1.0						"
incl	171.00	172.00	1.00	11.40	1.0						"
incl	174.00	175.00	1.00	4.07	1.0						"
and	202.00	203.00	1.00	2.24	0.3						"
and	210.00	211.00	1.00	0.43	0.3						"
BRAZD595	20.00	47.00	27.00	1.59	0.3	Piaba Infill	1500W	88.65	-53	168	Transition
incl	43.00	47.00	4.00	7.66	1.0						"
and	50.00	51.00	1.00	0.84	0.3						"
BRAZD596	No significant results					Piaba West	2025W	247.4	-55	133	
BRAZD597	28.00	29.00	1.00	3.44	0.3	Piaba Infill	1300W	280.45	-74	168	Saprolite
and	143.00	144.00	1.00	0.54	0.3						Fresh Rock
and	156.00	157.00	1.00	1.58	0.3						"
and	162.00	163.00	1.00	6.09	0.3						"
and	165.00	166.00	1.00	0.52	0.3						"
and	170.00	171.00	1.00	0.51	0.3						"
and	178.00	215.00	37.00	1.44	0.3						"
incl	183.00	188.00	5.00	3.60	1.0						"
incl	198.00	201.00	3.00	4.19	1.0						"
and	243.00	244.00	1.00	1.08	0.3						"
BRAZD598	No significant results					Piaba West	1875W	186.25	-55	150	
BRAZD599	24.00	27.00	3.00	14.18	0.3	Piaba Infill	1250W	170.2	-57	168	Saprolite
incl	25.00	27.00	2.00	20.66	1.0						"
and	89.00	90.00	1.00	0.57	0.3						Fresh Rock
and	94.00	114.00	20.00	1.17	0.3						"
incl	103.00	104.00	1.00	4.61	1.0						"
and	125.00	126.00	1.00	0.58	0.3						"
and	129.00	133.00	4.00	0.41	0.3						"

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD603	163.00	164.00	1.00	2.44	0.3	Piaba West	2250W	165.00	-55	168	Fresh Rock
BRAZD604	No significant results					Piaba Infill	1500E	299.45	-55	168	
BRAZD613	85.00	86.00	1.00	0.53	0.3	Piaba West	2050W	223.6	-55	168	Transition
and	102.00	105.00	3.00	1.31	0.3						Fresh Rock
and	107.00	108.00	1.00	0.38	0.3						"
and	130.00	131.00	1.00	0.35	0.3						"
and	147.00	148.00	1.00	0.38	0.3						"
and	201.00	202.00	1.00	0.54	0.3						"
BRAZD614	21.00	27.00	6.00	3.00	0.3	Piaba West	2125W	158.6	-52	168	Saprolite
incl	21.00	22.00	1.00	14.60	1.0						"
and	114.00	115.00	1.00	0.81	0.3						Fresh Rock
BRAZD617	78.00	79.00	1.00	3.32	0.3	Piaba Infill	1500W	164.15	-73	168	Transition
and	99.00	102.00	3.00	2.45	0.3						Fresh Rock
incl	100.00	101.00	1.00	3.96	1.0						"
and	106.00	111.00	5.00	0.52	0.3						"
and	113.00	115.00	2.00	0.75	0.3						"
and	130.00	135.00	5.00	0.75	0.3						"
BRAZD618	61.00	62.00	1.00	1.05	0.3	Piaba West	2100W	203.25	-54	168	Saprolite
and	74.00	75.00	1.00	0.85	0.3						"
and	86.00	88.00	2.00	1.26	0.3						"
and	148.00	149.00	1.00	0.31	0.3						Fresh Rock
BRAZD619	116.00	133.00	17.00	0.97	0.3	Piaba West	1600W	149.9	-74	168	Fresh Rock
incl	119.00	120.00	1.00	3.97	1.0						"
incl	127.00	129.00	2.00	2.91	1.0						"
and	137.00	141.00	4.00	0.30	0.3						"
BRAZD620	64.00	65.00	1.00	0.33	0.3	Piaba West	1650W	190.73	-57	168	Saprolite
and	153.00	155.00	2.00	0.79	0.3						Fresh Rock
and	159.00	165.00	6.00	1.21	0.3						"
incl	160.00	161.00	1.00	3.84	1.0						"
and	169.00	175.00	6.00	0.61	0.3						"
BRAZD621	59.00	61.00	2.00	0.43	0.3	Piaba West	2200W	206.75	-54	168	Transition
and	84.00	85.00	1.00	1.66	0.3						Fresh Rock
and	109.00	110.00	1.00	3.89	0.3						"
BRAZD622	23.00	28.00	5.00	1.08	0.3	Piaba West	2050W	120.6	-54	168	Saprolite
and	41.00	43.00	2.00	3.26	0.3						"
incl	41.00	42.00	1.00	5.81	1.0						"
and	69.00	72.00	3.00	0.65	0.3						Saprolite
and	73.00	74.00	1.00	0.36	0.3						Transition
and	91.00	96.00	5.00	1.06	0.3						Fresh Rock
and	112.00	113.00	1.00	0.33	0.3						"
BRAZD623	71.00	74.00	3.00	1.11	0.3	Piaba West	2150W	157.81	-58	168	Fresh Rock
and	86.00	87.00	1.00	0.34	0.3						"
BRAZD624	No significant results					Piaba West	1900W	220.6	-55	168	
BRAZD630	95.00	96.00	1.00	7.02	0.3	Piaba Infill	1550W	148.20	-51	168	Transition
and	106.00	122.00	16.00	1.00	0.3						Fresh Rock
and	125.00	126.00	1.00	1.13	0.3						"
and	130.00	131.00	1.00	0.33	0.3						"
BRAZD633	0.00	6.00	6.00	1.20	0.3	Piaba West	1700W	49.40	-78	168	Saprolite
and	12.00	14.00	2.00	0.76	0.3						"
and	17.00	26.00	9.00	0.98	0.3						"
incl	23.00	24.00	1.00	2.18	1.0						"
and	30.00	32.00	2.00	0.42	0.3						Transition
BRAZD636	39.00	43.00	4.00	1.00	0.3	Piaba West	1600 W	110.00	-45	184	Saprolite
and	53.00	54.00	1.00	2.10	0.3						"
and	58.00	77.00	19.00	1.45	0.3						Transition
incl	67.00	68.00	1.00	6.07	1.0						"
incl	71.00	73.00	2.00	2.75	1.0						"
and	79.00	80.00	1.00	0.72	0.3						"
and	83.00	88.00	5.00	0.81	0.3						"

Qualified Person and Disclosure Statement

Scott Heffernan, M.Sc., P.Geo., the Company's EVP Exploration and Qualified Person under National Instrument 43-101, has reviewed and verified that the technical information contained in this document is accurate and approves the written disclosure of the same. Drill composites were calculated using cut-off values of 0.3 g/t, 1.0 g/t or 5.0 g/t gold as specified in the drill table and contain no more than 3 metres of internal waste. Drill intersections are calculated using uncut assays and are reported as drilled thicknesses. True widths of the mineralized intervals are interpreted to be 60 to 90 percent of the reported lengths. All samples were submitted to ALS Chemex in Belo Horizonte, Brazil for sample preparation. Sample pulps were then sent to ALS Chemex in Lima, Peru for geochemical analysis for gold by fire assay of a 30-gram charge with an Atomic Absorption finish (AA) and for a 33 multi-element geochemical suite by 4-acid digestion and Inductively-Coupled Mass Spectrometry (ICP-MS). Samples with AA gold values over 10.0 g/t are re-assayed by Screen Metallics fire assay. Control samples (accredited standards, blanks and duplicate samples at the field and preparation stages) were inserted on a regular basis. Results were monitored upon receipt of assays.