

Piaba West Drilling - 2017

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD529	30.00	31.00	1.00	0.40	0.3	Piaba Infill	1450W	128.45	-56	168	Saprolite
and	41.00	66.00	25.00	1.90	0.3						Transition
incl	49.40	55.00	5.60	2.52	1.0						"
and	72.60	83.30	10.70	0.65	0.3						"
BRAZD530	24.80	25.60	0.80	0.62	0.3	Piaba Infill	1750W	114.85	-55	168	Saprolite
and	43.35	44.20	0.85	1.52	0.3						Transition
and	49.00	60.00	11.00	1.11	0.3						"
incl	51.26	58.50	7.20	1.52	1.0						"
and	69.00	72.00	3.00	1.44	0.3						"
and	76.20	82.00	5.80	0.50	0.3						"
and	90.00	91.00	1.00	0.46	0.3						Fresh Rock
and	96.25	97.00	1.25	4.77	0.3						"
BRAZD531	51.00	52.00	1.00	0.51	0.3	Piaba Infill	1750W	140.96	-77	168	Transition
and	65.00	84.00	19.00	0.73	0.3						Fresh Rock
incl	74.00	81.00	7.00	1.27	1.0						"
and	90.00	96.00	6.00	1.33	0.3						"
incl	90.00	93.00	3.00	2.21	1.0						"
and	102.00	114.20	12.20	0.44	0.3						"
BRAZD532	28.00	29.00	1.00	0.34	0.3	Piaba Infill	1500W	114.07	-59	168	Saprolite
and	43.70	55.00	11.30	0.82	0.3						Transition
and	62.00	80.50	18.50	1.64	0.3						"
incl	64.00	69.00	5.00	3.69	1.0						"
and	91.00	92.00	1.00	0.31	0.3						Fresh Rock
BRAZD534	35.00	36.00	1.00	0.37	0.3	Piaba Infill	1650W	111.05	-67	168	Saprolite
and	45.00	47.23	2.23	1.12	0.3						Transition
and	61.00	105.46	44.46	1.13	0.3						Fresh Rock
incl	70.34	72.30	1.96	4.81	1.0						"
BRAZD535	163.00	165.00	2.00	3.08	0.3	Piaba Infill	1700W	228.03	-73	168	Fresh Rock
and	188.00	209.80	21.80	0.95	0.3						"
BRAZD536	192.80	194.65	1.85	1.40	0.3	Piaba West	1800W	285.07	-73	168	Fresh Rock
and	205.00	206.00	1.00	0.57	0.3						"
and	210.34	219.00	8.66	5.70	1.0						"
incl	215.60	218.00	2.40	15.84	5.0						"
and	230.00	251.00	21.00	1.29	0.3						"
and	254.00	255.00	1.00	0.58	0.3						"
and	258.00	269.00	11.00	0.96	0.3						"
BRAZD537	88.50	90.00	1.50	0.54	0.3	Piaba West	1850W	200.70	-63	168	Transition
and	102.00	109.00	7.00	1.22	0.3						Fresh Rock
and	125.00	146.20	21.20	0.59	0.3						"
and	152.20	157.00	4.80	0.87	0.3						"
and	173.00	176.00	3.00	0.36	0.3						"
BRAZD538	116.50	118.50	2.00	0.80	0.3	Piaba West	1850W	236.93	-71	168	Fresh Rock
and	128.50	133.60	5.10	2.29	0.3						"
and	146.30	171.55	25.25	1.33	0.3						"
and	179.30	182.80	3.50	1.16	0.3						"
and	186.00	189.00	3.00	0.41	0.3						"
BRAZD539	81.30	82.00	0.70	1.54	0.3	Piaba Infill	1750W	160.94	-64	168	Fresh Rock
and	88.85	90.30	1.45	1.96	0.3						"
and	102.00	108.00	6.00	0.92	0.3						"
and	111.35	144.00	32.65	1.07	0.3						"
BRAZD540	109.00	112.00	3.00	1.25	0.3	Piaba Infill	1750W	176.85	-71	168	Fresh Rock
and	129.00	134.00	5.00	0.78	0.3						"
and	139.10	147.00	8.00	3.63	0.3						"
incl	141.00	147.10	6.10	4.56	1.0						"
and	155.80	158.00	2.20	0.58	0.3						"
and	169.20	170.00	0.80	1.61	0.3						"

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD541	82.00	83.00	1.00	2.23	0.3	Piaba Infill	1750W	205.30	-76	168	Fresh Rock
and	129.70	130.20	0.50	1.63	0.3						"
and	136.00	138.00	2.00	0.89	0.3						"
and	140.00	145.00	5.00	0.53	0.3						"
and	152.60	159.00	6.40	1.50	0.3						"
incl	152.60	153.60	1.00	5.81	5.0						"
and	165.00	176.10	11.10	1.38	0.3						"
and	190.00	191.00	1.00	0.78	0.3						"
BRAZD542	130.00	142.20	12.20	3.20	0.3	Piaba West	2100W	176.65	-56	168	Fresh Rock
incl	130.00	137.00	7.00	4.32	1.0						"
BRAZD543	14.00	17.00	3.00	0.63	0.3	Piaba West	1800W	110.10	-59	168	Saprolite
and	21.80	28.00	6.20	1.89	0.3						"
and	30.70	35.50	4.80	0.67	0.3						"
and	42.50	46.50	4.00	0.65	0.3						Transition
and	90.00	94.00	4.00	2.60	0.3						Fresh Rock
incl	92.00	94.00	2.00	4.84	1.0						"
BRAZP565	No significant results					Piaba West	1950W	90.00	-55	168	
BRAZP566	79.00	82.00	3.00	0.85	0.3	Piaba West	1950W	90.00	-55	168	Transition
BRAZP567	34.00	38.00	4.00	0.61	0.3	Piaba West	1950W	90.00	-55	168	Saprolite
BRAZP568	5.00	10.00	5.00	0.42	0.3	Piaba West	1950W	90.00	-55	168	Saprolite
BRAZP569	38.00	71.00	33.00	1.22	0.3	Piaba Infill	1425W	124.00	-55	168	Transition
incl	50.00	61.00	11.00	2.27	1.0						"
and	76.00	85.00	9.00	0.35	0.3						Fresh Rock
and	89.00	93.00	4.00	0.36	0.3						"
and	111.00	121.00	10.00	0.38	0.3						"
BRAZP570	19.00	24.00	5.00	0.80	0.3	Piaba Infill	1525W	100.00	-55	168	Saprolite
and	28.00	39.00	11.00	0.64	0.3						"
and	43.00	58.00	15.00	0.51	0.3						"
and	68.00	69.00	1.00	0.88	0.3						Transition
and	72.00	79.00	7.00	0.27	0.3						Fresh Rock
and	91.00	98.00	7.00	0.54	0.3						"
BRAZP571	1.00	16.00	15.00	0.99	0.3	Piaba Infill	1650W	50.00	-52	168	Transition
and	27.00	30.00	3.00	0.46	0.3						"
and	34.00	35.00	1.00	1.67	0.3						"
BRAZP572	24.00	33.00	9.00	2.63	1.0	Piaba Infill	1675W	56.00	-55	168	Transition
and	37.00	40.00	3.00	0.39	0.3						"
and	49.00	51.00	2.00	0.43	0.3						"
BRAZP573	No significant results					Piaba West	2100W	90.00	-55	168	
BRAZP574	28.00	29.00	1.00	1.15	0.3	Piaba West	2100W	90.00	-55	168	Saprolite
BRAZP575	49.00	60.00	11.00	3.90	1.0	Piaba West	2100W	95.00	-55	168	Transition
BRAZP576	104.00	110.00	6.00	0.71	0.3	Piaba West	2200W	110.00	-55	168	Fresh Rock
BRAZP577	60.00	61.00	1.00	0.43	0.3	Piaba West	2200W	90.00	-55	168	Saprolite
BRAZP578	No significant results					Piaba West	2200W	90.00	-55	168	
BRAZP579	15.00	18.00	3.00	0.30	0.3	Piaba West	2000W	90.00	-55	168	Saprolite
BRAZP580	10.00	14.00	4.00	1.95	0.3	Piaba West	2000W	90.00	-55	168	Saprolite
and	25.00	30.00	5.00	2.17	0.3						"
BRAZP581	15.00	16.00	1.00	0.53	0.3	Piaba West	1850W	53.00	-59	168	Saprolite
and	19.00	22.00	3.00	0.98	0.3						"
and	25.00	26.00	1.00	0.51	0.3						"
and	35.00	36.00	1.00	0.46	0.3						"
and	45.00	46.00	1.00	0.68	0.3						"
BRAZP582	85.00	89.00	4.00	28.16	0.3	Piaba West	1900W	104.00	-55	168	Transition
incl	85.00	86.00	1.00	112.00	5.0						"
BRAZP583	No significant results					Piaba West	1900W	58.00	-53	168	
BRAZP584	10.00	53.00	43.00	1.53	0.3	Piaba West	1800W	110.00	-59	168	Saprolite
incl	18.00	31.00	13.00	3.84	1.0						"
incl	21.00	27.00	6.00	6.05	5.0						"
and	70.00	89.00	19.00	0.52	0.3						Transition

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZP585	3.00	4.00	1.00	0.68	0.3	Piaba West	2000W	90.00	-55	168	Saprolite
and	9.00	10.00	1.00	0.34	0.3						"
and	17.00	18.00	1.00	0.32	0.3						"
and	66.00	74.00	8.00	0.31	0.3						Transition
BRAZP586	No significant results					Piaba West	2000W	49.00	-55	168	
BRAZP587	4.00	6.00	2.00	0.45	0.3	Piaba West	1850W	107.00	-59	168	Saprolite
and	29.00	31.00	2.00	0.44	0.3						"
and	39.00	46.00	7.00	0.49	0.3						"
and	55.00	58.00	3.00	1.27	0.3						Transition
and	66.00	67.00	1.00	0.45	0.3						"
and	86.00	87.00	1.00	0.40	0.3						Fresh Rock
and	92.00	93.00	1.00	19.65	5.0						"
and	97.00	102.00	5.00	67.09	1.0						"
incl	97.00	98.00	1.00	329.00	5.0						"
BRAZP588	69.00	73.00	4.00	0.76	0.3	Piaba West	2300W	90.00	-55	168	Transition
BRAZP589	No significant results					Piaba West	2300W	90.00	-55	168	
BRAZP590	24.00	35.00	11.00	1.10	0.3	Piaba Infill	1700w	94.00	-76	168	Saprolite
and	38.00	49.00	11.00	0.86	0.3						Transition
and	53.00	54.00	1.00	0.50	0.3						Fresh Rock
and	60.00	79.00	19.00	1.13	0.3						"
incl	61.00	65.00	4.00	2.93	1.0						"
and	82.00	83.00	1.00	1.62	1.0						"
and	91.00	94.00	3.00	2.00	0.3						"
BRAZP591	53.00	57.00	4.00	2.19	0.3	Piaba Infill	1525W	109.00	-76	168	Transition
and	62.00	101.00	39.00	1.21	0.3						Fresh Rock
incl	77.00	83.00	6.00	1.89	1.0						"
and	106.00	107.00	1.00	1.48	0.3						"
BRAZP592	10.00	11.00	1.00	0.41	0.3	Piaba West	1900W	190.00	-65	168	Saprolite
and	26.00	27.00	1.00	0.96	0.3						"
and	34.00	35.00	1.00	4.18	0.3						"
and	47.00	50.00	3.00	0.68	0.3						"
and	132.00	134.00	2.00	0.73	0.3						Fresh Rock
and	162.00	163.00	1.00	0.32	0.3						"
and	176.00	178.00	2.00	5.29	0.3						"
and	186.00	187.00	1.00	0.39	0.3						"
BRAZP593	4.00	9.00	5.00	1.16	0.3	Piaba West	1850W	140.00	-60	168	Saprolite
and	37.00	38.00	1.00	2.12	0.3						"
and	62.00	67.00	5.00	0.61	0.3						Transition
and	71.00	77.00	6.00	0.30	0.3						"
incl	80.00	93.00	13.00	0.55	0.3						Fresh Rock
and	98.00	102.00	4.00	0.28	0.3						"
and	106.00	107.00	1.00	0.42	0.3						"
and	109.00	111.00	2.00	0.50	0.3						"
and	115.00	116.00	1.00	0.79	0.3						"
and	138.00	140.00	2.00	1.41	0.3						"
BRAZP594	25.00	26.00	1.00	4.82	0.3	Piaba West	1850W	168.00	-60	168	Saprolite
and	98.00	110.00	12.00	0.71	0.3						Fresh Rock
and	111.00	115.00	4.00	0.67	0.3						"
and	122.00	123.00	1.00	0.76	0.3						"
and	132.00	136.00	4.00	0.77	0.3						"
BRAZP595	77.00	99.00	22.00	0.79	0.3	Piaba West	1800W	140.00	-70	168	Fresh Rock
and	102.00	117.00	15.00	1.43	0.3						"
incl	102.00	109.00	7.00	2.17	1.0						"
and	126.00	132.00	6.00	0.50	0.3						"
BRAZP596	10.00	15.00	5.00	1.49	0.3	Piaba West	1800W	53.00	-59	168	Saprolite
and	19.00	39.00	20.00	5.06	0.3						"
incl	19.00	21.00	2.00	28.67	1.0						"
incl	24.00	38.00	14.00	2.92	1.0						"
BRAZP597	No significant results					Piaba West	2050W	60.00	-55	168	

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZP598	42.00	43.00	1.00	2.26	0.3	Piaba West	2050W	97.00	-55	168	Transition
and	58.00	66.00	8.00	0.48	0.3						"
and	95.00	97.00	2.00	5.89	5.0						"
BRAZP599	18.00	24.00	6.00	2.16	0.3	Piaba West	2100W	60.00	-55	168	Saprolite
BRAZP600	29.00	33.00	4.00	0.47	0.3	Piaba West	2100W	110.00	-55	168	Saprolite
and	102.00	106.00	4.00	0.46	0.3						Fresh Rock
BRAZP601	No significant results					Piaba West	2150W	60.00	-55	168	
BRAZP602	No significant results					Piaba West	2150W	90.00	-55	168	
BRAZP603	39.00	47.00	8.00	0.45	0.3	Piaba Infill	1425W	100.00	-55	168	Saprolite
and	48.00	67.00	19.00	1.88	0.3						Transition
incl	54.00	62.00	8.00	3.74	1.0						"
and	72.00	79.00	7.00	0.48	0.3						Fresh Rock
and	90.00	92.00	2.00	1.34	0.3						"
BRAZP604	12.00	16.00	4.00	0.43	0.3	Piaba West	2000W	90.00	-50	168	Saprolite
and	32.00	42.00	10.00	0.89	0.3						"
BRAZP605	39.00	40.00	1.00	0.75	0.3	Piaba West	1950W	90.00	-55	168	Saprolite
and	53.00	54.00	1.00	0.39	0.3						"
and	60.00	65.00	5.00	0.40	0.3						Transition
and	70.00	71.00	1.00	0.99	0.3						"
BRAZP606	14.00	15.00	1.00	0.85	0.3	Piaba Infill	0300W	110.00	-65	168	Saprolite
and	32.00	34.00	2.00	0.93	0.3						Transition
and	41.00	42.00	1.00	1.10	0.3						"
and	58.00	61.00	3.00	1.06	0.3						Fresh Rock
and	67.00	70.00	3.00	4.95	1.0						"
and	80.00	84.00	4.00	3.32	1.0						"
and	93.00	99.00	6.00	1.43	0.3						"
and	104.00	108.00	4.00	1.31	0.3						"
BRAZP607	7.00	9.00	2.00	2.84	0.3	Piaba Infill	1250W	70.00	-50	168	Saprolite
and	15.00	16.00	1.00	0.44	0.3						"
and	20.00	37.00	17.00	1.26	0.3						Transition
incl	23.00	31.00	8.00	1.95	1.0						"
and	38.00	46.00	8.00	1.16	0.3						"
and	48.00	52.00	4.00	0.76	0.3						"
and	55.00	59.00	4.00	0.81	0.3						"
BRAZP608	56.00	57.00	1.00	1.25	0.3	Piaba Infill	1500W	118.00	-63	168	Transition
and	73.00	81.00	8.00	0.80	0.3						Fresh Rock
and	87.00	97.00	10.00	0.63	0.3						"
BRAZP609	No significant results					Piaba West	2200W	90.00	-55	168	
BRAZP610	20.00	25.00	5.00	1.01	0.3	Piaba West	2150W	110.00	-55	168	Saprolite
and	28.00	34.00	6.00	2.13	0.3						"
and	40.00	46.00	6.00	0.64	0.3						Transition
and	52.00	53.00	1.00	0.38	0.3						"
and	59.00	60.00	1.00	0.30	0.3						"
BRAZP611	1.00	4.00	3.00	1.97	0.3	Piaba West	2050W	114.00	-56	168	Laterite
and	96.00	97.00	1.00	0.49	0.3						Fresh Rock
and	104.00	105.00	1.00	0.37	0.3						"
BRAZD563	43.00	44.00	1.00	0.72	0.3	Piaba Infill	1550W	180.7	-59	168	Saprolite
and	126.00	127.00	1.00	1.45	0.3						Fresh Rock
and	137.00	156.00	19.00	0.97	0.3						"
incl	149.00	151.00	2.00	2.69	1.0						"
and	159.00	159.60	0.60	0.51	0.3						"
BRAZD564	61.30	62.30	1.00	0.56	0.3	Piaba Infill	1500W	150.85	-72	168	Saprolite
and	81.00	84.10	3.10	2.77	0.3						Fresh Rock
incl	82.00	83.00	1.00	5.74	0.1						"
and	108.00	109.00	1.00	0.30	0.3						"
and	110.00	116.00	6.00	1.37	0.3						"
incl	110.00	112.00	2.00	2.60	1.0						"
and	125.00	127.00	2.00	0.67	0.3						"

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD565	93.00	94.00	1.00	0.61	0.3	Piaba West	2100W	231	-54	168	Transition
and	101.00	104.00	3.00	0.49	0.3						"
and	154.20	155.40	1.20	4.05	0.3						Fresh Rock
and	163.00	167.60	4.60	3.31	0.3						"
incl	163.00	166.40	3.40	4.20	1.0						"
and	176.40	179.00	2.60	0.80	0.3						"
and	201.00	202.00	1.00	0.33	0.3						"
BRAZD566	37.00	38.00	1.00	2.51	0.3	Piaba West	2075W	217.55	-53	168	Saprolite
and	80.00	81.00	1.00	1.80	0.3						Transition
and	99.00	100.00	1.00	0.39	0.3						"
and	127.00	136.00	9.00	4.64	0.3						"
incl	128.00	134.00	6.00	6.81	1.0						"
BRAZD567	73.00	74.00	1.00	0.46	0.3	Piaba Infill	1550W	130.45	-54	168	Transition
and	77.00	78.00	1.00	0.30	0.3						"
and	81.00	100.00	19.00	2.01	0.3						"
incl	84.00	89.00	5.00	3.49	1.0						"
incl	98.00	99.60	1.60	4.33	1.0						"
and	104.00	108.20	4.20	0.64	0.3						Fresh Rock
and	110.00	111.00	1.00	0.49	0.3						"
BRAZD568	42.00	44.00	2.00	0.34	0.3	Piaba Infill	1400W	145.00	-64	168	Transition
and	66.30	67.00	0.70	0.57	0.3						Fresh Rock
and	78.10	104.00	25.90	1.27	0.3						"
incl	88.00	90.00	2.00	2.11	1.0						"
incl	96.00	99.00	3.00	3.57	1.0						"
and	107.00	113.00	6.00	0.37	0.3						"
and	118.00	119.00	1.00	0.39	0.3						"
and	121.00	123.00	2.00	3.09	0.3						"
and	130.20	136.00	5.80	1.67	0.3						"
incl	134.00	135.00	1.00	3.44	1.0						"
BRAZD569	40.00	41.00	1.00	0.50	0.3	Piaba West	1900W	185.10	-55	168	Transition
and	71.00	72.00	1.00	0.31	0.3						"
and	80.00	81.00	1.00	0.59	0.3						"
and	136.00	137.00	1.00	15.30	0.3						Fresh Rock
and	151.00	152.00	1.00	0.48	0.3						"
BRAZD570	20.00	22.00	2.00	0.81	0.3	Piaba Infill	1650W	209.00	-60	168	Saprolite
and	26.00	27.00	1.00	0.41	0.3						"
and	147.00	148.00	1.00	0.37	0.3						Fresh Rock
and	163.00	168.00	5.00	0.33	1.0						"
and	170.00	187.00	17.00	1.35	0.3						"
incl	171.00	174.00	3.00	4.32	0.1						"
and	193.00	194.00	1.00	0.54	0.3						"
BRAZD571	45.00	46.00	1.00	0.44	0.3	Piaba West	2125W	239.15	-53	168	Saprolite
and	50.00	56.00	6.00	6.59	0.3						"
incl	52.00	54.00	2.00	17.73	0.1						"
and	68.00	73.00	5.00	7.32	0.3						"
incl	68.00	69.00	1.00	8.60	1.0						"
incl	71.00	72.00	1.00	8.10	1.0						"
and	85.00	86.00	1.00	0.55	0.3						Transition
and	104.00	106.00	2.00	0.79	0.3						Fresh Rock
and	108.00	109.00	1.00	1.59	0.3						"
and	175.00	177.00	2.00	0.54	1.0						"
BRAZD572	20.00	22.00	2.00	0.48	0.3	Piaba West	2025W	187.65	-55	168	Saprolite
and	63.00	65.00	2.00	1.92	0.3						Transition
and	124.00	125.00	1.00	0.33	0.3						Fresh Rock
BRAZD573	52.00	54.00	2.00	1.22	0.3	Piaba Infill	1350W	142.80	-57	168	Transition
and	72.00	89.00	17.00	0.83	0.3						Fresh Rock
and	93.00	101.00	8.00	1.84	0.3						"
and	130.00	131.00	1.00	3.22	0.3						"
and	140.00	141.00	1.00	0.52	0.3						"
BRAZD574	4.00	5.00	1.00	0.34	0.3	Piaba West	1950W	183.95	-55	168	Saprolite

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD575	97.00	102.00	5.00	0.49	0.3	Piaba West	2200W	221.35	-55	168	Fresh Rock
and	181.00	182.00	1.00	0.38	0.3						"
and	186.00	187.00	1.00	0.30	0.3						"
BRAZD576	84.00	85.00	1.00	0.43	0.3	Piaba Infill	1350W	127.25	-66	168	Fresh Rock
and	88.00	97.00	9.00	1.43	0.3						"
incl	90.00	91.00	1.00	5.65	1.0						"
and	102.00	103.00	1.00	0.49	0.3						"
and	107.00	109.00	2.00	0.56	0.3						"
and	113.00	123.00	10.00	1.32	0.3						"
incl	120.00	121.00	1.00	5.44	1.0						"
and	126.00	127.25	1.25	0.29	0.3						"
BRAZD576A	91.00	92.00	1.00	0.43	0.3	Piaba Infill	1350W	180.95	-66	168	Fresh Rock
and	98.00	100.00	2.00	1.26	0.3						"
and	106.00	112.00	6.00	0.46	0.3						"
and	120.00	121.00	1.00	2.73	0.3						"
and	126.00	128.00	2.00	0.61	0.3						"
and	134.00	137.00	3.00	0.54	0.3						"
and	140.00	141.00	1.00	0.39	0.3						"
and	147.00	154.00	7.00	0.57	0.3						"
BRAZD577	0.00	4.00	4.00	0.98	0.3	Piaba Infill	1700W	129.60	-77	168	Saprolite
and	38.00	45.00	7.00	2.82	0.3						Transition
incl	39.00	44.00	5.00	3.52	0.1						"
and	62.00	84.00	22.00	2.08	0.3						Fresh Rock
incl	67.00	70.00	3.00	11.21	1.0						"
and	117.10	123.00	5.90	0.49	0.3						"
BRAZD578	23.00	24.00	1.00	0.31	0.3	Piaba West	1850W	68.00	-55	168	Saprolite
and	28.00	30.00	2.00	0.36	0.3						"
and	32.00	40.00	8.00	2.14	0.3						"
incl	37.00	40.00	3.00	4.58	1.0						"
and	42.00	43.00	1.00	0.68	0.3						"
BRAZD578A	No significant results					Piaba West	1850W	72.10	-55	168	
BRAZD579	11.00	15.00	4.00	0.37	0.30	Piaba West	2050W	154.8	-56	168	Saprolite
and	19.00	20.00	1.00	0.37	0.30						"
and	23.00	24.00	1.00	0.31	0.30						"
and	52.00	53.00	1.00	1.07	0.30						"
and	55.00	56.00	1.00	0.30	0.30						"
and	62.00	63.00	1.00	0.52	0.30						"
and	73.00	81.00	8.00	3.44	0.30						"
incl	73.00	76.00	3.00	8.02	1.00						"
BRAZD580	3.00	4.00	1.00	2.32	0.30	Piaba Infill	1600W	194.25	-76	168	Saprolite
and	18.00	19.00	1.00	0.34	0.30						"
and	29.00	30.00	1.00	0.76	0.30						"
and	116.00	117.00	1.00	2.20	0.30						Fresh Rock
and	126.00	129.00	3.00	0.68	0.30						"
and	147.00	152.00	5.00	1.61	0.30						"
and	158.00	159.00	1.00	0.94	0.30						"
and	167.00	168.00	1.00	0.44	0.30						"
BRAZD581	116.00	122.00	6.00	0.49	0.30	Piaba Infill	1450W	178.2	-60	168	Fresh Rock
and	126.00	137.00	11.00	1.11	0.30						"
and	142.00	143.00	1.00	0.57	0.30						"
and	146.00	147.00	1.00	0.89	0.30						"
BRAZD582	28.00	29.00	1.00	0.32	0.30	Piaba West	1950W	171.5	-55	168	Saprolite
and	32.00	33.00	1.00	0.80	0.30						"
and	77.00	78.00	1.00	0.41	0.30						Transition
and	112.00	114.00	2.00	1.03	0.30						Fresh Rock
and	123.00	124.00	1.00	0.33	0.30						"
and	127.00	128.00	1.00	2.14	0.30						"
and	136.00	137.00	1.00	0.65	0.30						"
and	155.00	156.00	1.00	1.97	0.30						"

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD583	53.00	54.00	1.00	1.13	0.30	Piaba West	1900W	149.9	-53	168	Transition
and	109.00	111.00	2.00	0.33	0.30						Fresh Rock
and	123.00	124.00	1.00	0.32	0.30						"
BRAZD584	179.00	180.00	1.00	0.36	0.30	Piaba Infill	1500W	244.95	-76	168	Fresh Rock
and	184.00	194.00	10.00	2.12	0.30						"
incl	187.00	190.00	3.00	4.13	1.00						"
and	217.00	219.00	2.00	1.47	0.30						"
BRAZD585	17.00	18.00	1.00	0.63	0.30	Piaba Infill	1750W	126.95	-66.18617644	168	Saprolite
and	53.00	55.00	2.00	0.61	0.30						Transition
and	58.00	92.00	34.00	1.65	0.30						"
incl	62.40	74.00	11.60	3.42	1.00						"
and	96.00	98.00	2.00	0.76	0.30						Fresh Rock
BRAZD586	45.00	79.00	34.00	1.03	0.30	Piaba West	1800W	116.85	-51	168	Transition
incl	55.00	57.00	2.00	6.43	1.00						"
incl	72.00	73.00	1.00	4.73	1.00						"
and	108.00	112.00	4.00	0.89	0.30						Fresh Rock
BRAZD587	5.00	6.00	1.00	0.53	0.3	Piaba Infill	1500W	127.05	-63	168	Saprolite
and	10.00	11.00	1.00	0.33	0.3						"
and	22.00	26.00	4.00	0.62	0.3						"
and	45.00	54.00	9.00	0.66	0.3						Transition
and	58.00	63.00	5.00	0.21	0.3						Fresh Rock
and	64.00	82.00	18.00	1.23	0.3						"
incl	66.00	68.00	2.00	2.81	1.0						"
incl	71.00	73.00	2.00	3.64	1.0						"
and	87.40	88.00	0.60	0.58	0.3						"
BRAZD588	34.00	35.00	1.00	0.44	0.3	Piaba West	1950W	123.8	-60	168	Saprolite
and	44.00	49.00	5.00	1.72	0.3						"
incl	47.00	48.00	1.00	3.40	1.0						"
and	53.00	54.00	1.00	0.30	0.3						"
BRAZD589	0.00	7.00	7.00	0.31	0.3	Piaba West	1850W	122.9	-60	168	Laterite
and	16.00	17.00	1.00	0.32	0.3						"
and	23.00	26.00	3.00	0.51	0.3						Saprolite
and	29.00	29.80	0.80	0.61	0.3						"
and	42.00	43.00	1.00	0.99	0.3						Transition
BRAZD590	5.00	6.00	1.00	0.41	0.3	Piaba West	1850W	100.65	-60	168	Laterite
and	34.00	35.00	1.00	0.33	0.3						Transition
BRAZD591	42.00	43.00	1.00	0.53	0.3	Piaba Infill	1450W	130.7	-59	168	Saprolite
and	58.00	61.00	3.00	0.65	0.3						Transition
and	66.00	84.00	18.00	0.58	0.3						Fresh Rock
and	97.00	98.00	1.00	0.49	0.3						"
and	99.00	100.00	1.00	0.77	0.3						"
and	103.00	104.00	1.00	0.63	0.3						"
BRAZD592	84.00	85.00	1.00	1.01	0.3	Piaba West	2150W	230.4	-53	168	Fresh Rock
and	172.00	173.00	1.00	6.21	0.3						"
and	179.00	182.00	3.00	0.30	0.3						"
BRAZD593	74.00	75.00	1.00	1.94	0.3	Piaba West	1850W	257.9	-70	168	Transition
and	160.00	164.00	4.00	0.54	0.3						Fresh Rock
and	167.30	171.00	3.70	1.28	0.3						"
and	173.00	174.00	1.00	0.34	0.3						"
and	176.00	181.00	5.00	0.65	0.3						"
and	185.00	188.00	3.00	0.55	0.3						"
and	197.00	200.00	3.00	0.55	0.3						"
and	202.00	207.20	5.20	1.29	0.3						"
incl	206.00	207.20	1.20	2.56	1.0						"
BRAZD594	105.00	106.00	1.00	0.40	0.3	Piaba Infill	1250W	271.15	-73	168	Fresh Rock
and	154.00	193.00	39.00	1.40	0.3						"
incl	158.00	159.20	1.20	4.49	1.0						"
incl	171.00	172.00	1.00	11.40	1.0						"
incl	174.00	175.00	1.00	4.07	1.0						"
and	202.00	203.00	1.00	2.24	0.3						"
and	210.00	211.00	1.00	0.43	0.3						"

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD595	20.00	47.00	27.00	1.59	0.3	Piaba Infill	1500W	88.65	-53	168	Transition
	incl 43.00	47.00	4.00	7.66	1.0						"
	and 50.00	51.00	1.00	0.84	0.3						"
BRAZD596	No significant results					Piaba West	2025W	247.4	-55	133	
BRAZD597	28.00	29.00	1.00	3.44	0.3	Piaba Infill	1300W	280.45	-74	168	Saprolite
	and 143.00	144.00	1.00	0.54	0.3						Fresh Rock
	and 156.00	157.00	1.00	1.58	0.3						"
	and 162.00	163.00	1.00	6.09	0.3						"
	and 165.00	166.00	1.00	0.52	0.3						"
	and 170.00	171.00	1.00	0.51	0.3						"
	and 178.00	215.00	37.00	1.44	0.3						"
	incl 183.00	188.00	5.00	3.60	1.0						"
	incl 198.00	201.00	3.00	4.19	1.0						"
	and 243.00	244.00	1.00	1.08	0.3						"
BRAZD598	No significant results					Piaba West	1875W	186.25	-55	150	
BRAZD599	24.00	27.00	3.00	14.18	0.3	Piaba Infill	1250W	170.2	-57	168	Saprolite
	incl 25.00	27.00	2.00	20.66	1.0						"
	and 89.00	90.00	1.00	0.57	0.3						Fresh Rock
	and 94.00	114.00	20.00	1.17	0.3						"
	incl 103.00	104.00	1.00	4.61	1.0						"
	and 125.00	126.00	1.00	0.58	0.3						"
	and 129.00	133.00	4.00	0.41	0.3						"
BRAZD603	163.00	164.00	1.00	2.44	0.3	Piaba West	2250W	165.00	-55	168	Fresh Rock
BRAZD604	No significant results					Piaba Infill	1500E	299.45	-55	168	
BRAZD613	85.00	86.00	1.00	0.53	0.3	Piaba West	2050W	223.6	-55	168	Transition
	and 102.00	105.00	3.00	1.31	0.3						Fresh Rock
	and 107.00	108.00	1.00	0.38	0.3						"
	and 130.00	131.00	1.00	0.35	0.3						"
	and 147.00	148.00	1.00	0.38	0.3						"
	and 201.00	202.00	1.00	0.54	0.3						"
BRAZD614	21.00	27.00	6.00	3.00	0.3	Piaba West	2125W	158.6	-52	168	Saprolite
	incl 21.00	22.00	1.00	14.60	1.0						"
	and 114.00	115.00	1.00	0.81	0.3						Fresh Rock
BRAZD617	78.00	79.00	1.00	3.32	0.3	Piaba Infill	1500W	164.15	-73	168	Transition
	and 99.00	102.00	3.00	2.45	0.3						Fresh Rock
	incl 100.00	101.00	1.00	3.96	1.0						"
	and 106.00	111.00	5.00	0.52	0.3						"
	and 113.00	115.00	2.00	0.75	0.3						"
	and 130.00	135.00	5.00	0.75	0.3						"
BRAZD618	61.00	62.00	1.00	1.05	0.3	Piaba West	2100W	203.25	-54	168	Saprolite
	and 74.00	75.00	1.00	0.85	0.3						"
	and 86.00	88.00	2.00	1.26	0.3						"
	and 148.00	149.00	1.00	0.31	0.3						Fresh Rock
BRAZD619	116.00	133.00	17.00	0.97	0.3	Piaba West	1600W	149.9	-74	168	Fresh Rock
	incl 119.00	120.00	1.00	3.97	1.0						"
	incl 127.00	129.00	2.00	2.91	1.0						"
	and 137.00	141.00	4.00	0.30	0.3						"
BRAZD620	64.00	65.00	1.00	0.33	0.3	Piaba West	1650W	190.73	-57	168	Saprolite
	and 153.00	155.00	2.00	0.79	0.3						Fresh Rock
	and 159.00	165.00	6.00	1.21	0.3						"
	incl 160.00	161.00	1.00	3.84	1.0						"
	and 169.00	175.00	6.00	0.61	0.3						"
BRAZD621	59.00	61.00	2.00	0.43	0.3	Piaba West	2200W	206.75	-54	168	Transition
	and 84.00	85.00	1.00	1.66	0.3						Fresh Rock
	and 109.00	110.00	1.00	3.89	0.3						"

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD622	23.00	28.00	5.00	1.08	0.3	Piaba West	2050W	120.6	-54	168	Saprolite
and	41.00	43.00	2.00	3.26	0.3						"
incl	41.00	42.00	1.00	5.81	1.0						"
and	69.00	72.00	3.00	0.65	0.3						Saprolite
and	73.00	74.00	1.00	0.36	0.3						Transition
and	91.00	96.00	5.00	1.06	0.3						Fresh Rock
and	112.00	113.00	1.00	0.33	0.3						"
BRAZD623	71.00	74.00	3.00	1.11	0.3	Piaba West	2150W	157.81	-58	168	Fresh Rock
and	86.00	87.00	1.00	0.34	0.3						"
BRAZD624	No significant results					Piaba West	1900W	220.6	-55	168	
BRAZD630	95.00	96.00	1.00	7.02	0.3	Piaba Infill	1550W	148.20	-51	168	Transition
and	106.00	122.00	16.00	1.00	0.3						Fresh Rock
and	125.00	126.00	1.00	1.13	0.3						"
and	130.00	131.00	1.00	0.33	0.3						"
BRAZD633	0.00	6.00	6.00	1.20	0.3	Piaba West	1700W	49.40	-78	168	Saprolite
and	12.00	14.00	2.00	0.76	0.3						"
and	17.00	26.00	9.00	0.98	0.3						"
incl	23.00	24.00	1.00	2.18	1.0						"
and	30.00	32.00	2.00	0.42	0.3						Transition
BRAZD636	39.00	43.00	4.00	1.00	0.3	Piaba West	1600 W	110.00	-45	184	Saprolite
and	53.00	54.00	1.00	2.10	0.3						"
and	58.00	77.00	19.00	1.45	0.3						Transition
incl	67.00	68.00	1.00	6.07	1.0						"
incl	71.00	73.00	2.00	2.75	1.0						"
and	79.00	80.00	1.00	0.72	0.3						"
and	83.00	88.00	5.00	0.81	0.3						"
BRAZD578	23.00	24.00	1.00	0.31	0.3	Piaba West	1850W	68.00	-55	168	Saprolite
and	28.00	30.00	2.00	0.36	0.3						"
and	32.00	40.00	8.00	2.14	0.3						"
incl	37.00	40.00	3.00	4.58	1.0						"
and	42.00	43.00	1.00	0.68	0.3						"
BRAZD578A	No significant results					Piaba West	1850W	72.10	-55	168	
BRAZD587	5.00	6.00	1.00	0.53	0.3	Piaba Infill	1500W	127.05	-63	168	Saprolite
and	10.00	11.00	1.00	0.33	0.3						"
and	22.00	26.00	4.00	0.62	0.3						"
and	45.00	54.00	9.00	0.66	0.3						Transition
and	58.00	63.00	5.00	0.21	0.3						Fresh Rock
and	64.00	82.00	18.00	1.23	0.3						"
incl	66.00	68.00	2.00	2.81	1.0						"
incl	71.00	73.00	2.00	3.64	1.0						"
and	87.40	88.00	0.60	0.58	0.3						"
BRAZD588	34.00	35.00	1.00	0.44	0.3	Piaba West	1950W	123.8	-60	168	Saprolite
and	44.00	49.00	5.00	1.72	0.3						"
incl	47.00	48.00	1.00	3.40	1.0						"
and	53.00	54.00	1.00	0.30	0.3						"
BRAZD589	0.00	7.00	7.00	0.31	0.3	Piaba West	1850W	122.9	-60	168	Laterite
and	16.00	17.00	1.00	0.32	0.3						"
and	23.00	26.00	3.00	0.51	0.3						Saprolite
and	29.00	29.80	0.80	0.61	0.3						"
and	42.00	43.00	1.00	0.99	0.3						Transition
BRAZD590	5.00	6.00	1.00	0.41	0.3	Piaba West	1850W	100.65	-60	168	Laterite
and	34.00	35.00	1.00	0.33	0.3						Transition
BRAZD591	42.00	43.00	1.00	0.53	0.3	Piaba Infill	1450W	130.7	-59	168	Saprolite
and	58.00	61.00	3.00	0.65	0.3						Transition
and	66.00	84.00	18.00	0.58	0.3						Fresh Rock
and	97.00	98.00	1.00	0.49	0.3						"
and	99.00	100.00	1.00	0.77	0.3						"
and	103.00	104.00	1.00	0.63	0.3						"
BRAZD592	84.00	85.00	1.00	1.01	0.3	Piaba West	2150W	230.4	-53	168	Fresh Rock
and	172.00	173.00	1.00	6.21	0.3						"
and	179.00	182.00	3.00	0.30	0.3						"

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD593	74.00	75.00	1.00	1.94	0.3	Piaba West	1850W	257.9	-70	168	Transition
and	160.00	164.00	4.00	0.54	0.3						Fresh Rock
and	167.30	171.00	3.70	1.28	0.3						"
and	173.00	174.00	1.00	0.34	0.3						"
and	176.00	181.00	5.00	0.65	0.3						"
and	185.00	188.00	3.00	0.55	0.3						"
and	197.00	200.00	3.00	0.55	0.3						"
and	202.00	207.20	5.20	1.29	0.3						"
incl	206.00	207.20	1.20	2.56	1.0						"
BRAZD594	105.00	106.00	1.00	0.40	0.3	Piaba Infill	1250W	271.15	-73	168	Fresh Rock
and	154.00	193.00	39.00	1.40	0.3						"
incl	158.00	159.20	1.20	4.49	1.0						"
incl	171.00	172.00	1.00	11.40	1.0						"
incl	174.00	175.00	1.00	4.07	1.0						"
and	202.00	203.00	1.00	2.24	0.3						"
and	210.00	211.00	1.00	0.43	0.3						"
BRAZD595	20.00	47.00	27.00	1.59	0.3	Piaba Infill	1500W	88.65	-53	168	Transition
incl	43.00	47.00	4.00	7.66	1.0						"
and	50.00	51.00	1.00	0.84	0.3						"
BRAZD596	No significant results					Piaba West	2025W	247.4	-55	133	
BRAZD597	28.00	29.00	1.00	3.44	0.3	Piaba Infill	1300W	280.45	-74	168	Saprolite
and	143.00	144.00	1.00	0.54	0.3						Fresh Rock
and	156.00	157.00	1.00	1.58	0.3						"
and	162.00	163.00	1.00	6.09	0.3						"
and	165.00	166.00	1.00	0.52	0.3						"
and	170.00	171.00	1.00	0.51	0.3						"
and	178.00	215.00	37.00	1.44	0.3						"
incl	183.00	188.00	5.00	3.60	1.0						"
incl	198.00	201.00	3.00	4.19	1.0						"
and	243.00	244.00	1.00	1.08	0.3						"
BRAZD598	No significant results					Piaba West	1875W	186.25	-55	150	
BRAZD599	24.00	27.00	3.00	14.18	0.3	Piaba Infill	1250W	170.2	-57	168	Saprolite
incl	25.00	27.00	2.00	20.66	1.0						"
and	89.00	90.00	1.00	0.57	0.3						Fresh Rock
and	94.00	114.00	20.00	1.17	0.3						"
incl	103.00	104.00	1.00	4.61	1.0						"
and	125.00	126.00	1.00	0.58	0.3						"
and	129.00	133.00	4.00	0.41	0.3						"
BRAZD603	163.00	164.00	1.00	2.44	0.3	Piaba West	2250W	165.00	-55	168	Fresh Rock
BRAZD604	No significant results					Piaba Infill	1500E	299.45	-55	168	
BRAZD613	85.00	86.00	1.00	0.53	0.3	Piaba West	2050W	223.6	-55	168	Transition
and	102.00	105.00	3.00	1.31	0.3						Fresh Rock
and	107.00	108.00	1.00	0.38	0.3						"
and	130.00	131.00	1.00	0.35	0.3						"
and	147.00	148.00	1.00	0.38	0.3						"
and	201.00	202.00	1.00	0.54	0.3						"
BRAZD614	21.00	27.00	6.00	3.00	0.3	Piaba West	2125W	158.6	-52	168	Saprolite
incl	21.00	22.00	1.00	14.60	1.0						"
and	114.00	115.00	1.00	0.81	0.3						Fresh Rock
BRAZD617	78.00	79.00	1.00	3.32	0.3	Piaba Infill	1500W	164.15	-73	168	Transition
and	99.00	102.00	3.00	2.45	0.3						Fresh Rock
incl	100.00	101.00	1.00	3.96	1.0						"
and	106.00	111.00	5.00	0.52	0.3						"
and	113.00	115.00	2.00	0.75	0.3						"
and	130.00	135.00	5.00	0.75	0.3						"
BRAZD618	61.00	62.00	1.00	1.05	0.3	Piaba West	2100W	203.25	-54	168	Saprolite
and	74.00	75.00	1.00	0.85	0.3						"
and	86.00	88.00	2.00	1.26	0.3						"
and	148.00	149.00	1.00	0.31	0.3						Fresh Rock
BRAZD619	116.00	133.00	17.00	0.97	0.3	Piaba West	1600W	149.9	-74	168	Fresh Rock
incl	119.00	120.00	1.00	3.97	1.0						"
incl	127.00	129.00	2.00	2.91	1.0						"
and	137.00	141.00	4.00	0.30	0.3						"
BRAZD620	64.00	65.00	1.00	0.33	0.3	Piaba West	1650W	190.73	-57	168	Saprolite
and	153.00	155.00	2.00	0.79	0.3						Fresh Rock
and	159.00	165.00	6.00	1.21	0.3						"
incl	160.00	161.00	1.00	3.84	1.0						"
and	169.00	175.00	6.00	0.61	0.3						"
BRAZD621	59.00	61.00	2.00	0.43	0.3	Piaba West	2200W	206.75	-54	168	Transition
and	84.00	85.00	1.00	1.66	0.3						Fresh Rock
and	109.00	110.00	1.00	3.89	0.3						"

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Cut-off (g/t Au)	Target	Section	Length (m)	Dip	Azimuth	Material
BRAZD622	23.00	28.00	5.00	1.08	0.3	Piaba West	2050W	120.6	-54	168	Saprolite
and	41.00	43.00	2.00	3.26	0.3						"
incl	41.00	42.00	1.00	5.81	1.0						"
and	69.00	72.00	3.00	0.65	0.3						Saprolite
and	73.00	74.00	1.00	0.36	0.3						Transition
and	91.00	96.00	5.00	1.06	0.3						Fresh Rock
and	112.00	113.00	1.00	0.33	0.3						"
BRAZD623	71.00	74.00	3.00	1.11	0.3	Piaba West	2150W	157.81	-58	168	Fresh Rock
and	86.00	87.00	1.00	0.34	0.3						"
BRAZD624	No significant results					Piaba West	1900W	220.6	-55	168	
BRAZD630	95.00	96.00	1.00	7.02	0.3	Piaba Infill	1550W	148.20	-51	168	Transition
and	106.00	122.00	16.00	1.00	0.3						Fresh Rock
and	125.00	126.00	1.00	1.13	0.3						"
and	130.00	131.00	1.00	0.33	0.3						"
BRAZD633	0.00	6.00	6.00	1.20	0.3	Piaba West	1700W	49.40	-78	168	Saprolite
and	12.00	14.00	2.00	0.76	0.3						"
and	17.00	26.00	9.00	0.98	0.3						"
incl	23.00	24.00	1.00	2.18	1.0						"
and	30.00	32.00	2.00	0.42	0.3						Transition
BRAZD636	39.00	43.00	4.00	1.00	0.3	Piaba West	1600 W	110.00	-45	184	Saprolite
and	53.00	54.00	1.00	2.10	0.3						"
and	58.00	77.00	19.00	1.45	0.3						Transition
incl	67.00	68.00	1.00	6.07	1.0						"
incl	71.00	73.00	2.00	2.75	1.0						"
and	79.00	80.00	1.00	0.72	0.3						"
and	83.00	88.00	5.00	0.81	0.3						"

Qualified Person and Disclosure Statement

Scott Heffernan, M.Sc., P.Geo., the Company's EVP Exploration and Qualified Person under National Instrument 43-101, has reviewed and verified that the technical information contained in this document is accurate and approves the written disclosure of the same. Drill composites were calculated using cut-off values of 0.3 g/t, 1.0 g/t or 5.0 g/t gold as specified in the drill table and contain no more than 3 metres of internal waste. Drill intersections are calculated using uncut assays and are reported as drilled thicknesses. True widths of the mineralized intervals are interpreted to be 60 to 90 percent of the reported lengths. All samples were submitted to ALS Chemex in Belo Horizonte, Brazil for sample preparation. Sample pulps were then sent to ALS Chemex in Lima, Peru for geochemical analysis for gold by fire assay of a 30-gram charge with an Atomic Absorption finish (AA) and for a 33 multi-element geochemical suite by 4-acid digestion and Inductively-Coupled Mass Spectrometry (ICP-MS). Samples with AA gold values over 10.0 g/t are re-assayed by Screen Metallics fire assay. Control samples (accredited standards, blanks and duplicate samples at the field and preparation stages) were inserted on a regular basis. Results were monitored upon receipt of assays.