

Equinox Gold Reports New High-Grade Resource Expansion Drill Results

Equinox Gold News Release, July 28, 2025 - Drill Hole Table

*See notes at the bottom of the table

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
LIM-24-5046	Temerario (VTEM Corridor)	0.0	42.7	42.7		NS
		42.7	48.7	6.0		0.05
		48.7	49.7	1.0	0.57	1.99
		49.7	62.2	12.6		0.06
		62.2	80.3	18.1		NS
		80.3	81.7	1.4		0.01
		81.7	83.0	1.3	0.69	1.01
		83.0	94.2	11.2		0.04
		94.2	97.3	3.1	1.42	6.10
	<i>Includes</i>	94.2	95.8	1.6	0.73	10.90
		97.3	114.4	17.1		0.09
	<i>Includes</i>	114.4	123.7	9.4	4.4	2.83
		118.9	121.2	2.3	1.06	5.10
		121.7	123.7	2.1	0.97	6.60
		123.7	125.2	1.5		NS
		125.2	126.7	1.5	0.96	1.74
		126.7	132.4	5.7		0.20
		132.4	133.9	1.5	0.7	0.45
		133.9	141.5	7.7		0.12
		141.5	146.1	4.6	2.33	0.56
		146.1	173.5	27.5		0.12
		173.5	267.4	93.9		NS
		267.4	268.5	1.1		0.03
		268.5	269.1	0.7	0.31	0.75
		269.1	279.8	10.7		0.07
LIM-24-5088	Temerario (VTEM Corridor)	0.0	13.5	13.5		NS
		13.5	15.6	2.1		0.02
		15.6	16.3	0.7	0.54	2.84
		16.3	20.5	4.2		0.03
		20.5	34.0	13.5		NS
		34.0	40.0	6.0		0.03
		40.0	59.3	19.3		NS
		59.3	94.0	34.7		0.02
		94.0	116.7	22.7		NS
		116.7	117.7	1.0		0.01
		117.7	125.0	7.4	2.72	13.93
	<i>Includes</i>	118.5	121.8	3.3	1	27.45
		125.0	145.0	20.0		NS
		145.0	145.9	0.9		0.14
		145.9	151.5	5.7	2.21	2.72
		151.5	158.2	6.7		0.04
		158.2	171.9	13.7	10.3	1.23
		171.9	173.9	2.1		0.14

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
		173.9	175.8	1.9		0.46
		175.8	177.0	1.2		0.19
EL-TMR-25-017	Temerario (VTEM Corridor)	0.0	39.5	39.5		NS
		39.5	74.1	34.6		0.05
		74.1	77.5	3.5	1	0.77
	<i>Includes</i>	74.1	75.6	1.5	0.45	1.18
		77.5	85.0	7.5		0.08
		85.0	90.8	5.8	1.75	1.51
	<i>Includes</i>	86.9	88.0	1.1	0.33	3.80
		90.8	93.5	2.7		0.07
		93.5	97.8	4.3	1.3	0.71
	<i>Includes</i>	93.5	94.4	1.0	0.25	1.96
		97.8	99.6	1.9		0.03
		99.6	102.4	2.8		0.35
		102.4	111.3	8.9		0.03
		111.3	112.0	0.7		0.57
		112.0	115.0	3.0		0.02
		115.0	119.2	4.2		0.35
		119.2	125.2	6.0		0.05
		125.2	132.5	7.3	2.35	1.10
		129.2	130.2	1.0	0.32	6.00
		132.5	153.3	20.8		0.07
		153.3	157.6	4.3	3.1	3.22
		154.9	156.8	1.9	1.35	6.32
	<i>Includes</i>	157.6	174.2	16.6		0.04
		174.2	177.0	2.8		0.22
		177.0	178.5	1.5		0.01
EL-TMR-25-031	Temerario (VTEM Corridor)	0.0	75.3	75.3		NS
		75.3	92.1	16.8		0.04
		92.1	92.6	0.5	0.31	2.15
		92.6	98.6	6.0		0.05
		98.6	143.0	44.4		NS
		143.0	163.0	20.0		0.01
		163.0	181.0	18.0		NS
		181.0	234.9	53.9		0.04
		234.9	240.5	5.6	4.35	22.18
	<i>Includes</i>	236.0	237.2	1.2	0.95	104.20
		240.5	258.6	18.2		0.04
EL-TMR-25-042	Temerario (VTEM Corridor)	0.0	12.9	12.9		NS
		12.9	36.3	23.4		0.02
		36.3	37.4	1.1		0.88
		37.4	49.3	11.9		0.06
		49.3	50.0	0.8		0.43
		50.0	102.7	52.7		0.03
		102.7	103.2	0.6	0.26	14.90
		103.2	116.6	13.4		0.02

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	116.6	124.2	7.6	3.96	6.67
		119.0	122.1	3.1	1.61	13.61
		124.2	145.0	20.8		0.12
EL-TMR-25-043	Temerario (VTEM Corridor)	0.0	13.0	13.0		0.01
		13.0	45.5	32.5		NS
		45.5	74.5	29.0		0.02
		74.5	140.5	66.0		NS
		140.5	141.5	1.1	0.83	16.10
		141.5	194.8	53.3		0.07
	<i>Includes</i>	194.8	206.2	11.4	8.55	2.28
		194.8	199.0	4.2	3.15	5.20
EL-TMR-25-045	Temerario (VTEM Corridor)	206.2	211.1	4.9		0.02
		0.0	38.0	38.0		NS
		38.0	41.6	3.6		0.01
		41.6	85.9	44.3		NS
		85.9	91.3	5.4		0.02
		91.3	95.3	4.1	2.15	0.35
		95.3	134.7	39.4		0.07
		134.7	140.1	5.4		0.20
		140.1	146.2	6.1	3.21	0.72
		146.2	150.8	4.6		0.23
	<i>Includes</i>	150.8	152.8	2.1	1.05	3.86
		151.8	152.8	1.1	0.55	6.70
		152.8	166.0	13.2		0.03
		166.0	167.4	1.5	0.91	0.58
		167.4	169.5	2.1		0.13
		169.5	171.0	1.6	0.97	0.39
EL-TMR-25-047	Temerario (VTEM Corridor)	171.0	176.7	5.7		0.05
		0.0	36.4	36.4		NS
		36.4	44.0	7.6		0.00
		44.0	94.3	50.3		NS
		94.3	95.5	1.2		0.02
	<i>Includes</i>	95.5	112.5	17.0	9.52	1.23
		107.0	109.0	2.0	1.12	4.95
		112.5	130.9	18.4		0.03
		130.9	131.8	0.9	0.5	0.85
		131.8	139.4	7.6		0.14
		139.4	140.8	1.5	0.81	0.95
		140.8	146.5	5.7		0.14
		146.5	147.3	0.8	0.42	1.73
		147.3	154.0	6.8		0.09
		154.0	157.0	3.0	1.7	0.40
	<i>Includes</i>	157.0	159.0	2.0		0.26
		159.0	165.3	6.3	3.1	3.72
		161.0	163.3	2.3	1.13	9.52
		165.3	171.4	6.2		0.11

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
		171.4	172.3	0.9	0.44	0.66
		172.3	179.5	7.2		0.09
		179.5	181.0	1.5	0.74	1.86
		181.0	191.9	10.9		0.05
EL-TMR-25-052	Temerario (VTEM Corridor)	0.0	35.0	35.0		NS
		35.0	136.7	101.7		0.03
		136.7	140.0	3.3	1.95	1.36
	<i>Includes</i>	136.7	138.0	1.3	0.77	2.84
		140.0	176.0	36.0		0.03
		176.0	176.8	0.8	0.47	0.53
	<i>Includes</i>	176.8	181.4	4.6		0.17
		181.4	185.3	4.0	2.68	1.15
		184.3	185.3	1.0	0.67	3.07
	<i>Includes</i>	185.3	191.0	5.7		0.09
		191.0	192.2	1.2	0.84	2.33
		192.2	196.0	3.8		0.17
	<i>Includes</i>	196.0	198.5	2.5	1.75	0.89
		198.5	210.9	12.4		0.05
		210.9	229.8	18.9	13.23	2.22
	<i>Includes</i>	213.3	217.7	4.4	3.08	6.92
		229.8	257.4	27.6		0.10
EL-TMR-25-016	Temerario (VTEM Corridor)	0.0	27.9	27.9		NS
		27.9	34.3	6.4		0.08
		34.3	42.8	8.6	4.38	0.62
	<i>Includes</i>	40.3	41.7	1.4	0.75	1.25
		42.8	58.6	15.8		0.03
		58.6	59.3	0.7		0.77
	<i>Includes</i>	59.3	68.3	9.0		0.06
		68.3	72.9	4.6	2.35	3.12
		71.0	71.8	0.8	0.41	12.60
	<i>Includes</i>	72.9	74.4	1.6		0.01
		74.4	99.1	24.7		NS
		99.1	108.2	9.1		0.21
	<i>Includes</i>	108.2	110.4	2.2		0.07
		110.4	115.3	5.0	3.2	17.85
		112.9	115.3	2.5	1.6	31.04
	<i>Includes</i>	115.3	117.7	2.4		0.07
		117.7	121.7	4.0	2.61	1.65
		117.7	118.7	1.0	0.7	4.70
	<i>Includes</i>	121.7	127.5	5.8		0.25
		127.5	129.0	1.5		0.01
EL-TMR-25-018	Temerario (VTEM Corridor)	0.0	129.1	129.1		NS
		129.1	130.4	1.3		0.01
		130.4	138.2	7.8		0.48
		138.2	145.1	7.0		0.04
		145.1	146.3	1.2		1.90

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	146.3	157.0	10.8		0.04
		157.0	158.4	1.4		0.52
		158.4	161.2	2.9		0.17
		161.2	163.8	2.6	1	2.54
		162.6	163.8	1.3	0.5	4.86
	<i>Includes</i>	163.8	168.0	4.2		0.08
		168.0	174.7	6.7	5.3	2.52
		171.6	172.7	1.1	0.9	9.00
		174.7	177.5	2.9		0.17
		177.5	179.1	1.6		0.61
	<i>Includes</i>	179.1	181.8	2.7		0.08
		181.8	185.6	3.8	3	1.33
		184.5	185.6	1.2	0.9	3.03
		185.6	188.6	3.0		0.18
		188.6	189.8	1.3		0.04
EL-TMR-25-019	Temerario (VTEM Corridor)	0.0	98.0	98.0		NS
		98.0	103.0	5.1		0.06
		103.0	103.9	0.9		0.79
		103.9	113.1	9.2		0.05
		113.1	152.0	39.0		NS
		152.0	153.1	1.1		0.05
		153.1	154.5	1.4		0.08
		154.5	156.3	1.8	0.92	3.60
	<i>Includes</i>	155.5	156.3	0.9	0.4	6.70
		156.3	158.6	2.3		0.09
		158.6	198.9	40.4		NS
		198.9	224.4	25.5		0.06
		224.4	234.9	10.6		0.26
		234.9	239.1	4.2		0.08
		239.1	242.2	3.1		0.31
		242.2	245.7	3.5		0.15
		245.7	249.6	3.9		0.24
		249.6	254.1	4.5		0.08
		254.1	255.1	1.0		0.62
		255.1	257.0	1.9		0.14
	<i>Includes</i>	257.0	258.7	1.8	1.25	3.78
		257.9	258.7	0.9	0.6	6.90
		258.7	267.6	8.9		0.03
		267.6	268.4	0.8		1.29
		268.4	269.5	1.1		0.02
EL-TMR-25-021	Temerario (VTEM Corridor)	0.0	85.5	85.5		NS
		85.5	97.1	11.6	6.5	0.93
	<i>Includes</i>	89.5	90.9	1.4	0.8	3.28
		97.1	100.5	3.5		0.12
	<i>Includes</i>	100.5	106.3	5.8	3.17	8.45
		100.5	104.0	3.5	1.91	13.21

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	106.3	124.3	18.1		0.06
		124.3	137.8	13.5		0.09
		137.8	144.5	6.7	4.74	13.21
		140.4	143.2	2.8	1.87	29.34
		144.5	147.4	3.0		0.04
		147.4	148.7	1.3	0.87	2.05
		148.7	152.0	3.3		0.05
		152.0	153.2	1.3		0.88
		153.2	159.6	6.4		0.12
EL-TMR-25-026	Temerario (VTEM Corridor)	0.0	25.8	25.8		NS
		25.8	66.1	40.3		0.05
		66.1	67.6	1.5		0.46
		67.6	88.6	21.0		NS
		88.6	102.8	14.2		0.07
		102.8	107.0	4.3		0.45
		107.0	119.6	12.6		NS
		119.6	125.0	5.5		0.03
		125.0	126.1	1.1		0.44
		126.1	129.3	3.2		0.07
		129.3	129.9	0.6		0.46
		129.9	135.2	5.4		0.04
		135.2	143.0	7.8	6.1	7.77
	<i>Includes</i>	137.3	139.6	2.3	1.8	21.84
		143.0	146.3	3.3		0.09
	<i>Includes</i>	146.3	152.9	6.6	5.2	1.54
		150.2	152.0	1.8	1.4	4.03
		152.9	158.0	5.2		0.03
		158.0	170.7	12.7		NS
		170.7	173.6	2.9		0.08
EL-TMR-25-032	Temerario (VTEM Corridor)	0.0	58.0	58.0		NS
		58.0	80.0	22.0		0.06
		80.0	96.4	16.4	7	0.46
	<i>Includes</i>	92.6	93.4	0.8	0.32	1.40
		96.4	104.5	8.1		0.04
		104.5	115.3	10.8	4.7	0.64
	<i>Includes</i>	111.0	112.5	1.5	0.65	3.14
		115.3	123.2	7.9		0.02
		123.2	124.4	1.3	0.55	2.21
	<i>Includes</i>	124.4	166.5	42.1		0.04
		166.5	180.6	14.1		NS
		180.6	182.1	1.6	0.7	2.63
		182.1	190.2	8.1		0.08
		190.2	195.0	4.8	3.8	4.08
		193.6	195.0	1.4	1.15	5.55
		195.0	200.0	5.1		0.39
EL-TMR-25-034	Temerario	0.0	26.3	26.3		NS

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	(VTEM Corridor)	26.3	64.8	38.5		0.02
		64.8	65.8	1.1	0.6	0.40
		65.8	77.0	11.2		0.09
		77.0	91.0	14.0	7.0	1.05
	<i>Includes</i>	77.0	78.0	1.0	0.6	3.66
		91.0	101.0	10.0		0.10
		101.0	115.8	14.8		0.00
		115.8	116.4	0.6	0.4	3.64
		116.4	124.2	7.9		0.13
		124.2	144.5	20.3	15.3	1.67
	<i>Includes</i>	124.9	128.0	3.1	2.3	6.92
		144.5	146.9	2.4		0.14
EL-TMR-25-036	Temerario (VTEM Corridor)	0.0	14.5	14.5		NS
		14.5	19.3	4.8		0.12
		19.3	24.6	5.3		0.40
		24.6	28.0	3.5		0.09
		28.0	35.1	7.1		0.39
		35.1	40.1	5.0	2.6	1.05
		40.1	47.3	7.2		0.14
		47.3	55.0	7.7	3.86	2.22
	<i>Includes</i>	53.0	55.0	2.0	1.1	6.29
		55.0	77.7	22.7		0.02
		77.7	78.7	1.1	0.55	1.53
		78.7	93.0	14.3		0.07
		93.0	103.8	10.8	6.9	36.77
	<i>Includes</i>	95.1	100.2	5.2	3.36	75.91
		103.8	126.9	23.1		0.08
EL-TMR-25-037	Temerario (VTEM Corridor)	0.0	49.6	49.6		NS
		49.6	54.2	4.6		0.08
		54.2	56.5	2.3	1.4	2.49
		56.5	73.2	16.8		0.02
		73.2	74.1	0.9		0.37
		74.1	81.7	7.6		0.11
		81.7	87.8	6.1	4.6	11.58
	<i>Includes</i>	82.8	84.9	2.1	1.6	18.11
		87.8	95.0	7.2		0.07
		95.0	99.0	4.1	3.1	1.37
	<i>Includes</i>	95.0	97.0	2.0	1.6	2.33
		99.0	110.7	11.7		0.12
EL-TMR-25-040	Temerario (VTEM Corridor)	0.0	102.8	102.8		NS
		102.8	113.2	10.4		0.10
		113.2	118.5	5.3	2.9	0.66
		118.5	135.3	16.8		0.09
		135.3	142.9	7.6	3.75	0.49
		142.9	150.6	7.7		0.15
		150.6	153.1	2.6	1.25	0.95

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	153.1	170.8	17.7		0.16
		170.8	181.5	10.7	7.6	11.05
		170.8	177.1	6.4	4.5	16.33
		181.5	184.1	2.7		0.09
EL-TMR-25-041	Temerario (VTEM Corridor)	0.0	56.5	56.5		NS
		56.5	65.7	9.2		0.10
		65.7	66.7	1.0		0.43
		66.7	74.8	8.2		0.09
		74.8	77.8	3.0		0.42
		77.8	79.8	2.0		0.05
		79.8	80.7	0.9	0.45	1.28
		80.7	98.3	17.7		0.05
		98.3	99.3	1.0		0.56
		99.3	106.1	6.8		0.04
		106.1	107.3	1.2		0.41
		107.3	128.1	20.8		0.03
		128.1	131.0	3.0	1.85	27.39
	<i>Includes</i>	129.2	131.0	1.8	1.15	34.02
		131.0	141.3	10.3		0.09
	<i>Includes</i>	141.3	142.6	1.3		0.44
		142.6	150.2	7.6		0.22
		150.2	152.6	2.4	1.7	3.66
		150.2	151.6	1.4	1	6.08
		152.6	156.0	3.5		0.04
LIM-24-5070	Babilonia (VTEM Corridor)	0.0	76.2	76.2		NS
		76.2	109.7	33.5		0.01
		109.7	112.8	3.1	2.86	4.03
	<i>Includes</i>	111.1	112.8	1.7	1.57	6.95
		112.8	117.8	5.1		0.13
		117.8	122.0	4.2	3.9	0.85
	<i>Includes</i>	117.8	119.0	1.2	1.11	2.45
		122.0	139.0	17.0		0.01
LIM-24-5071	Babilonia (VTEM Corridor)	0.0	31.4	31.4		NS
		31.4	72.1	40.8		0.00
		72.1	74.4	2.3	2.19	3.74
	<i>Includes</i>	73.0	74.4	1.4	1.33	6.00
		74.4	87.2	12.8		0.06
		87.2	88.4	1.3	1.19	1.34
	<i>Includes</i>	88.4	102.6	14.2		0.08
		102.6	116.8	14.2	13.06	1.88
		102.6	104.3	1.7	1.56	3.00
		109.3	111.6	2.3	2.12	3.22
		113.1	115.9	2.8	2.58	3.38
		116.8	124.5	7.7		0.12
		124.5	125.1	0.6	0.55	0.45
		125.1	135.0	9.9		0.12

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
		135.0	137.7	2.7	2.48	0.39
		137.7	144.1	6.4		0.10
		144.1	145.2	1.1	0.96	4.21
		145.2	153.7	8.6		0.11
		153.7	188.0	34.3		NS
		188.0	194.0	6.0		0.10
		194.0	195.5	1.5	1.38	0.65
		195.5	208.2	12.7		0.06
		208.2	210.5	2.3	2.12	0.35
		210.5	216.6	6.1		0.06
LIM-24-5075	Babilonia (VTEM Corridor)	0.0	71.3	71.3		NS
		71.3	151.4	80.1		0.00
		151.4	172.0	20.7	20.05	2.90
	<i>Includes</i>	154.8	159.0	4.2	4.02	11.97
		172.0	177.0	5.0		0.15
	<i>Includes</i>	177.0	183.0	6.0	5.77	0.75
		181.7	183.0	1.4	1.31	2.66
		183.0	229.8	46.8		0.02
		229.8	230.9	1.1	1.02	1.26
		230.9	242.9	12.1		0.01
		242.9	243.8	0.9	0.87	0.52
		243.8	248.5	4.7		0.05
LIM-24-5080	Babilonia (VTEM Corridor)	0.0	127.4	127.4		NS
		127.4	132.7	5.3		0.00
		132.7	137.2	4.5	4.18	4.55
	<i>Includes</i>	134.6	136.0	1.4	1.29	12.50
		137.2	157.4	20.3		0.04
		157.4	172.4	15.0		NS
		172.4	177.6	5.2		0.05
LIM-24-5105	Babilonia (VTEM Corridor)	0.0	10.5	10.5		NS
		10.5	69.5	59.1		0.00
		69.5	88.2	18.7		NS
		88.2	93.6	5.4		0.01
		93.6	96.9	3.3	3.19	0.64
	<i>Includes</i>	95.0	95.6	0.6	0.57	2.03
		96.9	98.5	1.7		0.03
		98.5	106.9	8.4	7.78	2.95
	<i>Includes</i>	101.7	104.5	2.8	2.62	5.39
		106.9	109.8	2.9		0.08
		109.8	114.8	5.1	0.6	27.82
		114.8	123.2	8.4	8.05	0.37
		123.2	126.2	3.0		0.11
		126.2	127.8	1.6	1.54	4.02
		127.8	131.9	4.2	4.03	0.38
		131.9	133.0	1.1		0.03
		133.0	152.4	19.4		NS

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
		152.4	156.2	3.8		0.02
EL-BAB-25-123	Babilonia (VTEM Corridor)	0.0	88.7	88.7		0.00
		88.7	113.9	25.2		NS
		113.9	143.0	29.1		0.00
		143.0	147.2	4.2	4.1	3.34
	<i>Includes</i>	146.0	147.2	1.2	1.15	7.22
		147.2	154.5	7.4		0.19
		154.5	155.2	0.7		0.69
		155.2	158.0	2.8		0.02
		158.0	159.0	1.0		1.25
EL-BAB-25-139	Babilonia (VTEM Corridor)	0.0	70.5	70.5		NS
		70.5	98.3	27.8		0.01
		98.3	109.3	11.0	10.67	3.86
	<i>Includes</i>	99.9	100.9	1.0	0.97	17.30
		106.8	109.3	2.5	2.42	7.05
		109.3	112.0	2.7		0.08
EL-BAB-25-150	Babilonia (VTEM Corridor)	0.0	11.0	11.0		NS
		11.0	70.5	59.5		0.01
		70.5	77.2	6.7	5.1	0.41
		77.2	79.2	2.1		0.17
		79.2	80.3	1.1	0.8	0.92
		80.3	82.0	1.7		0.10
		82.0	82.7	0.7		0.61
		82.7	84.8	2.2		0.13
		84.8	85.7	0.9		1.02
		85.7	90.5	4.9		0.06
		90.5	91.5	1.0		0.35
		91.5	100.5	9.0		0.05
		100.5	101.1	0.6		0.58
		101.1	109.4	8.3		0.09
		109.4	110.4	1.1		0.71
		110.4	116.2	5.8		0.05
		116.2	118.3	2.2		0.38
		118.3	120.0	1.7		0.10
		120.0	120.8	0.8		0.82
		120.8	136.5	15.7		0.15
		136.5	140.5	4.0	3.45	0.98
	<i>Includes</i>	137.8	138.7	0.9	0.77	3.25
		140.5	143.1	2.7		0.12
		143.1	144.6	1.5		1.16
		144.6	149.3	4.7		0.07
		149.3	150.0	0.7		1.18
		150.0	154.0	4.0		0.05
		154.0	155.0	1.0		1.32
		155.0	159.0	4.0		0.05
		159.0	160.0	1.0		0.96
		160.0	161.7	1.7		0.10

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	161.7	162.2	0.5		0.78
		162.2	165.0	2.8		0.10
		165.0	165.5	0.5		0.45
		165.5	168.0	2.5		0.05
		168.0	173.3	5.3	5.16	4.55
		168.8	170.7	1.9	1.85	10.34
		173.3	183.2	9.9		0.04
		183.2	187.4	4.2	4.09	8.13
		183.9	185.5	1.6	1.6	19.98
		187.4	243.3	56.0		0.05
EL-BAB-25-148	<i>Includes</i>	243.3	243.8	0.5		1.08
		243.8	251.5	7.7		0.01
	Babilonia (VTEM Corridor)	0.0	116.0	116.0		0.00
		116.0	132.6	16.6		NS
		132.6	217.7	85.2		0.00
		217.7	225.5	7.8	7.72	2.65
		220.8	222.5	1.7	1.68	4.88
		223.5	224.5	1.0	0.99	7.24
		225.5	284.0	58.5		0.02
	Babilonia (VTEM Corridor)	0.0	113.3	113.3		NS
		113.3	125.7	12.5		0.00
		125.7	126.6	0.9		0.29
		126.6	141.9	15.3	14.6	8.55
		136.1	137.7	1.6		67.30
		141.9	147.1	5.2		0.02
EL-BAB-25-127	<i>Includes</i>	0.0	50.6	50.6		NS
		50.6	95.3	44.7		0.00
		95.3	113.0	17.7		NS
		113.0	147.0	34.1		0.00
		147.0	153.2	6.2		0.39
		153.2	159.5	6.3	5.5	5.51
		155.6	158.1	2.5	2.2	7.90
		159.5	161.9	2.4		0.09
		161.9	169.2	7.3		0.62
		161.9	163.8	1.9		1.17
EL-BAB-25-130	<i>Includes</i>	169.2	176.0	6.8		0.06
	Babilonia (VTEM Corridor)	0.0	90.6	90.6		NS
		90.6	104.0	13.4		0.05
		104.0	107.5	3.5	3.3	1.77
		104.0	106.0	2.0	1.9	2.41
		107.5	109.0	1.5		0.17
		109.0	112.4	3.4	3.2	0.58
		111.4	112.4	1.0	0.95	1.24
		112.4	128.1	15.7		0.04
		128.1	129.5	1.5		0.77
		129.5	139.4	9.9		0.03

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
		139.4	139.9	0.5	0.35	3.66
		139.9	148.0	8.2		0.01
		148.0	149.0	1.0		0.56
		149.0	165.2	16.2		0.05
		165.2	166.5	1.3		0.82
		166.5	182.2	15.7		0.05
		182.2	188.3	6.1	1.1	4.63
	<i>Includes</i>	185.0	188.3	3.3	0.6	7.93
	<i>Includes</i>	188.3	191.3	3.0		0.03
		191.3	194.2	2.9	2.3	0.64
		191.3	192.4	1.1	0.9	1.02
		194.2	209.0	14.9		0.07
	<i>Includes</i>	209.0	213.0	4.0		0.47
		213.0	223.0	10.0		0.11
		223.0	230.6	7.6	2.3	5.01
		225.6	228.6	3.0	0.95	9.80
		230.0	240.9	10.9		0.11
EL-BAB-25-141	Babilonia (VTEM Corridor)	0.0	162.1	162.1		NS
		162.1	179.4	17.3		0.02
		179.4	184.8	5.5	5.3	4.60
	<i>Includes</i>	181.6	184.8	3.3	3.16	6.79
		184.8	190.7	5.9		0.06
EL-BAB-25-144	Babilonia (VTEM Corridor)	0.0	37.3	37.3		0.00
		37.3	91.5	54.2		NS
		91.5	198.1	106.6		0.00
		198.1	204.6	6.5	6.28	4.69
	<i>Includes</i>	200.1	203.9	3.8	3.7	6.85
EL-BAB-25-146	Babilonia (VTEM Corridor)	0.0	16.6	16.6		NS
		16.6	190.7	174.2		0.01
		190.7	196.7	6.0	5.81	3.18
	<i>Includes</i>	193.8	196.7	3.0	2.8	5.44
		196.7	233.0	36.3		0.04
EL-BAB-25-149	Babilonia (VTEM Corridor)	0.0	28.0	28.0		NS
		28.0	170.1	142.1		0.00
		170.1	178.0	7.9	7.8	8.65
	<i>Includes</i>	171.1	174.6	3.6	3.46	17.14
		178.0	233.2	55.2		0.04
EL-SNJ-25-035	San Jose (VTEM Corridor)	0.0	99.8	99.8		NS
		99.8	159.4	59.6		0.01
		159.4	160.0	0.7	0.48	1.37
		160.0	212.4	52.4		0.03
		212.4	214.6	2.3	1.7	0.61
		214.6	221.6	7.0		0.15
		221.6	222.6	1.0		0.39
		222.6	225.2	2.6		0.08

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	225.2	227.0	1.8	1.4	3.19
		226.2	227.0	0.9	0.6	6.20
		227.0	245.9	18.9		0.10
		245.9	248.1	2.3	1.7	2.35
		248.1	321.7	73.6		0.02
LIM-24-5060	Talavera West (Talavera)	0.0	55.9	55.9		0.00
		55.9	82.5	26.6		NS
		82.5	153.0	70.5		0.01
		153.0	154.2	1.2	0.76	0.88
		154.2	168.4	14.2		0.07
		168.4	177.6	9.2	6.27	3.12
	<i>Includes</i>	171.4	173.0	1.7	1.17	13.32
		177.6	215.5	38.0		0.08
		215.5	220.8	5.3	3.1	0.67
	<i>Includes</i>	216.0	217.4	1.4	0.84	1.37
		220.8	231.0	10.2		0.06
		231.0	233.6	2.6	1.48	22.25
	<i>Includes</i>	233.6	268.5	35.0		0.04
		268.5	270.0	1.5	0.85	1.14
		270.0	274.8	4.9		0.13
		274.8	277.4	2.6	1.5	8.00
		274.8	276.6	1.8	1.06	11.18
		277.4	289.3	11.9		0.15
		289.3	289.8	0.6	0.32	1.55
		289.8	323.5	33.7		0.06
		323.5	324.1	0.6	0.32	2.69
		324.1	381.0	56.9		0.02
	<i>Includes</i>	381.0	390.3	9.3	5.39	0.46
		390.3	396.7	6.4	3.74	7.75
		390.3	392.1	1.8	1.07	25.92
		396.7	418.8	22.2		0.05
		418.8	421.5	2.7	1.6	10.74
		421.5	430.0	8.6		0.06
LIM-24-5062	Talavera West (Talavera)	0	23.8	23.8		0.00
		23.8	37.8	14		NS
		37.8	61.3	23.5		0.01
		61.3	107	45.7		NS
		107	108	1	0.63	0.42
		108	127.8	19.8		0.02
		127.8	147	19.2		NS
		147	185.4	38.4		0.04
		185.4	186.3	0.9	0.56	1.56
		186.3	195.8	9.5		0.15
		195.8	220.2	24.4	14.88	0.57
		220.2	226	5.8		0.19
		226	228.1	2.1	1.28	0.34

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	228.1	241	12.9		0.13
		241	246.8	5.8	4.27	2.55
		242.4	243.65	1.25	0.91	7.70
		246.8	250.95	4.15		0.05
		250.95	251.85	0.9	0.65	2.17
		251.85	260.25	8.4		0.08
	<i>Includes</i>	260.25	264.45	4.2		0.79
		262.95	264.45	1.5		1.32
		264.45	268.35	3.9		0.19
		268.35	269.35	1	0.65	0.64
		269.35	334.9	65.55		0.07
		334.9	336.65	1.75	1.17	0.78
		336.65	353.5	16.85		0.06
		353.5	358.3	4.8	1.94	0.60
		358.3	365.65	7.35		0.09
		365.65	366.45	0.8	0.54	1.48
		366.45	377.6	11.15		0.07
		377.6	389.3	11.7	7.96	1.78
	<i>Includes</i>	377.6	379.15	1.55	1.05	4.90
		389.3	398.5	9.2		0.22
		398.5	401.45	2.95	1.75	1.27
		401.45	419.65	18.2		0.06
		419.65	442.8	23.15	14.15	1.05
	<i>Includes</i>	427.8	428.85	1.05	0.67	7.40
		442.8	453.7	10.9		0.14
		453.7	454.8	1.1		0.40
		454.8	472.8	18		0.08
LIM-24-5086	Talavera West (Talavera)	0.0	56.4	56.4		0.00
		56.4	57.9	1.5	0.97	2.91
		57.9	66.3	8.4		0.05
		66.3	67.3	1.1	0.65	1.60
		67.3	79.4	12.1		0.06
		79.4	80.7	1.3		0.48
		80.7	87.3	6.6		0.15
		87.3	87.9	0.7		0.44
		87.9	97.5	9.6		0.03
		97.5	98.8	1.3	0.77	0.71
		98.8	120.3	21.6		0.07
		120.3	120.9	0.6		0.68
		120.9	170.8	49.9		0.05
		170.8	171.7	0.9	0.44	0.58
		171.7	200.8	29.1		0.04
		200.8	202.8	2.1	1.27	0.76
		202.8	213.0	10.2		0.03
		213.0	214.0	1.0		0.62
		214.0	228.2	14.2		0.12
		219.5	226.8	7.3		NS

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	228.2	228.7	0.5		0.46
		228.7	243.8	15.1		NS
		243.8	247.0	3.3		0.15
		247.0	248.0	1.0		1.11
		248.0	260.8	12.8		0.10
		260.8	261.8	1.0	0.55	1.04
		261.8	268.0	6.2		0.01
		268.0	270.6	2.6	1.45	2.09
		269.4	270.6	1.2	0.7	3.81
		270.6	330.5	59.9		0.17
		330.5	332.0	1.5		1.14
		332.0	340.8	8.8		0.07
		340.8	341.4	0.6	0.31	2.88
		341.4	350.8	9.4		0.07
		350.8	354.9	4.1	3.36	7.34
		351.6	352.7	1.2	0.9	24.20
		354.9	358.4	3.5		0.08
		358.4	359.3	0.9		0.60
		359.3	366.3	7.0		0.12
		366.3	369.1	2.8		0.28
		369.1	402.3	33.2		0.03
EL-TLV-25-1713	Talavera West (Talavera)	0.0	11.7	11.7		NS
		11.7	192.0	180.3		0.02
		192.0	195.7	3.7		0.31
		195.7	203.3	7.6		0.03
		203.3	204.0	0.8	0.33	1.41
		204.0	234.3	30.3		0.06
		234.3	235.8	1.5		0.49
		235.8	256.6	20.8		0.07
		256.6	260.7	4.1		0.30
		260.7	323.0	62.3		0.06
		323.0	328.7	5.8	3.8	0.78
		326.2	327.5	1.3	0.85	2.38
		328.7	331.1	2.4		0.10
		331.1	334.8	3.7	2.5	0.53
		331.1	332.0	0.9	0.6	1.24
		334.8	337.1	2.3		0.05
		337.1	340.7	3.6	2.43	1.05
		338.1	339.0	0.9	0.6	2.64
		340.7	344.3	3.6		0.11
		344.3	346.8	2.6	1.7	0.54
		346.8	351.3	4.5		0.20
		351.3	356.3	5.0	3.41	3.93
		351.3	352.8	1.5	1	12.50
		356.3	370.5	14.2		0.08
		370.5	371.6	1.2	0.75	5.10

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
EL-TLV-25-1706	Talavera	371.6	386.4	14.8		0.08
		386.4	388.0	1.6		0.36
		0.0	97.0	97.0		0.04
		97.0	98.5	1.5	1.1	3.65
		98.5	146.8	48.3		0.02
		146.8	148.2	1.4	0.98	0.84
		148.2	169.5	21.4		0.06
		169.5	174.1	4.6	3.21	0.99
		174.1	182.7	8.6		0.19
		182.7	184.3	1.7	1.11	2.14
		184.3	207.5	23.2		0.07
		207.5	210.3	2.9	1.52	3.27
		210.3	225.0	14.7		0.20
		225.0	227.6	2.6	1.4	11.30
		226.4	227.6	1.2	0.7	24.10
		227.6	240.0	12.5		0.16
		240.0	241.0	1.0		0.95
		241.0	265.0	24.0		0.07
		265.0	268.7	3.7	2.1	1.67
		265.6	266.8	1.3	0.7	3.55
		268.7	290.5	21.8		0.07
		290.5	293.5	3.0		0.46
		293.5	304.0	10.5		0.11
		304.0	304.9	0.9	0.55	1.13
		304.9	332.2	27.3		0.16
		332.2	334.0	1.9	0.72	10.41
		334.0	337.8	3.8		0.15
		337.8	339.5	1.8	0.77	2.27
		339.5	358.9	19.4		0.05
		358.9	360.1	1.2	0.5	4.76
		360.1	369.6	9.5		0.04
		369.6	372.5	2.9	1.1	2.16
		372.5	380.1	7.6		0.13
		380.1	388.0	7.9	6.0	10.19
		380.1	382.5	2.4	1.8	20.83
		388.0	473.0	85.0		0.06
		473.0	474.0	1.0		1.48
		474.0	499.9	25.9		0.08
EL-TLV-25-1709	Talavera	0.0	15.5	15.5		NS
		15.5	112.3	96.8		0.01
		112.3	127.7	15.4		NS
		127.7	135.2	7.5		0.00
		135.2	160.0	24.8		NS
		160.0	260.8	100.8		0.01
		260.8	262.5	1.8	1.13	0.49
		262.5	266.8	4.3		0.01

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	266.8	267.8	1.0	0.63	0.46
		267.8	270.2	2.4		0.03
		270.2	271.8	1.6	1.01	0.55
		271.8	297.2	25.5		0.03
		297.2	327.6	30.4		NS
		327.6	336.2	8.7		0.05
		336.2	339.2	3.0	2.64	4.28
		337.7	339.2	1.5	1.32	8.00
		339.2	387.2	48.0		0.12
		387.2	388.8	1.6		0.78
		388.8	394.3	5.5		0.11
		394.3	396.5	2.2	1.94	6.32
		395.2	396.5	1.3	1.14	9.00
		396.5	400.5	4.1	3.61	0.32
		400.5	421.8	21.3		0.03
EL-TLV-25-1714	<i>Includes</i>	0.0	38.6	38.6		0.06
		38.6	39.3	0.7	0.49	0.77
		39.3	134.5	95.2		0.02
		134.5	141.3	6.8	4.76	0.38
		141.3	147.0	5.7	3.99	1.73
		147.0	149.5	2.5		0.09
		149.5	154.0	4.5	2.74	0.42
		154.0	231.0	77.0		0.11
		231.0	232.3	1.3	0.69	0.75
		232.3	250.4	18.2		0.10
		250.4	251.6	1.2	0.64	8.10
		251.6	264.3	12.7		0.06
		264.3	267.8	3.5	1.86	3.48
		267.8	283.8	16.1		0.07
		283.8	285.6	1.8	0.85	0.91
		285.6	310.8	25.2		0.15
		310.8	314.0	3.2	1.5	4.82
		314.0	356.0	42.0		0.07
		356.0	366.2	10.2	6.65	3.39
		357.7	362.2	4.5	3.09	6.77
		366.2	395.3	29.1		0.11
		395.3	396.8	1.6	0.98	11.20
		396.8	447.5	50.7	4.47	0.22
		447.5	487.1	39.6		0.02
		487.1	488.6	1.5	1.12	1.00
		488.6	527.2	38.6		0.08
		527.2	530.8	3.6	3.18	1.11
		530.8	533.6	2.8		0.13
		533.6	538.4	4.8	4.23	1.16
		538.4	546.4	8.0		0.04
EL-TLV-25-1715	Talavera	0.0	11.3	11.3		NS
		11.3	171.2	159.9		0.01

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	171.2	175.0	3.9	2.54	3.57
		171.2	173.5	2.4	1.56	5.56
		175.0	225.9	50.9		0.07
	<i>Includes</i>	225.9	228.0	2.1	1.45	0.51
		228.0	244.7	16.7		0.12
		244.7	251.0	6.3	3.65	3.41
	<i>Includes</i>	247.6	249.0	1.5	0.87	6.37
		251.0	255.5	4.5		0.06
		255.5	256.8	1.3	0.75	1.43
	<i>Includes</i>	256.8	269.0	12.2		0.12
		269.0	281.5	12.5	9.75	0.45
		277.0	278.5	1.5	1.17	1.08
	<i>Includes</i>	281.5	285.3	3.8		0.16
		285.3	287.8	2.5	1.95	3.69
		285.9	287.8	1.9	1.48	4.61
EL-TLV-25-1716	Talavera	287.8	311.9	24.2		0.06
		0.0	32.2	32.2		NS
		32.2	91.1	58.9		0.01
		91.1	136.4	45.4		NS
		136.4	141.9	5.5		0.01
		141.9	162.9	21.1		NS
		162.9	175.0	12.1		0.01
		175.0	205.5	30.6		NS
		205.5	283.7	78.2		0.01
	<i>Includes</i>	283.7	290.9	7.3	4.53	2.83
		288.8	290.9	2.2	1.36	5.67
		290.9	300.4	9.5		0.14
		300.4	301.0	0.6	0.44	1.80
		301.0	303.5	2.5		0.12
		303.5	312.2	8.7	6.35	1.16
	<i>Includes</i>	304.4	305.4	1.0	0.73	4.60
		312.2	352.9	40.8		0.03
		352.9	357.0	4.1	3.04	0.70
		357.0	408.0	51.0		0.05
		408.0	408.6	0.6	0.42	1.63
		408.6	413.8	5.2		0.04
		413.8	415.8	2.0	1.4	5.14
	<i>Includes</i>	413.8	415.2	1.5	1.05	7.00
		415.8	450.4	34.7		0.02
EL-TLV-25-1717	Talavera	0.0	104.8	104.8		0.01
		104.8	107.0	2.2		1.34
	<i>Includes</i>	106.0	107.0	1.0		2.13
		107.0	126.0	19.0		0.06
		126.0	127.0	1.0		0.43
		127.0	155.0	28.0		0.04
		155.0	156.0	1.0		0.54

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
		156.0	170.0	14.0		0.03
		170.0	180.0	10.0		1.30
		172.0	173.8	1.8		5.91
		180.0	218.9	38.9		0.03
		218.9	222.2	3.4		1.56
		222.2	225.5	3.3		0.12
		225.5	236.5	11.1		2.37
		225.5	227.9	2.4		8.76
		236.5	254.8	18.3		0.13
		254.8	259.2	4.4		3.85
		254.8	256.0	1.2		9.40
		259.2	294.5	35.3		0.06
		294.5	295.0	0.6		0.49
		295.0	298.4	3.4		0.22
		298.4	299.4	1.0		2.13
		299.4	307.0	7.6		0.22
		307.0	317.2	10.2		3.94
		309.9	314.2	4.3		7.60
		317.2	335.9	18.8		0.11
		335.9	336.5	0.6		0.36
		336.5	362.0	25.5		0.06
		362.0	362.7	0.7		3.98
		362.7	364.5	1.8		0.11
		364.5	375.8	11.4		0.32
		375.8	377.9	2.1		1.11
		377.9	412.0	34.2		0.05
		412.0	413.7	1.7		1.13
		413.7	419.1	5.4		0.05
		419.1	432.5	13.4		0.89
		419.1	421.1	2.0		2.92
		432.5	441.5	9.0		0.17
		441.5	451.3	9.8		1.53
		444.0	446.1	2.1		4.52
		451.3	469.8	18.5		0.05
EL-TLV-25-1702	Talavera	0.0	27.1	27.1		0.00
		27.1	33.4	6.3		0.10
		33.4	55.3	21.9		0.02
		55.3	55.9	0.6		1.11
		55.9	121.5	65.6		0.03
		121.5	139.0	17.5		NS
		139.0	169.5	30.6		0.02
		169.5	173.7	4.2	2.5	0.65
	Includes	172.8	173.7	0.9	0.55	2.72
		173.7	179.6	6.0		0.02
		179.6	182.6	3.0		0.21
		182.6	197.6	15.0		0.02

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
		197.6	208.8	11.2		0.23
		208.8	213.3	4.5		0.18
		213.3	217.8	4.5		0.04
		217.8	228.1	10.3		0.39
		228.1	238.0	9.9	5	8.94
	<i>Includes</i>	229.1	233.6	4.5	2.3	17.25
		238.0	240.0	2.0		0.08
		240.0	257.4	17.4		NS
		257.4	281.0	23.6		0.07
		281.0	285.4	4.4	2.21	3.79
	<i>Includes</i>	283.6	285.4	1.8	0.9	8.28
		285.4	288.0	2.7		0.04
		288.0	296.4	8.4	4.3	2.83
	<i>Includes</i>	293.7	296.4	2.7	1.4	7.01
		296.4	299.8	3.4		0.13
		299.8	300.5	0.7		1.16
		300.5	319.7	19.2		0.05
		319.7	329.0	9.3	7.75	2.19
	<i>Includes</i>	319.7	320.5	0.8	0.7	17.80
		329.0	340.2	11.2		0.06
		340.2	343.2	3.0		0.53
		343.2	352.1	8.9		0.06
		352.1	355.9	3.8		0.22
		355.9	427.9	72.1		0.06
EL-TLV-25-1703	Talavera	0.0	38.6	38.6		NS
		38.6	78.5	39.9		0.01
		78.5	176.1	97.6		NS
		176.1	248.7	72.6		0.01
		248.7	264.5	15.9		NS
		264.5	273.7	9.2		0.03
		273.7	274.7	1.0		0.73
		274.7	282.1	7.5		0.04
		282.1	286.5	4.4	3.48	3.17
	<i>Includes</i>	284.0	285.2	1.2	1	7.20
		286.5	326.6	40.1		0.04
		326.6	327.5	0.9	0.75	8.20
		327.5	349.0	21.5		0.02
		349.0	357.6	8.6		0.09
		357.6	361.2	3.6	2.71	1.12
	<i>Includes</i>	360.3	361.2	0.9	0.68	3.28
		361.2	371.2	10.0		0.06
		371.2	374.0	2.8		0.46
		374.0	377.6	3.6		0.05
		377.6	384.2	6.6	5	1.87
	<i>Includes</i>	377.6	378.8	1.2	0.9	5.60
		384.2	393.4	9.2		0.14

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	393.4	396.8	3.4	2.6	5.73
		394.3	396.2	1.9	1.45	8.88
	<i>Includes</i>	396.8	404.1	7.3		0.24
		404.1	414.9	10.8	8.2	0.94
		414.0	414.9	0.9	0.7	5.90
		414.9	416.1	1.2		0.04
		416.1	416.6	0.6	0.4	3.59
		416.6	430.3	13.7		0.11
EL-TLV-25-1704	Talavera	0.0	78.4	78.4		0.01
		78.4	89.2	10.8		0.24
		89.2	90.5	1.3	0.8	4.69
		90.5	97.1	6.6		0.08
		97.1	97.6	0.5	0.3	7.30
		97.6	99.2	1.6		0.13
		99.2	112.9	13.8		NS
		112.9	113.9	1.0		0.09
		113.9	115.3	1.4	0.9	0.51
		115.3	154.6	39.3		0.05
		154.6	179.7	25.2		NS
		179.7	195.2	15.5		0.06
		195.2	205.6	10.4	5.5	0.25
		205.6	209.3	3.7	1.95	11.30
	<i>Includes</i>	208.3	209.3	1.0	0.53	36.10
		209.3	233.8	24.6		0.03
		233.8	239.3	5.5	3.56	4.45
	<i>Includes</i>	237.0	238.0	1.1	0.64	19.00
		239.3	241.5	2.2		0.03
		241.5	242.5	1.1	0.7	13.10
		242.5	275.7	33.2		0.04
		275.7	280.4	4.8		0.37
		280.4	298.2	17.8		0.08
		298.2	301.8	3.6	2.16	1.21
	<i>Includes</i>	299.6	300.4	0.8	0.48	5.00
		301.8	308.5	6.7		0.07
		308.5	309.6	1.1		1.07
		309.6	311.1	1.6		0.08
	<i>Includes</i>	311.1	316.9	5.8	4.5	13.47
		311.1	312.6	1.5	1.13	21.40
		316.9	322.0	5.2		0.22
		322.0	341.3	19.3		0.05
		341.3	358.4	17.1		NS
		358.4	365.3	6.9		0.06
		365.3	369.5	4.3	3.18	1.44
	<i>Includes</i>	365.3	365.8	0.6	0.38	6.10
		369.5	372.4	2.9		0.25
		372.4	383.4	11.0		0.08

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
		383.4	384.0	0.7	0.8	2.30
		384	389.15	5.15		0.13
		389.2	393.0	3.9		0.12
		393.0	393.9	0.9		1.90
		393.9	401.4	7.5		0.12
		401.4	412.9	11.5	1.2	0.06
		412.9	414.2	1.3		0.57
		414.2	441.5	27.3		0.03
		441.5	448.9	7.4	6.8	0.31
EL-TLV-25-1705	Talavera	0.0	64.3	64.3		NS
		64.3	123.4	59.2		0.01
		123.4	146.6	23.2		NS
		146.6	166.0	19.4		0.00
		166.0	304.9	138.9		NS
		304.9	357.4	52.5		0.07
		357.4	363.0	5.6	4.95	5.46
	<i>Includes</i>	357.4	360.2	2.8	2.46	10.22
		363.0	367.4	4.4	1.8	0.25
		367.4	369.4	2.0		0.49
		369.4	391.3	21.9		0.10
		391.3	393.6	2.3		1.72
		393.6	399.0	5.4		0.18
		399.0	401.8	2.8		0.77
		401.8	406.1	4.4	3.5	2.89
		403.1	404.8	1.7	1.32	5.13
		406.1	421.8	15.7	1.4	0.10
		421.8	423.5	1.7		4.97
		423.5	433.3	9.8		0.14
		433.3	439.3	6.0		1.31
EL-TLV-25-1708	Talavera	0.0	15.0	15.0		NS
		15.0	39.6	24.6		0.03
		39.6	67.0	27.4		NS
		67.0	87.0	20.0		0.00
		87.0	106.0	19.0		NS
		106.0	146.0	40.0		0.03
		146.0	146.5	0.5		0.42
		146.5	187.1	40.6		0.04
		187.1	188.4	1.3		0.39
		188.4	204.4	16.0		0.02
		204.4	207.4	3.0		0.53
		207.4	244.0	36.7		0.09
		244.0	256.0	12.0		0.32
		256.0	259.4	3.4	1.76	2.14
	<i>Includes</i>	258.5	259.4	0.9	0.46	5.90
		259.4	296.9	37.5		0.08
		296.9	329.6	32.7		0.16
		329.6	335.1	5.5	3.5	8.66

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	329.6	332.0	2.4	1.52	16.94
	<i>Includes</i>	332.0	335.1	3.1	1.95	2.24
		335.1	389.4	54.3		0.02
		389.4	391.5	2.1		0.55
		391.5	403.3	11.8		0.06
		403.3	405.0	1.7	1	1.02
		405.0	417.2	12.2		0.09
		417.2	421.0	3.9	2.44	1.23
		421.0	439.0	18.0		0.12
EL-TLV-25-1710	Talavera	0.0	41.3	41.3		NS
		41.3	71.1	29.9		0.00
		71.1	108.7	37.6		NS
		108.7	118.1	9.5		0.01
		118.1	148.9	30.8		NS
		148.9	208.9	60.0		0.04
		208.9	209.6	0.7	0.35	1.75
		209.6	246.8	37.2		0.03
		246.8	256.3	9.5		0.46
		256.3	265.9	9.6		0.19
		265.9	267.5	1.6		0.65
		267.5	279.9	12.4		0.15
		279.9	282.0	2.1	1	8.55
		282.0	290.8	8.8		0.07
		290.8	295.3	4.6		0.59
		295.3	299.5	4.2		0.28
		299.5	306.4	6.9	3.67	12.71
	<i>Includes</i>	302.0	306.4	4.4	2.4	16.11
		306.4	313.9	7.6		0.07
		313.9	325.5	11.6	6	2.41
	<i>Includes</i>	314.8	317.8	3.0	1.53	5.57
		325.5	328.3	2.8		0.13
		328.3	329.3	1.0		1.41
		329.3	392.1	62.8		0.05
		392.1	392.7	0.7	1.05	1.04
		392.7	413.2	20.5		0.02
		413.2	414.8	1.7		1.26
		414.8	437.0	22.2		0.11
		437.0	437.5	0.5		1.12
		437.5	441.2	3.7		0.18
		441.2	446.9	5.7	4.32	1.42
	<i>Includes</i>	445.2	446.9	1.7	1.27	3.07
		446.9	449.4	2.5		0.11
		449.4	453.1	3.7	2.8	3.08
		453.1	462.0	8.9		0.15
		462.0	468.1	6.1	4.6	2.01
	<i>Includes</i>	467.0	468.1	1.1	0.85	4.27
		468.1	474.0	5.9		0.05

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
	<i>Includes</i>	474.0	481.8	7.8	5.87	2.37
		475.8	476.8	1.1	0.78	13.10
		481.8	496.9	15.1		0.05
EL-TLV-25-1711	Talavera	0.0	12.4	12.4		NS
		12.4	371.9	359.5		0.01
		371.9	378.0	6.2	4.25	2.55
	<i>Includes</i>	371.9	373.7	1.9	1.25	4.23
		378.0	382.8	4.8		0.12
		382.8	414.3	31.5		NS
		414.3	417.4	3.2		0.09
		417.4	419.0	1.6	1.22	2.13
		419.0	442.4	23.4		0.05
		442.4	452.6	10.2	6.4	3.32
	<i>Includes</i>	444.0	446.6	2.6	1.7	7.41
		452.6	457.8	5.3		0.08

Note: Estimated True Widths ('ETW') for reported vein intercepts are based on 3D models of the individual veins. Estimates are determined in cross-section by measuring the modelled vein thickness perpendicular to the vein margins and through the midpoint of the drill hole intercept. Percentage based differences between individual ETW's and down-hole interval lengths will vary between drill holes depending on drill hole inclination, variations in vein strike and dip, and overall geometries of the different vein systems.

July 28, 2025 – Drill Hole Collar Coordinates

Drill Hole ID	Vein Structure	UTM East (m)	UTM North (m)	Elevation (masl)	Total Depth (m)	Dip (degrees)	Azimuth (degrees)
LIM-24-5046	Temerario	532065.566	1409079.65	64.588	298.55	-55	275
LIM-24-5088	Temerario	531788.288	1408910.18	65.147	222.4	-50	101.79
EL-TMR-25-016	Temerario	531898.667	1409049.727	63.14	147.55	-50.93	109.93
EL-TMR-25-017	Temerario	531851.932	1408990.829	61.521	210.05	-52.45	129.17
EL-TMR-25-018	Temerario	531756.585	1408884.091	68.123	204.1	-50	110
EL-TMR-25-019	Temerario	531826.973	1409164.743	67.075	301.45	-50.22	109.96
EL-TMR-25-021	Temerario	531885.699	1409081.931	65.296	200.75	-49.98	110.06
EL-TMR-25-026	Temerario	531852.568	1408990.536	61.289	196.2	-48.21	111.69
EL-TMR-25-031	Temerario	531826.504	1409130.904	68.312	279	-50.11	109.98
EL-TMR-25-032	Temerario	531762.681	1408922.702	67.157	240.7	-50.12	110.03
EL-TMR-25-034	Temerario	531819.092	1408908.211	62.806	176.35	-46.61	95.85
EL-TMR-25-036	Temerario	531915.783	1409079.402	63.618	150.45	-48.06	115.02
EL-TMR-25-037	Temerario	531883.838	1408983.392	61.473	135.1	-44.08	114.99
EL-TMR-25-040	Temerario	531858.697	1409071.527	66.546	200.85	-48.5	115
EL-TMR-25-041	Temerario	531873.375	1409034.747	63.004	170.35	-48.69	119.66
EL-TMR-25-042	Temerario	531818.946	1408892.524	63.195	158.45	-57.5	118
EL-TMR-25-043	Temerario	531753.1	1408916.821	67.363	229.9	-50	115.01
EL-TMR-25-045	Temerario	531844.86	1408997.584	61.48	202.6	-53.31	115
EL-TMR-25-047	Temerario	532044.886	1409235.428	67.031	191.9	-49.94	125
EL-TMR-25-052	Temerario	531966.788	1409248.629	68.236	257.4	-53.32	110.01
LIM-24-5070	Babilonia	531386.498	1410388.336	89	150.55	-43.65	273.4

LIM-24-5071	Babilonia	531210.901	1410059.805	86.796	223.85	-55.45	279.94
LIM-24-5075	Babilonia	531372.446	1410204.487	79.539	255.95	-58.16	255.14
LIM-24-5080	Babilonia	531408.026	1410366.573	89.055	188.1	-54.96	290
LIM-24-5105	Babilonia	531295.75	1410251.17	87.398	179.7	-52.43	290.01
EL-BAB-25-121	Babilonia	531369.664	1410311.709	83.163	187.25	-50	280
EL-BAB-25-123	Babilonia	531356.662	1410126.888	76.965	184.25	-50	290
EL-BAB-25-127	Babilonia	531356.6	1410126.8	76.96	211.9	-68.17	272.08
EL-BAB-25-130	Babilonia	531284.707	1410239.983	79.37	250.05	-69.92	285.88
EL-BAB-25-139	Babilonia	531286.624	1410091.399	76.04	152.05	-52	294.5
EL-BAB-25-141	Babilonia	531471.966	1410371.671	83.549	220.7	-49.52	280.49
EL-BAB-25-144	Babilonia	531441.616	1410048.164	74.985	283.4	-59.5	275.5
EL-BAB-25-146	Babilonia	531427.005	1410073	75.587	251.4	-56.55	280.02
EL-BAB-25-148	Babilonia	531458.49	1409975.93	73.43	286.55	-55.42	280
EL-BAB-25-149	Babilonia	531398.32	1410020.715	74.395	233.2	-54.64	275.37
EL-BAB-25-150	Babilonia	531237.742	1410123.923	77.29	251.45	-50	240
EL-SNJ-25-035	San Jose	530967.387	1410468.568	90.091	321.65	-53.37	196.83
LIM-24-5060	Talavera West	524125.895	1409800.73	58.085	457.8	-50.18	180
LIM-24-5062	Talavera West	524418.07	1409445.06	65.566	472.8	-50.15	360
LIM-24-5086	Talavera West	524120.736	1409736.12	56.527	402.3	-50	180
EL-TLV-25-1713	Talavera West	524376.855	1409458.715	62.893	400.8	-50.3	0
EL-TLV-25-1702	Talavera	524077.092	1409701.618	51.597	427.9	-49.17	179.98
EL-TLV-25-1703	Talavera	523809.586	1409366.741	71.642	430.3	-49.82	0
EL-TLV-25-1704	Talavera	524071.178	1409744.507	56.58	451.45	-50	180
EL-TLV-25-1705	Talavera	523780.461	1409322.495	87.99	440	-51.11	0.05
EL-TLV-25-1706	Talavera	523981.117	1409789.828	47.51	499.9	-48.5	192.5
EL-TLV-25-1708	Talavera	524068.603	1409803.835	54.185	439.9	-50.4	179.3
EL-TLV-25-1709	Talavera	523933.947	1409353.78	76.185	421.8	-50.19	0
EL-TLV-25-1710	Talavera	524182.667	1409301.606	68.955	496.9	-50.16	0
EL-TLV-25-1711	Talavera	523954.586	1409263.8	111.188	457.8	-49.42	1.99
EL-TLV-25-1714	Talavera	524003.688	1409778.44	-50.074	546.4	-50.07	174.99
EL-TLV-25-1715	Talavera	524109.263	1409474.41	55.053	311.9	-55	0
EL-TLV-25-1716	Talavera	523932.159	1409352.682	76.36	450.4	-50.98	339.98
EL-TLV-25-1717	Talavera	524197.079	1409770.539	70.303	469.8	-49.92	175