

**Equinox Gold Announces Significant New AI-Supported Gold Discovery 8 km from Valentine Mill and
Additional Results Expanding High-Grade Gold Mineralization Outside of Resources at
The Valentine Gold Mine, Canada**

Equinox Gold News Release, February 2, 2026 – Drill Hole Table

* See notes at bottom of table

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
FZ-23-013-EXT ³	Frank	498	514	16	14.56	2.47	
		533	538	5	4.55	2.31	
FZ-23-019-EXT	Frank <i>including</i> <i>including</i>	271	273	2	1.84	0.83	
		281	315	34	31.28	2.10	
		283	284	1	0.92	10.95	
		310	315	5	4.60	7.77	
		327	328	1	0.92	1.03	
		360	361	1	0.92	2.33	
		623	628	5	4.60	1.16	
FZ-24-068	Frank	660	665	5	4.60	1.18	
		125	126	1	0.53	1.29	
		170	177	7	3.71	1.28	
		324	330	6	3.18	1.79	
		379	397	18	9.54	1.01	
FZ-24-069	Frank	270	271	1	0.89	2.70	
FZ-25-070	Frank	48	49	1	0.97	2.71	
		70	71	1	0.97	1.00	
		406	407	1	0.97	1.10	
		451	453	2	1.94	4.94	
FZ-25-071	Frank	196	198	2	1.76	1.35	
		244	245	1	0.88	20.36	
		357	358	1	0.88	1.84	
		371	372	1	0.88	1.01	
		394	395	1	0.88	7.67	
		534	535	1	0.88	7.29	
		582	591	9	7.92	1.07	
		600	601	1	0.88	3.91	
		610	611	1	0.88	1.03	
		615	616	1	0.88	1.33	
		627	628	1	0.88	3.40	
		633	635	2	1.76	1.05	
		657	658	1	0.88	7.20	
		682	684	2	1.76	0.78	
		749	752	3	2.64	1.14	
FZ-25-072	Frank	336	337	1	0.98	1.55	
FZ-25-074	Frank <i>including</i> <i>including</i> <i>including</i> <i>including</i>	92	93	1	0.90	1.04	
		226	232	6	5.40	3.51	
		227	228	1	0.90	11.01	
		304	375	71	63.90	1.06	
		304	305	1	0.90	13.47	
		304	310	6	5.40	8.08	
		308	309	1	0.90	31.69	

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
FZ-25-074 (cont.)	<i>including</i>	396	417	21	18.90	2.05	
		415	416	1	0.90	18.70	
		457	466	9	8.10	1.11	
		492	494	2	1.80	10.64	
		610	611	1	0.90	1.29	
FZ-25-075	Frank	197	198	1	0.99	17.59	
		252	283	31	30.69	1.13	
		275	276	1	0.99	13.25	
		339	340	1	0.99	2.08	
		349	350	1	0.99	1.70	
	<i>including</i>	440	441	1	0.99	1.09	
		486	498	12	11.88	2.92	
		494	495	1	0.99	14.16	
		555	572	17	16.83	1.06	
		577	578	1	0.99	1.09	
		585	586	1	0.99	1.12	
		599	600	1	0.99	3.42	
		631	632	1	0.99	1.03	
		654	660	6	5.94	1.31	
		693	695	2	1.98	1.53	
FZ-25-076	Frank	7	8	1	0.88	4.51	
		381	382	1	0.88	1.26	
FZ-25-077	Frank	165	166	1	0.41	1.01	
		172	173	1	0.41	6.55	
FZ-25-078	Frank	51	52	1	0.88	2.75	
		166	167	1	0.88	2.27	
		215	216	1	0.88	4.46	
		239	240	1	0.88	1.94	
		248	249	1	0.88	1.67	
		288	289	1	0.88	5.97	
		295	296	1	0.88	1.07	
		363	364	1	0.88	1.52	
FZ-25-079	<i>including</i>	130	140	10	9.00	2.43	
		132	133	1	0.90	17.29	
		166	167	1	0.90	3.36	
		174	176	2	1.80	4.89	
		186	187	1	0.90	1.02	
		196	197	1	0.90	3.63	
		238	239	1	0.90	1.10	
FZ-25-080	Frank	86	99	13	11.83	1.00	
		103	104	1	0.91	1.36	
		108	111	3	2.73	1.17	
		114	115	1	0.91	1.28	
		127	128	1	0.91	2.29	
		220	223	3	2.73	1.80	
		256	257	1	0.91	1.27	
		308	311	3	2.73	1.55	
		316	327	11	10.01	1.04	
		335	337	2	1.82	0.80	

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
FZ-25-081	Frank	148	151	3	3.00	5.05	
		169	170	1	1.00	1.34	
		249	250	1	1.00	1.09	
		303	304	1	1.00	1.00	
		374	385	11	11.00	1.24	
		429	431	2	2.00	5.82	
FZ-25-082	Frank	91	92	1	0.90	1.38	19.19 45.00
		145	152	7	6.30	22.10	
	<i>including</i>	151	152	1	0.90	65.41	
		192	193	1	0.90	4.49	
		219	248	29	26.10	1.05	
		299	300	1	0.90	1.09	
		342	343	1	0.90	1.96	
		344	345	1	0.90	1.55	
		354	355	1	0.90	4.71	
		379	380	1	0.90	2.56	
	<i>including</i>	433	435	1	0.90	7.60	
		434	435	1	0.90	14.08	
		517	518	1	0.90	1.02	
FZ-25-083	Frank	41	42	1	0.90	1.41	6.79 35.56
		91	92	1	0.90	1.98	
		153	154	1	0.90	1.98	
		157	158	1	0.90	1.28	
		176	177	1	0.90	2.85	
		179	180	1	0.90	3.41	
		202	203	1	0.90	2.35	
		214	228	14	12.60	7.50	
		222	224	2	1.80	40.50	
		241	242	1	0.90	1.00	
		248	249	1	0.90	1.25	
		259	260	1	0.90	1.71	
		288	289	1	0.90	2.01	
FZ-25-084	Frank	18	19	1	0.89	1.18	
		88	89	1	0.89	3.27	
		217	235	18	16.02	3.56	
		217	218	1	0.89	17.89	
		234	235	1	0.89	20.25	
		249	250	1	0.89	1.43	
FZ-25-085	Frank	270	271	1	0.89	5.81	13.85 45.00
		60	64	4	3.60	16.45	
		62	63	1	0.90	55.39	
		108	109	1	0.90	4.84	
		281	282	1	0.90	2.47	
FZ-25-086	Frank	300	301	1	0.90	11.04	
		319	324	5	4.50	2.69	
		16	17	1	0.90	1.24	
		42	43	1	0.90	2.39	
		67	68	1	0.90	1.85	

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
FZ-25-087	Frank	12	13	1	0.88	6.42	
		107	108	1	0.88	1.52	
		148	149	1	0.88	2.54	
		204	205	1	0.88	2.01	
FZ-25-088	Frank	56	57	1	0.91	4.90	
		89	90	1	0.91	11.53	
		105	106	1	0.91	3.31	
		143	146	3	2.73	1.34	
FZ-25-089	Frank	344	345	1	0.90	1.67	
FZ-25-090	Frank	213	214	1	0.90	1.30	
FZ-25-091	Frank	22	23	1	0.96	2.15	
		235	236	1	0.96	5.27	
		297	299	2	1.92	5.08	
		399	400	1	0.96	4.59	
FZ-25-093	Frank	11	12	1	0.91	9.15	
		266	267	1	0.91	3.03	
FZ-25-094	Frank	71	73	2	1.80	1.49	
		217	219	2	1.80	4.09	
		277	278	1	0.90	1.43	
		288	289	1	0.90	1.15	
		292	293	1	0.90	4.77	
		306	308	2	1.80	2.17	
FZ-25-095	Frank <i>including</i> <i>including</i> <i>including</i>	180	251	71	63.90	3.12	1.70
		182	183	1	0.90	145.62	45.00
		240	241	1	0.90	24.56	
		249	250	1	0.90	13.12	
		277	278	1	0.90	1.07	
FZ-25-096	Frank	86	87	1	0.90	1.40	
		145	146	1	0.90	42.94	
		262	264	2	1.80	17.53	
		304	305	1	0.90	1.74	
FZ-25-097	Frank <i>including</i>	57	58	1	0.89	1.22	
		124	125	1	0.89	1.28	
		139	140	1	0.89	1.16	
		160	172	12	10.68	1.25	
		181	182	1	0.89	3.80	
		196	202	6	5.34	2.42	
		196	197	1	0.89	12.59	
FZ-25-098	Frank <i>including</i>	70	71	1	0.90	3.11	
		155	156	1	0.90	1.03	
		186	193	7	6.30	2.87	
		191	192	1	0.90	13.12	
		228	230	2	1.80	1.34	
		258	259	1	0.90	20.73	
		273	274	1	0.90	1.48	
		279	280	1	0.90	2.06	

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
FZ-25-099	Frank	32	42	10	90	1.08	
		146	148	2	1.80	2.89	
		179	183	4	3.60	4.84	
		including 181	182	1	0.90	12.38	
		197	198	1	0.90	1.03	
FZ-25-100	Frank	21	23	2	1.74	4.65	
		125	126	1	0.87	2.30	
		285	286	1	0.87	1.37	
		293	315	22	19.14	2.36	
		including 294	295	1	0.87	18.41	
FZ-25-101	Frank	24	25	1	0.90	2.66	
		140	141	1	0.90	1.16	
		157	161	4	3.60	1.57	
		178	180	2	1.80	1.43	
		187	188	1	0.90	1.18	
		190	191	1	0.90	1.29	
		199	200	1	0.90	1.00	
FZ-25-102	Frank	166	167	1	0.91	6.94	
		261	262	1	0.91	9.46	
		270	271	1	0.91	9.31	
		281	282	1	0.91	1.98	
		287	288	1	0.91	3.32	
		297	298	1	0.91	1.24	
FZ-25-103	Frank	40	49	9	8.28	1.37	
		65	68	3	2.76	1.30	
		114	116	2	1.84	2.96	
		171	176	5	4.60	1.64	
FZ-25-104	Frank	199	206	7	6.16	2.67	
		226	227	1	0.88	2.25	
FZ-25-105	Frank	127	130	3	2.73	3.35	
		139	140	1	0.91	1.66	
		173	174	1	0.91	1.29	
		180	181	1	0.91	5.49	
		203	204	1	0.91	1.61	
		217	251	34	30.94	1.08	
FZ-25-107	Frank	77	78	1	0.89	1.91	
		197	220	23	20.47	1.16	
		239	240	1	0.89	1.03	
FZ-25-108	Frank	89	90	1	0.91	1.88	
FZ-25-109	Frank	208	209	1	0.9	3.52	
FZ-25-110	Frank	73	74	1	0.89	1.08	
		76	77	1	0.89	2.44	
		191	207	16	14.24	1.25	
FZ-25-111	Frank	41	45	4	3.6	1.17	
		47	48	1	0.9	1.08	
		56	57	1	0.9	1.40	
FZ-25-112	Frank	10	12	2	1.82	3.46	
		73	74	1	0.91	1.44	
		76	77	1	0.91	1.86	

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
FZ-25-112 (cont.)	Frank	212	214	2	1.82	2.71	
		241	265	24	21.84	1.84	
		including 243	244	1	0.91	10.20	
		including 264	265	1	0.91	10.98	
FZ-25-113	Frank	186	187	1	0.90	1.23	
		219	220	1	0.90	1.15	
		227	229	2	1.80	1.81	
FZ-25-114	Frank	50	51	1	0.89	1.21	
		60	61	1	0.89	2.79	
		166	167	1	0.89	7.25	
		242	243	1	0.89	1.01	
		244	245	1	0.89	1.44	
		252	255	3	2.67	3.63	
FZ-25-115	Frank	8	9	1	0.90	3.88	
		73	75	2	1.80	1.40	
FZ-25-117	Frank	16	17	1	0.91	3.58	
		41	42	1	0.91	1.32	
		46	47	1	0.91	1.16	
		71	74	3	2.73	2.17	
		197	200	3	2.73	9.09	
		including 198	199	1	0.91	22.79	
		299	300	1	0.91	6.86	
FZ-25-118	Frank	302	303	1	0.91	1.56	
		2.4	3	0.6	0.546	1.32	
		7	8	1	0.91	1.57	
		21	22	1	0.91	1.07	
		28	29	1	0.91	1.19	
		88	90	2	1.82	1.56	
FZ-25-119	Frank	232	234	2	1.82	2.05	
		6	7	1	0.92	4.31	
		32	33	1	0.92	1.13	
		119	120	1	0.92	18.27	
FZ-25-120	Frank	25	26	1	0.91	1.17	
		29	30	1	0.91	2.69	
		37	38	1	0.91	1.02	
		213	214	1	0.91	1.72	
FZ-25-121	Frank	39	40	1	0.88	5.44	
		102	103	1	0.88	6.46	
FZ-25-122	Frank	124	129	5	4.55	2.58	
		144	147	3	2.73	2.21	
		157	158	1	0.91	1.60	
		177	184	7	6.37	4.34	
		including 177	178	1	0.91	15.29	
FZ-25-124	Frank	209	212	3	2.73	1.57	
		79	80	1	0.91	1.20	
		207	208	1	0.91	1.08	
		292	297	5	4.55	1.72	
FZ-25-125	Frank	303	304	1	0.91	2.45	
		325	326	1	0.91	1.02	

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
FZ-25-125 (cont.)		335	336	1	0.91	1.04	
FZ-25-126	Frank	5	6	1	0.91	1.51	
FZ-25-129	Frank	125	126	1	0.89	2.21	
		152	153	1	0.89	1.18	
		156	157	1	0.89	1.86	
		264	265	1	0.89	1.38	
		267	268	1	0.89	1.48	
		286	287	1	0.89	1.11	
FZ-25-130	Frank	6	11	5	4.55	1.65	
FZ-25-131	Frank	29	30	1	0.91	2.70	
		54	57	3	2.73	3.36	
		67	68	1	0.91	1.71	
FZ-25-132	Frank	82	83	1	0.91	2.60	
		147	150	3	2.73	1.32	
		168	172	4	3.64	2.54	
		185	188	3	2.73	2.17	
		198	199	1	0.91	1.68	
		208	209	1	0.91	1.41	
FZ-25-133	Frank	28	29	1	0.92	7.41	
		187	188	1	0.92	1.30	
		191	192	1	0.92	1.94	
FZ-25-134	Frank	38	40	2	1.82	2.34	
		84	85	1	0.91	1.65	
		211	212	1	0.91	1.00	
		223	224	1	0.91	1.60	
		235	245	10	9.1	1.17	
FZ-25-135	Frank	85	86	1	0.9	2.14	
		254	263	9	8.1	1.53	
FZ-25-136	Frank	5	8	3	2.73	1.62	
		35	38	3	2.73	1.42	
		170	171	1	0.91	6.27	
		317	318	1	0.91	1.33	
		325	326	1	0.91	2.61	
FZ-25-137	Frank	175	194	19	16.91	1.72	
		276	277	1	0.89	6.69	
FZ-25-138	Frank	166	167	1	0.91	1.31	
FZ-25-139	Frank	11	12	1	0.9	1.93	
		90	91	1	0.9	1.33	
		196	197	1	0.9	1.16	
		211	220	9	8.1	1.22	
MT-25-001	Minotaur	4.37	6	1.63		0.93	
		9	16	7		1.01	
		35	36	1		0.46	
		299	300	1		0.27	
MT-25-002	Minotaur	106	107	1		0.40	
		334	335	1		0.61	
MT-25-003	Minotaur <i>including</i>	30	46	16		0.83	
		37	46	9		1.17	
		47	48	1		0.37	

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
MT-25-003 (cont.)		69	70	1		0.55	
MT-25-004	Minotaur	6.13	8	1.87		1.51	
		19	23	4		1.20	
		25	26	1		0.88	
		28	30	2		0.89	
		43	56	13		1.03	
MT-25-005	Minotaur	215	216	1		1.49	
MT-25-010	Minotaur	159	162	3		1.95	
		215	216	1		3.56	
		233	234	1		3.24	
		236	237	1		1.47	
MT-25-011	Minotaur	70	72	2		2.04	
		93	125	32		2.68	
	<i>including</i>	100	102	2		20.85	
	<i>including</i>	113	114	1		13.44	
		160	161	1		3.02	
		173	174	1		2.04	
		183	201	18		2.67	
	<i>including</i>	183	184	1		17.27	
	<i>including</i>	199	200	1		13.26	
		257	258	1		1.07	
MT-25-012	Minotaur	76	78	2		1.93	
		109	110	1		3.36	
		136	140	4		1.43	
		153	154	1		1.49	
MT-25-013	Minotaur	43	44	1		0.87	
		56	57	1		0.76	
		74	75	1		3.40	
		90	94	4		1.24	
		101	102	1		4.58	
		104	105	1		0.96	
		122	127	5		1.38	
		134	135	1		0.81	
		137	138	1		1.56	
		164	165	1		1.47	
MT-25-014	Minotaur	213	214	1		0.77	
		118	124	6		1.47	
		182	183	1		2.26	
		194	195	1		13.32	
MT-25-015	Minotaur	89	90	1		2.53	
MT-25-017	Minotaur	12	15	3		1.65	
		63	70	7		1.36	
		77	78	1		1.17	
		82	83	1		1.07	
		102	103	1		1.34	
		107	108	1		1.17	
		132	133	1		1.35	
MT-25-018	Minotaur	54	55	1		1.22	
		80	81	1		3.64	

Drill Hole ID	Prospect (Zone)	From (m)	To (m)	Interval (m)	ETW ¹ (m)	Grade (g/t Au)	Cut Grade ² (g/t Au)
MT-25-018 (cont.)		113	114	1		1.06	
MT-25-019	Minotaur	6	7	1		7.33	
		21	22	1		3.47	
		27	28	1		1.11	
		40	48	8		5.74	
		<i>including</i> 40	41	1		39.63	
		71	72	1		1.15	
		101	102	1		1.19	
		107	119	12		1.22	
		144	152	8		2.03	
		<i>including</i> 146	147	1		10.81	
		165	166	1		2.51	
		177	178	1		1.95	
MT-25-022	Minotaur	285	288	3		5.85	
	<i>including</i>	286	287	1		13.01	
MT-25-024	Minotaur	110	111	1		2.94	
		128	129	1		3.01	
		143	145	2		4.11	
		156	157	1		2.74	
		161	163	2		1.37	
		181	182	1		10.08	
		196	197	1		6.01	
		217	256	39		1.78	
		<i>including</i> 236	247	11		4.25	
		<i>including</i> 245	246	1		12.79	
		265	266	1		2.02	
		269	270	1		1.06	
		271	272	1		1.51	
		287	288	1		3.78	
		317	318	1		2.06	
MT-25-025	Minotaur	109	110	1		1.87	
		112	119	7		1.05	
		126	133	7		1.67	
		144	158	14		1.01	
MT-25-027	Minotaur	338	339	1		2.50	
		344	345	1		1.10	
		346	347	1		1.48	

Notes:

1. ETW = estimated true width.
2. Gold grade values cut to 45 g/t Au. Only intervals containing gold grades higher than 45 g/t Au are affected by the cut-off.
3. EXT = holes initially drilled in 2023 were extended.
4. "Significant" assay intervals are defined as 1m core length or more of mineralization with an average fire assay result of greater than 1.0 grams per tonne gold ("g/t Au"). Assay intervals with an average fire assay result of between 0.3 g/t Au and 1.0 g/t Au are above the cut-off used in the July 2022 Mineral Resource estimate but are not considered "significant" for the purposes of this news release.
5. No significant results for FZ-25-073, FZ-25-092, FZ-25-106, FZ-25-116, and FZ-25-123.
6. Assays pending for FZ-25-127, FZ-25-128.
7. No significant results for MT-25-006, MT-25-007, MT-25-008, MT-25-009, MT-25-016, MT-25-020, MT-25-021, MT-25-023, and MT-25-026.
8. Minotaur intervals are reported as core lengths; insufficient data to estimate true width due to varying vein orientations.

Drill Hole Collar Coordinates

Drill Hole ID	Prospect	UTM East (m)	UTM North (m)	Elevation (masl)	End Depth	Azimuth (degrees)	Dip (degrees)
FZ-23-013	FZ	485238.20	5355407.23	406.380	596.00	342.61	-64.75
FZ-23-019	FZ	484870.05	5355338.91	419.920	743.00	344.65	-61.72
FZ-24-068	FZ	485331.74	5355837.05	385.780	410.00	162.88	-55.15
FZ-24-069	FZ	485608.40	5355767.05	425.130	398.00	341.89	-57.64
FZ-25-070	FZ	486001.50	5355617.22	383.690	470.00	18.99	-49.66
FZ-25-071	FZ	485955.87	5355604.39	386.540	830.00	342.45	-55.08
FZ-25-072	FZ	485987.21	5355692.71	383.760	461.00	20.13	-50.84
FZ-25-073	FZ	485999.60	5355664.07	384.816	536.00	19.84	-49.68
FZ-25-074	FZ	485743.31	5355517.30	401.670	677.00	343.34	-59.20
FZ-25-075	FZ	485627.16	5355546.42	402.540	710.00	21.14	-54.17
FZ-25-076	FZ	485914.24	5355639.63	390.100	542.00	342.96	-54.11
FZ-25-077	FZ	485174.86	5355825.94	372.810	275.00	178.20	-49.95
FZ-25-078	FZ	485198.85	5355434.95	405.360	401.00	342.84	-54.31
FZ-25-079	FZ	485111.92	5355425.07	405.380	368.00	342.93	-59.96
FZ-25-080	FZ	484803.35	5355353.07	413.380	437.30	342.34	-62.33
FZ-25-081	FZ	484803.35	5355353.06	413.420	527.00	33.23	-55.01
FZ-25-082	FZ	485122.06	5355336.81	413.220	521.00	343.37	-57.65
FZ-25-083	FZ	485036.83	5355321.95	412.910	305.00	343.05	-57.52
FZ-25-084	FZ	484962.70	5355297.71	414.420	314.00	342.70	-56.52
FZ-25-085	FZ	484912.13	5355282.43	420.670	356.00	342.86	-58.04
FZ-25-086	FZ	484730.54	5355262.44	404.890	317.00	342.95	-58.51
FZ-25-087	FZ	485424.40	5355455.93	405.820	326.00	343.59	-52.65
FZ-25-088	FZ	486167.55	5355728.04	382.170	302.00	349.31	-56.70
FZ-25-089	FZ	486129.13	5355714.23	382.150	401.00	342.31	-59.91
FZ-25-090	FZ	486116.25	5355659.89	382.640	302.00	343.09	-59.64
FZ-25-091	FZ	486000.86	5355742.18	382.380	401.00	39.56	-44.50
FZ-25-092	FZ	485853.10	5355555.00	394.368	251.00	343.22	-54.40
FZ-25-093	FZ	485423.21	5355459.09	405.790	350.00	343.15	-65.41
FZ-25-094	FZ	485342.79	5355416.57	404.820	314.00	343.07	-57.84
FZ-25-095	FZ	485057.34	5355333.44	415.180	284.00	341.95	-59.97
FZ-25-096	FZ	485383.56	5355448.46	408.890	308.00	342.85	-59.00
FZ-25-097	FZ	485067.35	5355381.05	412.580	202.00	342.14	-58.29
FZ-25-098	FZ	485374.72	5355414.08	404.270	293.00	341.86	-58.59
FZ-25-099	FZ	485038.24	5355397.25	410.720	203.00	340.57	-61.31
FZ-25-100	FZ	485460.90	5355439.82	400.800	329.00	340.76	-54.36
FZ-25-101	FZ	485091.12	5355387.84	409.760	206.00	343.30	-58.36
FZ-25-102	FZ	485480.92	5355456.06	402.510	302.00	342.81	-60.52
FZ-25-103	FZ	484983.41	5355404.10	414.665	191.00	343.70	-70.09
FZ-25-104	FZ	485793.37	5355537.66	395.546	302.00	342.09	-54.49
FZ-25-105	FZ	484998.34	5355349.27	418.838	251.00	342.60	-65.30
FZ-25-106	FZ	484928.56	5355380.97	412.731	176.00	343.13	-60.46
FZ-25-107	FZ	485351.61	5355386.83	404.518	251.00	343.60	-54.08
FZ-25-108	FZ	485715.97	5355516.67	403.616	251.00	342.61	-64.50
FZ-25-109	FZ	484898.06	5355377.72	411.752	248.00	343.28	-57.74
FZ-25-110	FZ	485381.80	5355393.26	404.062	254.00	343.31	-55.88

FZ-25-111	FZ	484939.00	5355290.02	417.690	264.00	342.68	-58.14
FZ-25-112	FZ	485383.57	5355448.47	408.899	305.00	343.01	-60.56
FZ-25-113	FZ	484859.84	5355291.45	420.561	251.00	343.62	-58.38
FZ-25-114	FZ	485412.81	5355402.63	403.556	287.00	343.60	-54.92
FZ-25-115	FZ	484891.43	5355272.59	420.696	251.00	343.44	-57.53
FZ-25-116	FZ	485364.65	5355406.28	404.444	33.50	163.23	-50.47
FZ-25-117	FZ	485539.01	5355485.27	402.337	323.00	342.74	-62.50
FZ-25-118	FZ	484827.35	5355282.05	418.418	251.00	344.01	-59.63
FZ-25-119	FZ	485490.35	5355497.59	403.597	200.00	342.53	-69.80
FZ-25-120	FZ	485586.89	5355482.47	401.928	251.00	342.62	-62.39
FZ-25-121	FZ	484884.40	5355296.45	421.846	167.00	344.10	-53.38
FZ-25-122	FZ	484928.90	5355358.05	414.201	218.00	342.67	-65.11
FZ-25-123	FZ	485442.73	5355421.73	402.170	50.00	163.35	-50.02
FZ-25-124	FZ	485492.83	5355517.95	403.978	308.00	343.08	-65.07
FZ-25-125	FZ	485603.62	5355523.49	403.033	365.00	342.74	-64.19
FZ-25-126	FZ	485625.76	5355482.03	401.007	227.00	343.15	-60.71
FZ-25-129	FZ	485539.94	5355435.15	398.188	311.00	342.81	-55.73
FZ-25-130	FZ	486106.55	5355760.21	383.237	272.00	343.03	-79.53
FZ-25-131	FZ	486159.89	5355790.53	383.357	200.00	342.98	-77.96
FZ-25-132	FZ	485323.31	5355470.65	406.364	281.00	342.91	-63.98
FZ-25-133	FZ	486140.53	5355804.71	383.524	350.00	342.77	-73.94
FZ-25-134	FZ	485280.95	5355441.70	403.657	275.00	342.68	-62.47
FZ-25-135	FZ	485268.35	5355420.20	404.968	290.00	342.61	-59.79
FZ-25-136	FZ	486130.72	5355836.61	383.403	353.00	338.92	-75.54
FZ-25-137	FZ	485284.01	5355426.92	405.536	302.00	342.68	-57.32
FZ-25-138	FZ	486089.28	5355820.87	383.478	302.00	343.82	-78.91
FZ-25-139	FZ	485282.21	5355405.72	406.919	302.00	342.76	-59.60
MT-25-001	MT	486215.09	5364534.30	386.830	416.00	184.98	-45.77
MT-25-002	MT	486331.64	5364577.99	382.499	416.00	181.53	-44.90
MT-25-003	MT	486226.01	5364636.39	375.138	278.00	179.19	-43.81
MT-25-004	MT	486088.68	5364524.74	370.871	251.00	180.98	-44.39
MT-25-005	MT	486306.12	5364361.95	358.489	437.00	190.11	-44.33
MT-25-006	MT	486265.61	5364452.89	370.563	251.00	192.91	-45.50
MT-25-007	MT	486419.73	5364205.86	347.109	440.00	161.29	-44.84
MT-25-008	MT	486476.34	5364542.83	375.842	311.00	186.69	-44.33
MT-25-009	MT	486420.81	5364603.37	377.684	350.00	189.97	-48.04
MT-25-010	MT	485934.98	5364660.71	349.409	350.00	183.60	-44.80
MT-25-011	MT	486057.78	5364444.32	375.294	266.00	10.47	-43.72
MT-25-012	MT	486057.65	5364443.61	375.241	386.00	9.81	-61.22
MT-25-013	MT	486030.68	5364566.42	363.241	341.00	181.94	-44.27
MT-25-014	MT	486225.95	5364636.44	375.161	260.00	1.68	-46.59
MT-25-015	MT	486334.59	5364517.91	377.804	275.35	359.90	-44.80
MT-25-016	MT	486158.94	5364457.81	372.058	284.00	2.03	-46.43
MT-25-017	MT	486118.31	5364610.36	368.739	152.00	186.62	-43.28
MT-25-018	MT	486284.01	5364711.58	372.998	230.00	184.61	-44.50
MT-25-019	MT	486087.50	5364525.30	370.752	251.00	256.05	-79.27
MT-25-020	MT	487023.76	5366406.90	335.807	401.00	160.40	-45.08
MT-25-021	MT	488191.76	5366176.34	336.032	251.00	187.35	-44.25

MT-25-022	MT	487583.05	5365780.53	344.359	329.00	183.41	-45.12
MT-25-023	MT	486808.88	5365342.06	352.629	401.00	186.14	-44.61
MT-25-024	MT	485959.59	5364411.49	365.765	338.00	6.45	-46.14
MT-25-025	MT	486001.89	5364556.43	360.828	200.00	74.01	-54.50
MT-25-026	MT	485821.48	5364509.72	345.440	302.00	162.68	-44.07
MT-25-027	MT	485679.50	5364476.03	337.388	447.30	161.94	-44.35