

Equinox Gold Reports Continued Exploration Success Along the Musselwhite Mine Trend and Advances New Minotaur Discovery at Valentine

Equinox Gold News Release, September 29, 2026 – Drill Hole Tables

Table 1: Musselwhite Drill Hole Collar Information

Hole ID	Coordinate X	Coordinate Y	Coordinate Z	Azimuth (degrees)	Dip (degrees)	End Depth (m)
26-CMP-010A	676446.5	5832801.1	306.1	219.3	-50.1	55.4
26-CMP-015	676177.6	5832350.9	314.6	203.8	-49.77	120.0
26-CMP-016	676222.3	5832333.2	314.8	208.4	-51.99	111.0
26-KAZ-001	684181.3	5828505.6	335.0	199.4	-49.03	150.0
26-KAZ-002	684541.9	5828343.0	333.9	201.3	-49.93	150.0
26-KAZ-003	684542.0	5828623.7	316.5	20.9	-49.63	102.0
26-KAZ-004	684351.4	5828689.1	323.7	22.1	-49.63	105.0
26-KAZ-005	684350.4	5828686.3	323.9	201.4	-49.86	201.0
26-KAZ-006	684165.7	5828771.5	317.7	21.3	-50.20	102.0
26-KAZ-007	683982.6	5828866.8	314.6	21.6	-49.51	102.0
26-KAZ-007A	683989.4	5828871.8	319.1	20.6	-49.88	15.0
26-KAZ-008	683984.6	5828870.5	314.4	200.1	-55.25	165.0
26-KAZ-009	683971.9	5828813.2	320.0	201.5	-49.68	126.0
26-KAZ-010	683631.1	5829085.6	323.5	20.6	-50.31	102.0
26-KAZ-011	683632.5	5829089.5	323.4	201.3	-65.02	123.0
26-KAZ-012	683375.7	5829234.0	314.1	199.7	-55.01	114.0
26-KAZ-014	684336.6	5828650.3	326.8	201.0	-44.68	90.0
25-LNX-101	675183.5	5835166.4	-311.8	46.8	-54.76	258.0
26-LNX-001	674060.2	5835957.4	-1127.7	45.7	-21.98	249.0
26-LNX-002	674060.3	5835957.5	-1127.6	45.2	-15.20	249.0
26-LNX-003	674060.2	5835957.4	-1127.4	45.2	-9.13	255.0
26-LNX-004	674060.2	5835957.4	-1127.2	44.5	-2.37	286.9
26-LNX-005	674060.3	5835957.4	-1126.9	44.9	4.24	606.0
26-LNX-012	674139.0	5835885.1	-1115.1	45.0	-42.40	279.0
26-LNX-013	674139.0	5835885.1	-1114.9	44.1	-36.28	270.0
26-LNX-014	674139.1	5835885.1	-1114.9	44.7	-29.93	255.0
26-LNX-015	674139.0	5835885.1	-1114.8	44.8	-22.41	243.0
26-LNX-016	674139.0	5835885.1	-1114.6	44.5	-15.07	240.0
26-LNX-017	674139.0	5835885.0	-1114.5	45.0	-9.42	249.0
26-LNX-018	674139.0	5835885.0	-1114.3	44.0	-1.44	255.0
26-LNX-019	674139.0	5835885.0	-1114.1	44.8	3.80	276.0
26-LNX-020	674139.0	5835885.1	-1113.8	44.9	9.45	291.0
26-LNX-027	674203.0	5835815.1	-1071.3	46.9	6.42	302.0
26-LNX-028	674203.1	5835815.1	-1070.8	46.3	11.28	351.0
26-LNX-029	674203.0	5835815.0	-1070.5	46.6	14.91	366.0
26-LNX-030	674203.5	5835814.8	-1069.7	45.6	19.18	399.0
26-LNX-031	674202.9	5835814.8	-1069.7	45.7	21.75	339.0
26-LNX-032	674238.0	5835779.4	-1065.2	46.3	-41.31	267.0
26-LNX-033	674238.0	5835779.4	-1064.9	46.0	-28.04	240.0
26-LNX-034	674237.3	5835778.7	-1063.9	45.9	-13.92	240.0
26-LNX-035	674237.7	5835779.1	-1063.6	46.1	1.35	264.0
26-LNX-036	674237.4	5835778.8	-1063.1	46.9	7.25	282.0
26-LNX-037	674203.3	5835814.2	-1070.2	55.8	12.89	312.0
26-LNX-052	674203.1	5835814.5	-1071.6	44.6	-33.56	255.0
26-LNX-054	674203.2	5835814.6	-1071.3	44.3	-19.18	239.0
26-LNX-056	673985.1	5836023.6	-1141.8	46.0	-44.68	303.0
26-LNX-057	673985.2	5836023.7	-1141.7	45.8	-38.79	291.0
26-LNX-058	673985.1	5836023.6	-1141.4	45.1	-32.82	285.0
26-LNX-059	673985.1	5836023.6	-1141.2	44.4	-26.32	279.0
26-LNX-060	673985.1	5836023.7	-1141.1	44.8	-19.99	276.0
26-LNX-111	674203.2	5835814.3	-1069.6	46.1	22.31	417.0
26-LNX-112	673835.2	5836148.6	-1165.6	44.8	-18.03	309.0
26-LNX-113	673835.3	5836148.5	-1165.4	44.6	-12.72	333.0
26-LNX-114	673835.2	5836148.6	-1165.2	44.8	-7.20	366.0
26-NSD01-005W	673224.3	5836094.3	303.5	39.9	-83.15	2220.0
26-NSD01-006W	673224.3	5836094.3	303.5	39.9	-83.15	2277.7
26-NSD01-007W	673224.3	5836094.3	303.5	39.9	-83.15	2359.5
26-NSD01-008W	673224.3	5836094.3	303.5	39.9	-83.15	2320.8
26-NSD02-006W	672948.0	5836415.0	308.1	39.9	-83.15	2337.0
26-NSD02-007W	672948.0	5836415.0	308.1	43.1	-84.47	2382.0
26-NSD02-008W	672948.0	5836415.0	308.1	43.1	-84.47	2451.0
26-NSD02-009W	672948.0	5836415.0	308.1	43.1	-84.47	2361.9
26-NSD03-004W	672781.1	5836640.7	306.7	20.8	-87.06	2406.0
26-NSD03-006W	672781.1	5836640.7	306.7	20.8	-87.06	2422.2
26-NSD03-007W	672781.1	5836640.7	306.7	20.8	-87.06	2468.5

26-NSD03-008W	672781.1	5836640.7	306.7	20.8	-87.06	2532.0
26-NSD03-009W	672781.1	5836640.7	306.7	20.8	-87.06	2544.0
25-PQE-064	674237.8	5835779.2	-1065.7	45.5	-64.08	375.0
26-PQE-001	674060.1	5835957.3	-1128.9	45.3	-69.15	417.0
26-PQE-002	674060.2	5835957.3	-1129.0	41.9	-64.70	375.0
26-PQE-003	674060.2	5835957.3	-1129.0	44.6	-59.55	357.0
26-PQE-004	674060.4	5835957.2	-1128.7	44.5	-55.02	327.0
26-PQE-005	674060.2	5835957.4	-1128.5	44.8	-50.85	309.0
26-PQE-006	674060.2	5835957.4	-1128.4	44.9	-45.60	291.0
26-PQE-007	674060.1	5835957.2	-1128.1	44.9	-40.82	279.0
26-PQE-008	674060.6	5835957.4	-1128.2	42.7	-34.87	270.0
26-PQE-009	674060.3	5835957.4	-1127.9	45.0	-28.29	261.0
26-PQE-012	674139.2	5835885.1	-1115.6	44.9	-61.05	372.0
26-PQE-013	674139.1	5835885.0	-1115.3	45.0	-55.74	330.0
26-PQE-014	674139.1	5835885.0	-1115.1	43.9	-51.77	303.0
26-PQE-015	674139.1	5835885.0	-1115.1	44.4	-47.89	288.0
26-PQE-017	674238.0	5835779.4	-1065.7	44.9	-58.02	342.0
26-PQE-018	674237.9	5835779.2	-1065.2	46.2	-53.47	318.0
26-PQE-029	674203.1	5835814.5	-1072.1	44.8	-58.64	234.0
26-PQE-032	673984.6	5836023.5	-1142.5	42.6	-72.23	484.2
26-PQE-033	673984.7	5836023.5	-1142.4	42.3	-69.11	459.0
26-PQE-034	673984.8	5836023.6	-1142.4	41.1	-66.09	390.0
26-PQE-035	673984.8	5836023.6	-1142.4	41.5	-62.90	375.0
26-PQE-036	673984.9	5836023.7	-1142.4	41.8	-58.95	351.0
26-PQE-054	673910.4	5836088.7	-1154.1	44.2	-72.74	468.0
26-PQE-055	673910.4	5836088.7	-1154.0	45.7	-69.89	444.0
26-PQE-056	673910.4	5836088.7	-1154.0	46.1	-66.20	396.0
26-PQE-057	673910.4	5836088.7	-1154.0	45.0	-63.60	396.0
26-PQE-058	673910.5	5836088.8	-1154.0	46.8	-60.29	375.0
26-RDW-005	678627.3	5832279.2	145.6	59.0	-40.41	312.0
26-RDW-006	678627.3	5832279.2	145.5	58.3	-38.39	327.0
26-RDW-007	678627.4	5832279.3	145.6	58.7	-36.37	315.0
26-RDW-008	678627.3	5832279.2	145.6	58.4	-33.85	312.0
26-RDW-009	678627.0	5832279.3	145.6	58.8	-31.56	291.0
26-RDW-010	678627.1	5832279.3	145.6	59.3	-29.12	294.0
26-RDW-011	676160.8	5834479.7	-280.1	25.7	-30.50	243.0
26-RDW-012	678627.2	5832279.3	145.6	58.8	-26.99	291.0
26-RDW-013	678627.2	5832279.3	145.7	58.8	-23.72	276.0
25-WEL-014	674891.8	5834783.4	-607.9	224.3	43.73	300.0
25-WEL-015	674892.2	5834783.7	-607.7	224.4	51.18	258.0
25-WEL-021	674605.6	5835358.9	-960.1	232.5	-1.42	462.0
25-WEL-022	674605.6	5835358.9	-959.6	232.8	10.16	530.0

Table 2: Musselwhite Near-Mine Composite Drill Results

HOLE-ID	From (m)	To (m)	Core Length (m)	Estimated True Width (m)	Au (g/t)	Au GXM	Including 2.0g/t Au COG	Including 5.0g/t Au COG	Including 10.0g/t Au COG	Including 15.0g/t Au COG	Method
26-CMP-015	8.3	23.0	14.7	11.7	1.71	25.12	2.0m @ 3.74 g/t, 2.0m @ 5.06 g/t	1.0m @ 7.02 g/t			Photon Assays
	50.1	69.0	18.9	17.3	2.94	55.47	3.0m @ 11.87 g/t, 3.8m @ 3.85 g/t	3.0m @ 11.87 g/t, 0.3m @ 6.20 g/t, 0.6m @ 13.72 g/t	1.4m @ 20.31 g/t, 0.6m @ 13.72 g/t	1.4m @ 20.31 g/t, 0.3m @ 15.56 g/t	
26-KAZ-002	85.0	86.0	1.0	0.9	2.93	2.93					Photon Assays
	96.3	97.0	0.7	0.6	42.22	29.55	0.7m @ 42.22 g/t	0.7m @ 42.22 g/t	0.7m @ 42.22 g/t	0.7m @ 42.22 g/t	
	119.2	124.5	5.3	4.6	1.05	5.55					
26-KAZ-003	21.3	26.5	5.2	4.0	0.68	3.55					Photon Assays
26-KAZ-007	13.0	20.0	7.0	5.4	1.47	10.28	2.4m @ 2.83 g/t				Photon Assays
	26.6	31.4	4.8	3.7	1.07	5.16	0.6m @ 5.29 g/t	0.6m @ 5.29 g/t			
	45.6	50.3	4.7	1.6	1.13	5.30					
	55.4	60.5	5.1	3.3	1.40	7.14	0.8m @ 4.87 g/t				
26-KAZ-007A	9.0	15.0	6.0	0.0	0.45	2.70					Photon Assays
Cut off grade 0.4g/t Au, minimum length 5m, maximum consecutive internal waste 4.4m, if Au grade x length > 2 the composite will be added											

Table 3: Musselwhite Underground Composite Drill Results

HOLE-ID	From (m)	To (m)	Core Length (m)	Estimated True Width (m)	Au (g/t)	Au GXM	Including 5.0g/t Au COG	Including 10.0g/t Au COG	Including 15.0g/t Au COG	Method
25-LNX-101	111.0	112.0	1.0	0.9	12.00	12.00	1.0m @ 12.00 g/t	1.0m @ 12.00 g/t		Fire Assay
	211.4	211.8	0.4	0.4	16.00	6.40	0.4m @ 16.00 g/t	0.4m @ 16.00 g/t	0.4m @ 16.00 g/t	
	221.4	223.1	1.7	1.5	2.61	4.44				
25-PQE-064	257.0	258.0	1.0	1.0	24.00	24.00	1.0m @ 24.00 g/t	1.0m @ 24.00 g/t	1.0m @ 24.00 g/t	Fire Assay
	262.0	263.0	1.0	0.8	4.33	4.33				Fire Assay
	267.0	267.7	0.7	0.6	5.62	3.93	0.7m @ 5.62 g/t			Fire Assay
	284.7	285.0	0.3	0.2	12.60	3.78	0.3m @ 12.60 g/t	0.3m @ 12.60 g/t		Fire Assay
	291.0	292.0	1.0	0.5	9.85	9.85	1.0m @ 9.85 g/t			Fire Assay
25-WEL-014	94.0	98.8	4.8	2.6	3.36	16.14	0.6m @ 5.20 g/t, 1.1m @ 6.83 g/t			Fire Assay
	194.0	198.0	4.0	3.5	3.05	12.20	1.0m @ 7.61 g/t			Fire Assay
25-WEL-015	49.0	51.4	2.4	2.2	3.21	7.72				Fire Assay
	163.3	165.2	1.9	1.8	2.73	5.19				Fire Assay
25-WEL-021	13.0	14.0	1.0	1.0	3.27	3.27				Fire Assay
	200.0	201.0	1.0	1.0	4.87	4.87				Fire Assay
	226.0	227.0	1.0	0.9	4.39	4.39				Fire Assay
25-WEL-022	2.0	3.0	1.0	0.9	16.70	16.70	1.0m @ 16.70 g/t	1.0m @ 16.70 g/t	1.0m @ 16.70 g/t	Fire Assay
26-LNX-001	126.0	131.7	5.7	4.6	2.93	16.70	1.1m @ 10.49 g/t	0.4m @ 18.25 g/t	0.4m @ 18.25 g/t	Fire Assay
	134.0	135.8	1.8	1.5	13.61	24.50	1.8m @ 13.61 g/t	1.8m @ 13.61 g/t	0.5m @ 15.25 g/t	Fire Assay

26-LNX-002	193.5	194.7	1.2	1.2	19.04	22.85	1.2m @ 19.04 g/t	0.4m @ 46.60 g/t	0.4m @ 46.60 g/t	Fire Assay
	228.0	230.2	2.2	2.0	21.56	47.43	1.5m @ 29.50 g/t	1.5m @ 29.50 g/t	1.2m @ 33.45 g/t	Fire Assay
	234.2	237.0	2.8	2.5	4.38	12.27	0.8m @ 9.27 g/t			Fire Assay
	162.0	163.0	1.0	1.0	8.55	8.55	1.0m @ 8.55 g/t			Fire Assay
	174.0	175.0	1.0	1.0	4.27	4.27				Fire Assay
	198.0	198.5	0.5	0.5	7.15	3.58	0.5m @ 7.15 g/t			Fire Assay
	231.2	231.7	0.5	0.5	6.14	3.07	0.5m @ 6.14 g/t			Fire Assay
	235.4	236.0	0.6	0.6	33.20	19.92	0.3m @ 62.30 g/t	0.3m @ 62.30 g/t	0.3m @ 62.30 g/t	Fire Assay
26-LNX-003	132.1	132.5	0.4	0.4	32.10	12.84	0.4m @ 32.10 g/t	0.4m @ 32.10 g/t	0.4m @ 32.10 g/t	Fire Assay
	138.0	139.0	1.0	0.8	4.37	4.37				Fire Assay
	141.2	141.6	0.4	0.3	7.78	3.11	0.4m @ 7.78 g/t			Fire Assay
	202.8	203.3	0.5	0.5	8.72	4.36	0.5m @ 8.72 g/t			Fire Assay
	237.4	241.2	3.8	3.6	16.22	61.62	3.8m @ 16.22 g/t	2.4m @ 22.46 g/t	0.4m @ 25.30 g/t, 1.4m @ 27.34 g/t	Fire Assay
26-LNX-004	141.9	143.0	1.1	1.0	7.46	8.20	0.4m @ 14.00 g/t	0.4m @ 14.00 g/t		Fire Assay
	150.0	151.0	1.0	0.9	4.06	4.06				Fire Assay
26-LNX-005	244.9	250.7	5.8	5.7	5.13	29.75	2.9m @ 7.10 g/t	0.4m @ 29.10 g/t	0.4m @ 29.10 g/t	Fire Assay
	158.0	160.0	2.0	1.9	3.36	6.71				Fire Assay
	253.6	254.4	0.8	0.7	4.06	3.25				Fire Assay
	259.3	260.0	0.7	0.7	34.20	23.94	0.7m @ 34.20 g/t	0.7m @ 34.20 g/t	0.7m @ 34.20 g/t	Fire Assay
	271.0	271.5	0.5	0.5	7.49	3.75	0.5m @ 7.49 g/t			Fire Assay
26-LNX-012	102.0	102.5	0.5	0.4	27.80	13.90	0.5m @ 27.80 g/t	0.5m @ 27.80 g/t	0.5m @ 27.80 g/t	Fire Assay
	175.8	176.8	1.0	0.9	3.12	3.12				Fire Assay
	222.0	222.6	0.6	0.6	5.40	3.24	0.6m @ 5.40 g/t			Fire Assay
	227.0	228.0	1.0	0.8	11.90	11.90	1.0m @ 11.90 g/t	1.0m @ 11.90 g/t		Fire Assay
	195.0	196.0	1.0	0.9	8.09	8.09	1.0m @ 8.09 g/t			Fire Assay
26-LNX-013	195.3	196.0	0.7	0.7	4.30	3.01				Fire Assay
26-LNX-014	106.8	108.5	1.7	1.7	3.77	6.41	0.6m @ 8.50 g/t			Fire Assay
26-LNX-016	110.0	111.4	1.4	1.4	4.17	5.84	0.4m @ 12.25 g/t	0.4m @ 12.25 g/t		Fire Assay
	179.7	180.9	1.2	1.2	7.68	9.21	0.8m @ 10.22 g/t	0.5m @ 12.85 g/t		Fire Assay
26-LNX-017	154.0	155.0	1.0	1.0	3.65	3.65				Fire Assay
	180.5	181.8	1.3	1.3	10.49	13.64	1.0m @ 12.35 g/t	1.0m @ 12.35 g/t		Fire Assay
	209.0	210.0	1.0	0.9	4.31	4.31				Fire Assay
26-LNX-018	123.8	124.3	0.5	0.4	14.90	7.45	0.5m @ 14.90 g/t	0.5m @ 14.90 g/t		Fire Assay
	127.0	127.4	0.4	0.4	197.00	78.80	0.4m @ 197.00 g/t	0.4m @ 197.00 g/t	0.4m @ 197.00 g/t	Fire Assay
	189.1	191.0	1.9	1.7	10.15	19.28	1.9m @ 10.15 g/t	0.9m @ 11.30 g/t		Fire Assay
	217.3	224.7	7.4	7.2	5.54	40.97	1.4m @ 7.72 g/t, 2.0m @ 12.62 g/t	1.0m @ 16.60 g/t	1.0m @ 16.60 g/t	Fire Assay
26-LNX-019	235.8	237.6	1.8	1.6	9.15	16.47	1.2m @ 13.00 g/t	1.2m @ 13.00 g/t		Fire Assay
26-LNX-020	138.0	139.0	1.0	0.8	5.94	5.94	1.0m @ 5.94 g/t			Fire Assay
	214.0	215.0	1.0	0.8	4.04	4.04				Fire Assay
	229.3	230.5	1.2	0.9	2.70	3.23				Fire Assay
	248.8	253.0	4.2	3.9	14.92	62.67	3.7m @ 16.52 g/t	2.0m @ 25.42 g/t	1.0m @ 39.30 g/t	Fire Assay
26-LNX-027	138.3	139.8	1.5	1.2	12.67	19.01	1.5m @ 12.67 g/t	1.0m @ 14.74 g/t	0.4m @ 21.10 g/t	Fire Assay
	142.4	142.7	0.3	0.2	14.10	4.23	0.3m @ 14.10 g/t	0.3m @ 14.10 g/t		Fire Assay

	247.7	250.2	2.5	2.0	2.16	5.41				Fire Assay
	256.3	263.2	6.9	6.3	10.27	70.89	0.6m @ 17.80 g/t, 4.0m @ 14.00 g/t	0.6m @ 17.80 g/t, 3.4m @ 14.92 g/t	0.6m @ 17.80 g/t, 0.4m @ 19.70 g/t, 0.3m @ 18.40 g/t, 0.5m @ 47.80 g/t	Fire Assay
26-LNX-028	146.2	149.2	3.0	2.1	5.69	17.07	3.0m @ 5.69 g/t	0.3m @ 15.60 g/t, 0.7m @ 10.40 g/t	0.3m @ 15.60 g/t	Fire Assay
	223.5	224.7	1.2	0.9	11.31	13.57	1.2m @ 11.31 g/t	0.5m @ 14.40 g/t		Fire Assay
	260.5	261.4	0.9	0.9	8.91	8.02	0.9m @ 8.91 g/t	0.3m @ 16.10 g/t	0.3m @ 16.10 g/t	Fire Assay
	268.3	271.5	3.2	2.3	6.11	19.54	3.2m @ 6.11 g/t	1.3m @ 10.80 g/t	0.3m @ 21.50 g/t, 0.4m @ 18.40 g/t	Fire Assay
26-LNX-029	156.0	159.4	3.4	2.8	10.49	35.66	0.9m @ 36.10 g/t	0.9m @ 36.10 g/t	0.9m @ 36.10 g/t	Fire Assay
	246.9	249.0	2.1	1.8	3.87	8.12	0.3m @ 17.60 g/t	0.3m @ 17.60 g/t	0.3m @ 17.60 g/t	Fire Assay
	296.3	297.0	0.7	0.6	5.46	3.82	0.7m @ 5.46 g/t			Fire Assay
	302.9	304.8	1.9	1.6	3.42	6.50	0.5m @ 8.70 g/t			Fire Assay
26-LNX-030	208.0	209.0	1.0	0.8	4.48	4.48				Fire Assay
	274.1	275.2	1.1	0.7	4.38	4.81	0.7m @ 5.03 g/t			Fire Assay
	277.7	281.6	3.9	3.3	8.66	33.78	3.3m @ 9.58 g/t	0.7m @ 21.00 g/t	0.7m @ 21.00 g/t	Fire Assay
	323.2	323.9	0.7	0.5	11.70	8.19	0.7m @ 11.70 g/t	0.7m @ 11.70 g/t		Fire Assay
26-LNX-032	167.8	168.9	1.1	0.9	3.01	3.31				Fire Assay
	202.9	203.6	0.7	0.5	7.69	5.38	0.7m @ 7.69 g/t			Fire Assay
	208.6	209.6	1.0	0.8	3.58	3.58				Fire Assay
	229.1	230.9	1.8	1.6	2.51	4.53				Fire Assay
26-LNX-033	186.6	187.6	1.0	0.9	3.52	3.52				Fire Assay
26-LNX-034	106.3	108.8	2.5	2.0	7.27	18.16	0.9m @ 19.03 g/t	0.9m @ 19.03 g/t	0.3m @ 38.50 g/t	Fire Assay
	180.7	181.7	1.0	1.0	10.39	10.39	0.3m @ 28.80 g/t	0.3m @ 28.80 g/t	0.3m @ 28.80 g/t	Fire Assay
26-LNX-035	127.2	128.8	1.6	1.2	4.34	6.94	0.3m @ 11.70 g/t, 0.3m @ 8.08 g/t	0.3m @ 11.70 g/t		Fire Assay
	228.1	231.1	3.0	2.4	7.95	23.85	2.7m @ 8.50 g/t	0.7m @ 15.90 g/t, 1.0m @ 10.73 g/t	0.7m @ 15.90 g/t, 0.3m @ 21.60 g/t	Fire Assay
	235.4	237.1	1.7	1.3	2.66	4.53	0.3m @ 12.10 g/t	0.3m @ 12.10 g/t		Fire Assay
26-LNX-036	129.8	130.7	0.9	0.5	13.12	11.80	0.3m @ 32.50 g/t	0.3m @ 32.50 g/t	0.3m @ 32.50 g/t	Fire Assay
	135.7	138.0	2.3	1.8	2.44	5.62	0.3m @ 6.77 g/t			Fire Assay
	203.8	206.0	2.2	2.1	2.60	5.73	0.5m @ 5.85 g/t, 0.3m @ 5.21 g/t			Fire Assay
	234.4	235.2	0.8	0.8	4.79	3.83	0.4m @ 6.69 g/t			Fire Assay
	240.7	250.7	10.0	8.7	6.59	65.89	5.5m @ 11.27 g/t	5.5m @ 11.27 g/t	0.4m @ 16.00 g/t, 1.0m @ 29.26 g/t, 0.7m @ 19.83 g/t	Fire Assay
26-LNX-037	133.0	134.0	1.0	0.9	3.72	3.72				Fire Assay
	144.5	149.4	4.9	4.3	5.97	29.26	4.1m @ 6.58 g/t	1.5m @ 14.52 g/t	0.9m @ 15.00 g/t	Fire Assay
	203.0	204.0	1.0	0.8	3.21	3.21				Fire Assay
	263.9	266.9	3.0	2.3	9.49	28.46	3.0m @ 9.49 g/t	1.1m @ 23.52 g/t	1.1m @ 23.52 g/t	Fire Assay
	270.0	270.5	0.5	0.3	13.60	6.80	0.5m @ 13.60 g/t	0.5m @ 13.60 g/t		Fire Assay
	289.8	290.8	1.0	0.7	29.80	29.80	1.0m @ 29.80 g/t	1.0m @ 29.80 g/t	1.0m @ 29.80 g/t	Fire Assay
26-LNX-052	193.0	194.0	1.0	0.9	3.05	3.05				Fire Assay

	202.1	202.4	0.3	0.2	33.40	10.02	0.3m @ 33.40 g/t	0.3m @ 33.40 g/t	0.3m @ 33.40 g/t	Fire Assay
26-LNX-054	113.0	115.0	2.0	1.8	3.55	7.11	1.0m @ 5.64 g/t			Fire Assay
26-LNX-056	148.6	151.0	2.4	2.3	7.91	18.97	2.4m @ 7.91 g/t	0.4m @ 23.10 g/t	0.4m @ 23.10 g/t	Fire Assay
	204.0	205.0	1.0	0.9	4.30	4.30				Fire Assay
	242.9	243.4	0.5	0.5	24.80	12.40	0.5m @ 24.80 g/t	0.5m @ 24.80 g/t	0.5m @ 24.80 g/t	Fire Assay
	247.5	247.8	0.3	0.3	14.15	4.25	0.3m @ 14.15 g/t	0.3m @ 14.15 g/t		Fire Assay
	253.1	262.3	9.2	8.5	16.96	156.06	8.5m @ 18.08 g/t	7.2m @ 20.75 g/t	2.8m @ 32.08 g/t, 1.0m @ 37.50 g/t, 0.8m @ 21.40 g/t	Fire Assay
	278.4	279.3	0.9	0.8	3.75	3.38				Fire Assay
26-LNX-057	217.4	218.0	0.6	0.6	12.55	7.53	0.6m @ 12.55 g/t	0.6m @ 12.55 g/t		Fire Assay
	236.2	236.7	0.5	0.5	17.15	8.58	0.5m @ 17.15 g/t	0.5m @ 17.15 g/t	0.5m @ 17.15 g/t	Fire Assay
	246.8	254.4	7.6	5.2	8.08	61.37	3.8m @ 13.07 g/t, 1.1m @ 7.61 g/t	3.8m @ 13.07 g/t, 0.3m @ 15.00 g/t	1.0m @ 27.70 g/t, 0.6m @ 17.65 g/t, 0.3m @ 15.00 g/t	Fire Assay
26-LNX-058	147.1	149.1	2.0	1.8	2.78	5.55	0.4m @ 8.35 g/t			Fire Assay
	215.0	216.0	1.0	0.9	8.09	8.09	1.0m @ 8.09 g/t			Fire Assay
	247.0	255.2	8.2	7.7	10.11	82.88	5.2m @ 15.40 g/t	3.2m @ 21.86 g/t	1.5m @ 34.91 g/t	Fire Assay
26-LNX-059	210.8	212.2	1.4	1.4	7.37	10.31	1.1m @ 8.04 g/t	0.5m @ 11.05 g/t		Fire Assay
	243.0	244.5	1.5	1.4	2.37	3.56				Fire Assay
26-LNX-060	148.0	149.0	1.0	0.9	3.37	3.37				Fire Assay
	243.2	246.2	3.0	3.0	18.09	54.26	3.0m @ 18.09 g/t	1.0m @ 41.60 g/t	1.0m @ 41.60 g/t	Fire Assay
26-LNX-111	317.9	319.3	1.4	1.1	10.00	13.99	0.3m @ 35.40 g/t	0.3m @ 35.40 g/t	0.3m @ 35.40 g/t	Fire Assay
	347.2	348.6	1.4	1.0	7.85	10.99	1.4m @ 7.85 g/t			Fire Assay
	366.0	377.0	11.0	6.7	5.25	57.73	0.9m @ 7.54 g/t, 3.6m @ 11.06 g/t	0.6m @ 52.20 g/t	0.6m @ 52.20 g/t	Fire Assay
	381.5	382.0	0.5	0.3	12.00	6.00	0.5m @ 12.00 g/t	0.5m @ 12.00 g/t		Fire Assay
26-LNX-112	253.0	255.9	2.9	2.8	15.58	45.18	1.3m @ 31.18 g/t	0.9m @ 41.40 g/t	0.9m @ 41.40 g/t	Fire Assay
	268.9	271.0	2.1	2.0	2.11	4.43	0.3m @ 5.27 g/t, 0.3m @ 9.45 g/t			Fire Assay
	300.2	301.4	1.2	1.2	6.86	8.24	0.8m @ 8.47 g/t			Fire Assay
26-LNX-113	262.3	262.9	0.6	0.6	6.56	3.94	0.6m @ 6.56 g/t			Fire Assay
	304.7	305.5	0.8	0.7	4.97	3.98				Fire Assay
	309.0	310.0	1.0	1.0	3.06	3.06				Fire Assay
26-LNX-114	123.6	124.2	0.6	0.5	7.76	4.66	0.6m @ 7.76 g/t			Fire Assay
	315.8	316.7	0.9	0.9	3.43	3.09				Fire Assay
	319.9	320.7	0.8	0.6	6.36	5.09	0.5m @ 7.74 g/t			Fire Assay
	340.0	341.0	1.0	0.9	3.96	3.96				Fire Assay
26-PQE-001	182.1	182.7	0.6	0.4	11.40	6.84	0.6m @ 11.40 g/t	0.6m @ 11.40 g/t		Fire Assay
	202.4	204.1	1.7	0.8	5.19	8.82	1.7m @ 5.19 g/t	0.4m @ 10.60 g/t		Fire Assay
	227.2	230.2	3.0	2.3	3.06	9.17	0.5m @ 6.40 g/t, 0.3m @ 7.99 g/t			Fire Assay
	326.0	327.0	1.0	0.6	5.88	5.88	1.0m @ 5.88 g/t			Fire Assay
	346.0	346.7	0.7	0.7	4.57	3.20	0.4m @ 5.15 g/t			Fire Assay
26-PQE-002	144.5	145.3	0.8	0.5	5.36	4.29	0.8m @ 5.36 g/t			Fire Assay
	185.6	186.2	0.6	0.5	15.80	9.48	0.6m @ 15.80 g/t	0.6m @ 15.80 g/t	0.6m @ 15.80 g/t	Fire Assay

	194.9	197.3	2.4	1.7	8.45	20.29	1.3m @ 13.46 g/t	0.7m @ 19.50 g/t	0.7m @ 19.50 g/t	Fire Assay
	252.0	254.8	2.8	2.4	6.02	16.86	2.5m @ 6.35 g/t	0.7m @ 11.20 g/t		Fire Assay
	303.0	308.0	5.0	4.9	2.53	12.67				Fire Assay
	315.0	315.9	0.9	0.8	5.22	4.70	0.9m @ 5.22 g/t			Fire Assay
	325.9	327.9	2.0	1.0	3.85	7.69	0.6m @ 5.83 g/t			Fire Assay
26-PQE-003	130.0	131.0	1.0	0.8	5.38	5.38	1.0m @ 5.38 g/t			Fire Assay
	208.9	211.2	2.3	1.5	2.78	6.39	0.4m @ 6.96 g/t			Fire Assay
	225.0	226.1	1.1	0.6	11.25	12.38	1.1m @ 11.25 g/t	0.4m @ 22.00 g/t	0.4m @ 22.00 g/t	Fire Assay
	230.0	234.5	4.5	3.4	8.71	39.19	4.0m @ 9.25 g/t	2.0m @ 13.17 g/t	0.5m @ 20.00 g/t, 0.6m @ 27.20 g/t	Fire Assay
	245.3	246.4	1.1	0.8	12.82	14.10	1.1m @ 12.82 g/t	0.7m @ 15.40 g/t	0.7m @ 15.40 g/t	Fire Assay
	288.0	289.9	1.9	1.2	3.62	6.89	0.5m @ 10.60 g/t	0.5m @ 10.60 g/t		Fire Assay
	294.0	298.0	4.0	3.1	2.84	11.38	0.8m @ 5.12 g/t			Fire Assay
	309.6	310.0	0.4	0.2	8.15	3.26	0.4m @ 8.15 g/t			Fire Assay
	313.3	314.2	0.9	0.7	13.50	12.15	0.9m @ 13.50 g/t	0.9m @ 13.50 g/t		Fire Assay
26-PQE-004	133.6	136.2	2.6	2.0	17.77	46.21	2.6m @ 17.77 g/t	2.6m @ 17.77 g/t	0.9m @ 32.90 g/t, 0.9m @ 16.10 g/t	Fire Assay
	203.7	204.6	0.9	0.7	4.53	4.07	0.4m @ 7.59 g/t			Fire Assay
	236.2	237.0	0.8	0.7	7.92	6.33	0.8m @ 7.92 g/t			Fire Assay
	270.0	271.0	1.0	0.8	3.20	3.20				Fire Assay
26-PQE-005	226.0	226.8	0.8	0.7	4.31	3.45				Fire Assay
	231.0	231.6	0.6	0.4	13.80	8.28	0.6m @ 13.80 g/t	0.6m @ 13.80 g/t		Fire Assay
	253.5	255.0	1.5	1.0	6.17	9.26	0.8m @ 7.25 g/t			Fire Assay
	268.8	270.3	1.5	1.2	4.89	7.34	0.6m @ 9.26 g/t			Fire Assay
	279.0	280.0	1.0	0.8	6.49	6.49	1.0m @ 6.49 g/t			Fire Assay
26-PQE-006	109.7	110.3	0.6	0.5	5.40	3.24	0.6m @ 5.40 g/t			Fire Assay
	234.4	243.4	9.0	7.9	3.93	35.37	5.0m @ 5.56 g/t, 0.3m @ 5.92 g/t, 0.4m @ 11.55 g/t	0.4m @ 10.05 g/t, 1.6m @ 10.58 g/t, 0.4m @ 11.55 g/t	0.9m @ 15.25 g/t	Fire Assay
	249.0	249.4	0.4	0.4	12.00	4.80	0.4m @ 12.00 g/t	0.4m @ 12.00 g/t		Fire Assay
26-PQE-007	128.0	129.0	1.0	1.0	3.84	3.84				Fire Assay
	233.8	243.0	9.2	8.8	12.39	114.01	3.4m @ 24.22 g/t, 2.8m @ 9.54 g/t	3.1m @ 25.97 g/t, 0.6m @ 26.90 g/t, 0.6m @ 15.35 g/t	1.1m @ 21.84 g/t, 1.3m @ 40.92 g/t, 0.6m @ 26.90 g/t, 0.6m @ 15.35 g/t	Fire Assay
	245.6	246.9	1.3	1.2	4.63	6.02	0.9m @ 5.60 g/t			Fire Assay
26-PQE-008	231.0	233.2	2.2	1.7	2.71	5.96				Fire Assay
26-PQE-009	124.5	125.1	0.6	0.6	7.43	4.46	0.6m @ 7.43 g/t			Fire Assay
26-PQE-012	165.9	168.0	2.1	2.0	3.23	6.79				Fire Assay
	183.9	185.1	1.2	0.5	30.12	36.14	0.7m @ 49.70 g/t	0.7m @ 49.70 g/t	0.7m @ 49.70 g/t	Fire Assay
	190.9	193.1	2.2	1.4	2.53	5.58	0.5m @ 5.06 g/t			Fire Assay
	220.0	221.3	1.3	0.9	6.55	8.51	1.3m @ 6.55 g/t	0.5m @ 11.20 g/t		Fire Assay
	235.0	236.0	1.0	0.6	3.48	3.48				Fire Assay
	261.7	265.0	3.3	3.0	2.59	8.56				Fire Assay
	269.3	270.0	0.7	0.5	6.07	4.25	0.7m @ 6.07 g/t			Fire Assay
	299.7	301.3	1.6	1.4	6.85	10.96	0.5m @ 14.00 g/t	0.5m @ 14.00 g/t		Fire Assay

26-PQE-013	171.0	172.0	1.0	0.8	17.20	17.20	1.0m @ 17.20 g/t	1.0m @ 17.20 g/t	1.0m @ 17.20 g/t	Fire Assay
	202.8	204.7	1.9	1.9	8.85	16.81	0.7m @ 17.57 g/t	0.7m @ 17.57 g/t	0.7m @ 17.57 g/t	Fire Assay
	211.2	212.6	1.4	1.1	5.93	8.30	0.6m @ 11.50 g/t	0.6m @ 11.50 g/t		Fire Assay
	263.0	264.0	1.0	0.8	5.65	5.65	1.0m @ 5.65 g/t			Fire Assay
	266.1	269.4	3.3	2.6	3.44	11.35	0.8m @ 9.88 g/t	0.3m @ 15.80 g/t	0.3m @ 15.80 g/t	Fire Assay
	280.8	283.6	2.8	2.4	2.08	5.83	0.5m @ 8.40 g/t			Fire Assay
26-PQE-014	212.6	214.8	2.2	1.7	6.04	13.30	1.4m @ 7.91 g/t	0.5m @ 16.90 g/t	0.5m @ 16.90 g/t	Fire Assay
	247.1	247.5	0.4	0.3	11.90	4.76	0.4m @ 11.90 g/t	0.4m @ 11.90 g/t		Fire Assay
26-PQE-015	106.0	107.1	1.1	1.0	5.71	6.28	0.3m @ 10.20 g/t	0.3m @ 10.20 g/t		Fire Assay
	163.2	164.2	1.0	0.7	6.53	6.53	0.7m @ 8.26 g/t			Fire Assay
	181.0	181.3	0.3	0.2	11.60	3.48	0.3m @ 11.60 g/t	0.3m @ 11.60 g/t		Fire Assay
	206.1	207.7	1.6	1.0	3.13	5.01				Fire Assay
	209.9	211.0	1.1	1.0	4.60	5.06	0.6m @ 6.54 g/t			Fire Assay
	214.8	217.8	3.0	2.4	7.99	23.98	3.0m @ 7.99 g/t	0.4m @ 29.70 g/t	0.4m @ 29.70 g/t	Fire Assay
26-PQE-017	221.4	222.1	0.7	0.6	5.36	3.75	0.7m @ 5.36 g/t			Fire Assay
	39.7	41.3	1.6	1.1	2.81	4.49	0.3m @ 7.60 g/t			Fire Assay
	59.7	60.0	0.3	0.3	16.10	4.83	0.3m @ 16.10 g/t	0.3m @ 16.10 g/t	0.3m @ 16.10 g/t	Fire Assay
	108.0	113.4	5.4	4.6	4.65	25.13	2.0m @ 5.15 g/t, 2.3m @ 6.41 g/t	0.4m @ 11.00 g/t, 0.6m @ 17.50 g/t	0.3m @ 22.70 g/t	Fire Assay
	159.7	160.9	1.2	1.0	11.61	13.94	0.6m @ 21.15 g/t	0.6m @ 21.15 g/t	0.6m @ 21.15 g/t	Fire Assay
	216.4	218.2	1.8	1.2	5.80	10.44	1.8m @ 5.80 g/t	0.3m @ 20.20 g/t	0.3m @ 20.20 g/t	Fire Assay
	250.3	250.6	0.3	0.2	133.00	39.90	0.3m @ 133.00 g/t	0.3m @ 133.00 g/t	0.3m @ 133.00 g/t	Fire Assay
	258.9	259.5	0.6	0.5	6.98	4.19	0.6m @ 6.98 g/t			Fire Assay
	269.2	271.0	1.8	1.3	10.42	18.75	1.2m @ 15.05 g/t	1.2m @ 15.05 g/t	0.6m @ 20.35 g/t	Fire Assay
	109.5	110.1	0.6	0.5	5.49	3.29	0.6m @ 5.49 g/t			Fire Assay
26-PQE-018	162.0	162.3	0.3	0.2	120.00	36.00	0.3m @ 120.00 g/t	0.3m @ 120.00 g/t	0.3m @ 120.00 g/t	Fire Assay
	193.2	194.6	1.4	1.1	16.86	23.60	0.8m @ 27.70 g/t	0.8m @ 27.70 g/t	0.8m @ 27.70 g/t	Fire Assay
	208.5	209.1	0.6	0.5	6.68	4.01	0.6m @ 6.68 g/t			Fire Assay
	228.8	230.6	1.8	1.5	3.33	6.00	0.3m @ 6.17 g/t			Fire Assay
	245.2	248.0	2.8	2.3	13.91	38.95	0.7m @ 52.30 g/t	0.7m @ 52.30 g/t	0.7m @ 52.30 g/t	Fire Assay
	153.2	155.0	1.8	1.5	2.61	4.70				Fire Assay
26-PQE-029	169.2	169.9	0.7	0.5	13.85	9.70	0.7m @ 13.85 g/t	0.7m @ 13.85 g/t		Fire Assay
	172.4	174.1	1.7	1.1	28.29	48.09	1.4m @ 33.63 g/t	1.4m @ 33.63 g/t	0.7m @ 52.81 g/t	Fire Assay
	228.4	234.0	5.6	4.0	3.97	22.23	0.4m @ 24.80 g/t, 0.7m @ 8.73 g/t	0.4m @ 24.80 g/t	0.4m @ 24.80 g/t	Fire Assay
26-PQE-032	237.4	239.0	1.6	1.1	6.99	11.18	1.6m @ 6.99 g/t			Fire Assay
	262.8	263.6	0.8	0.6	15.15	12.12	0.8m @ 15.15 g/t	0.8m @ 15.15 g/t	0.8m @ 15.15 g/t	Fire Assay
	290.7	293.0	2.3	1.4	2.73	6.28	0.4m @ 7.15 g/t			Fire Assay
	319.4	319.9	0.5	0.3	12.25	6.13	0.5m @ 12.25 g/t	0.5m @ 12.25 g/t		Fire Assay
26-PQE-033	235.5	235.9	0.4	0.3	9.46	3.78	0.4m @ 9.46 g/t			Fire Assay
	281.0	282.0	1.0	0.6	5.64	5.64	1.0m @ 5.64 g/t			Fire Assay
	324.2	327.0	2.8	2.5	18.91	52.94	2.8m @ 18.91 g/t	2.8m @ 18.91 g/t	2.0m @ 22.25 g/t	Fire Assay
	348.0	353.0	5.0	2.5	2.20	10.98				Fire Assay
26-PQE-034	232.8	233.3	0.5	0.4	8.28	4.14	0.5m @ 8.28 g/t			Fire Assay
	237.8	239.1	1.3	0.8	10.75	13.98	1.0m @ 12.53 g/t	1.0m @ 12.53 g/t	0.3m @ 22.20 g/t	Fire Assay

	269.0	270.2	1.2	0.7	6.44	7.73	0.6m @ 10.40 g/t	0.6m @ 10.40 g/t		Fire Assay
	372.7	374.4	1.7	1.3	2.17	3.69				Fire Assay
26-PQE-035	166.3	168.0	1.7	1.5	4.18	7.10				Fire Assay
	185.0	186.0	1.0	0.9	8.68	8.68	1.0m @ 8.68 g/t			Fire Assay
	213.0	214.0	1.0	0.8	5.57	5.57	1.0m @ 5.57 g/t			Fire Assay
	238.0	239.0	1.0	0.8	3.55	3.55				Fire Assay
	258.6	262.9	4.3	3.4	6.85	29.46	1.2m @ 20.44 g/t	0.5m @ 42.20 g/t	0.5m @ 42.20 g/t	Fire Assay
	267.5	271.2	3.7	2.8	5.13	19.00	3.2m @ 5.40 g/t	0.3m @ 20.70 g/t	0.3m @ 20.70 g/t	Fire Assay
	308.6	311.0	2.4	1.8	3.54	8.50	0.9m @ 5.36 g/t			Fire Assay
	314.8	315.6	0.8	0.6	7.19	5.75	0.8m @ 7.19 g/t			Fire Assay
	324.6	328.5	3.9	2.6	4.62	18.02	0.4m @ 9.38 g/t, 0.6m @ 19.55 g/t	0.6m @ 19.55 g/t	0.6m @ 19.55 g/t	Fire Assay
	331.3	334.6	3.3	2.2	4.53	14.95	0.4m @ 16.05 g/t, 0.9m @ 7.88 g/t	0.4m @ 16.05 g/t	0.4m @ 16.05 g/t	Fire Assay
26-PQE-036	253.0	254.0	1.0	0.7	9.07	9.07	1.0m @ 9.07 g/t			Fire Assay
	300.0	300.8	0.8	0.6	5.50	4.40	0.3m @ 6.94 g/t			Fire Assay
	310.5	313.7	3.2	2.4	16.56	53.00	3.2m @ 16.56 g/t	2.2m @ 20.69 g/t	0.5m @ 51.20 g/t, 0.4m @ 36.20 g/t	Fire Assay
26-PQE-054	252.0	253.0	1.0	0.4	471.00	471.00	1.0m @ 471.00 g/t	1.0m @ 471.00 g/t	1.0m @ 471.00 g/t	Fire Assay
	264.2	265.8	1.6	1.2	9.34	14.94	1.6m @ 9.34 g/t	0.8m @ 10.50 g/t		Fire Assay
	283.4	284.6	1.2	1.0	3.41	4.10				Fire Assay
	366.2	367.7	1.5	1.1	5.45	8.17	0.7m @ 6.67 g/t			Fire Assay
	422.0	425.2	3.2	2.3	5.19	16.60	2.2m @ 6.33 g/t	0.3m @ 11.55 g/t		Fire Assay
26-PQE-055	154.1	154.7	0.6	0.5	5.66	3.40	0.6m @ 5.66 g/t			Fire Assay
	295.0	295.6	0.6	0.3	34.90	20.94	0.6m @ 34.90 g/t	0.6m @ 34.90 g/t	0.6m @ 34.90 g/t	Fire Assay
	304.1	305.5	1.4	0.5	4.09	5.72	0.4m @ 8.93 g/t			Fire Assay
	393.0	395.5	2.5	1.3	6.02	15.06	1.1m @ 9.11 g/t			Fire Assay
26-PQE-056	28.0	29.0	1.0	0.7	3.96	3.96				Fire Assay
	285.9	286.7	0.8	0.7	16.78	13.43	0.8m @ 16.78 g/t	0.4m @ 26.60 g/t	0.4m @ 26.60 g/t	Fire Assay
	338.9	340.1	1.2	1.0	3.64	4.37				Fire Assay
	355.0	359.0	4.0	3.6	7.04	28.16	2.0m @ 11.31 g/t	1.0m @ 15.25 g/t	1.0m @ 15.25 g/t	Fire Assay
26-PQE-057	283.9	287.8	3.9	3.5	4.94	19.26	1.4m @ 11.46 g/t	1.1m @ 12.44 g/t	0.3m @ 17.25 g/t	Fire Assay
	292.4	296.0	3.6	2.8	8.03	28.91	2.6m @ 10.05 g/t	2.6m @ 10.05 g/t		Fire Assay
	328.3	330.0	1.7	1.0	3.33	5.66				Fire Assay
	349.9	351.0	1.1	0.8	11.95	13.15	1.1m @ 11.95 g/t	1.1m @ 11.95 g/t		Fire Assay
26-PQE-058	185.3	188.7	3.4	1.4	7.84	26.66	0.4m @ 50.90 g/t	0.4m @ 50.90 g/t	0.4m @ 50.90 g/t	Fire Assay
	284.6	285.8	1.2	0.7	8.26	9.92	1.2m @ 8.26 g/t			Fire Assay
	287.9	290.3	2.4	1.5	16.83	40.40	2.1m @ 18.93 g/t	0.7m @ 45.60 g/t	0.7m @ 45.60 g/t	Fire Assay
	324.3	324.6	0.3	0.2	19.50	5.85	0.3m @ 19.50 g/t	0.3m @ 19.50 g/t	0.3m @ 19.50 g/t	Fire Assay
	329.2	337.9	8.7	5.8	5.31	46.15	0.7m @ 6.19 g/t, 2.5m @ 11.68 g/t, 0.5m @ 10.75 g/t	1.5m @ 15.84 g/t, 0.5m @ 10.75 g/t	0.8m @ 19.90 g/t	Fire Assay
	342.6	343.7	1.1	0.7	6.05	6.66	0.7m @ 7.47 g/t			Fire Assay
26-RDW-005	289.1	291.8	2.7	1.8	4.24	11.46	0.3m @ 6.25 g/t			Fire Assay
26-RDW-006	243.0	245.0	2.0	1.5	2.24	4.49				Fire Assay
26-RDW-007	267.4	267.9	0.5	0.4	7.45	3.72	0.5m @ 7.45 g/t			Fire Assay

	272.0	277.4	5.4	2.3	5.38	29.05	4.3m @ 6.26 g/t	0.6m @ 24.90 g/t	0.6m @ 24.90 g/t	Fire Assay
	292.0	305.2	13.2	6.6	9.55	126.02	12.2m @ 10.14 g/t	8.0m @ 10.61 g/t, 3.8m @ 10.15 g/t	0.6m @ 31.10 g/t, 0.6m @ 25.90 g/t, 0.4m @ 23.20 g/t, 0.8m @ 15.50 g/t	Fire Assay
26-RDW-008	112.5	114.6	2.1	1.7	5.09	10.69	0.4m @ 18.40 g/t	0.4m @ 18.40 g/t	0.4m @ 18.40 g/t	Fire Assay
	254.8	256.6	1.8	1.5	2.36	4.24				Fire Assay
26-RDW-009	90.7	91.5	0.8	0.6	4.64	3.71				Fire Assay
	108.2	110.3	2.1	1.9	7.65	16.06	2.1m @ 7.65 g/t	1.0m @ 11.89 g/t		Fire Assay
	231.6	233.4	1.8	1.4	2.36	4.25				Fire Assay
	234.8	236.0	1.2	0.8	2.59	3.11				Fire Assay
26-RDW-010	108.1	108.6	0.5	0.5	7.19	3.60	0.5m @ 7.19 g/t			Fire Assay
	231.0	232.0	1.0	0.7	9.34	9.34	1.0m @ 9.34 g/t			Fire Assay
	245.4	246.8	1.4	0.7	3.28	4.59				Fire Assay
	268.1	269.4	1.3	0.8	5.11	6.64	0.3m @ 13.90 g/t	0.3m @ 13.90 g/t		Fire Assay
26-RDW-011	9.8	13.3	3.5	3.3	2.61	9.13	0.6m @ 9.30 g/t			Fire Assay
	105.8	106.1	0.3	0.3	17.50	5.25	0.3m @ 17.50 g/t	0.3m @ 17.50 g/t	0.3m @ 17.50 g/t	Fire Assay
	151.5	154.1	2.6	1.8	2.55	6.64	0.3m @ 11.50 g/t	0.3m @ 11.50 g/t		Fire Assay
26-RDW-012	105.2	105.8	0.6	0.5	17.35	10.41	0.6m @ 17.35 g/t	0.3m @ 24.90 g/t	0.3m @ 24.90 g/t	Fire Assay
	116.7	119.3	2.6	2.4	6.29	16.35	2.6m @ 6.29 g/t	0.3m @ 34.10 g/t	0.3m @ 34.10 g/t	Fire Assay
	200.4	202.9	2.5	1.9	8.23	20.57	0.5m @ 34.70 g/t	0.5m @ 34.70 g/t	0.5m @ 34.70 g/t	Fire Assay
	223.7	227.0	3.3	0.7	3.01	9.93	1.0m @ 6.78 g/t	0.3m @ 11.70 g/t		Fire Assay
	232.1	234.9	2.8	1.9	3.89	10.91	0.8m @ 7.37 g/t, 0.6m @ 5.15 g/t			Fire Assay
26-RDW-013	232.9	233.5	0.6	0.3	9.52	5.71	0.6m @ 9.52 g/t			Fire Assay
Cut off grade 2.0g/t Au, minimum length 1.5m, maximum consecutive internal waste 2.0m, if Au grade x length > 3 the composite will be added										

Table 4: Musselwhite Deep Directional Composite Drill Results

HOLE-ID	From (m)	To (m)	Core Length (m)	Estimated True Width (m)	Au (g/t)	Au GXM	Including 5.0g/t Au COG	Including 10.0g/t Au COG	Including 15.0g/t Au COG	Method
26-NSD01-005W	1968.9	1969.7	0.8	0.6	7.00	5.60	0.8m @ 7.00 g/t			Fire Assay
	2021.0	2021.7	0.7	0.5	4.40	3.08				
	2099.8	2100.6	0.8	0.7	19.10	15.28	0.8m @ 19.10 g/t	0.8m @ 19.10 g/t	0.8m @ 19.10 g/t	
26-NSD01-006W	2075.0	2087.4	12.4	5.4	5.77	71.53	4.2m @ 13.01 g/t, 1.0m @ 6.21 g/t	3.2m @ 16.25 g/t	0.7m @ 38.20 g/t, 0.4m @ 24.50 g/t	Fire Assay
26-NSD01-007W	2038.5	2039.4	0.9	0.5	4.78	4.30				Fire Assay
	2041.6	2042.6	1.0	0.6	8.00	8.00	1.0m @ 8.00 g/t			
	2052.5	2053.3	0.8	0.3	4.98	3.98				
	2058.1	2061.8	3.7	1.5	4.34	16.06	1.3m @ 11.07 g/t	0.7m @ 13.35 g/t		
	2069.5	2070.3	0.8	0.2	5.53	4.42	0.8m @ 5.53 g/t			
	2082.0	2082.9	0.9	0.3	9.90	8.91	0.6m @ 13.75 g/t	0.6m @ 13.75 g/t		
26-NSD01-008W	2040.0	2040.5	0.5	0.3	6.17	3.09	0.5m @ 6.17 g/t			Photon Assay
	2075.8	2078.3	2.5	1.1	2.68	6.69				

Cut off grade 2.0g/t Au, minimum length 1.5m, maximum consecutive internal waste 2.0m, if Au grade x length > 3 the composite will be added

Table 5: Valentine Drill Hole Collar Information

Hole ID	Coordinate X	Coordinate Y	Coordinate Z	Azimuth (degrees)	Dip (degrees)	End Depth (m)
B6-25-003	483032.5	5356832.9	353.7	169.9	-44.3	323.0
BN-26-001	490898.7	5359115.1	392.8	343.1	-77.62	275.0
BN-26-002	491003.3	5359288.4	372.0	162.6	-55.20	200.0
BN-26-003	491103.1	5359211.8	387.7	342.9	-64.97	281.0
BN-26-004	491060.7	5359285.3	379.3	343.4	-75.92	338.0
BN-26-005	491832.4	5359623.3	370.4	344.0	-73.78	353.0
BN-26-006	491653.0	5359551.0	378.6	343.5	-70.38	251.0
BN-26-007	491670.2	5359582.2	372.5	342.9	-58.12	287.0
BN-26-008	491596.2	5359523.4	382.9	342.5	-74.25	266.0
BN-26-009	491791.0	5359621.1	370.1	341.1	-78.16	365.0
BN-26-010	491564.5	5359489.2	382.7	342.7	-72.74	218.0
BN-26-011	491423.8	5359406.3	387.7	341.9	-70.61	260.0
BN-26-012	491776.0	5359658.8	365.1	344.2	-77.71	332.0
BN-26-013	491759.1	5359612.9	368.9	343.9	-78.34	302.0
BN-26-014	491746.3	5359580.8	371.4	343.2	-64.64	302.0
BN-26-017	491026.2	5359192.4	386.9	346.5	-75.01	303.0
BN-26-018	490951.4	5359243.3	379.3	343.3	-78.30	311.0
BN-26-019	491052.7	5359234.4	383.8	342.8	-75.29	305.0
BN-26-020	490948.6	5359166.5	388.6	341.9	-77.82	308.0
BN-26-021	490817.0	5359159.2	385.7	343.2	-75.60	290.0
BN-26-022	490841.4	5359096.1	393.1	342.9	-78.07	230.0
BN-26-024	490780.6	5358958.6	406.3	344.1	-77.94	313.0
BN-26-027	491443.6	5359474.6	380.4	343.3	-70.58	251.0
BP-25-001	489261.7	5357845.2	431.3	30.9	-67.21	428.0
BP-25-002	489353.0	5357946.0	431.0	65.1	-64.51	446.0
BP-25-003	489354.8	5358072.0	432.2	72.9	-55.66	533.0
BP-25-004	489716.4	5358184.5	430.7	49.5	-76.16	521.0
BP-25-005	489757.1	5358258.1	431.3	72.7	-70.01	443.0
BP-25-006	490101.2	5358286.6	431.7	344.1	-74.18	322.0
BP-25-007	490100.9	5358287.3	431.8	344.2	-73.22	748.0
BP-25-008	490193.7	5358496.5	430.0	48.8	-72.79	467.0
BP-25-009	490044.5	5358262.5	431.6	19.3	-65.07	391.0
BP-25-010	490202.9	5358688.9	419.8	163.1	-65.02	437.0
BP-25-012	490044.4	5358263.0	431.3	14.8	-62.84	434.0
BP-26-014	489660.4	5358002.2	414.3	162.4	-45.01	158.0
BP-26-016	489594.1	5357962.7	408.0	162.0	-44.53	98.0
BP-26-021	489163.7	5358693.5	357.3	89.8	-69.84	1409.0
C6-25-005	486002.6	5358274.8	328.5	223.4	-44.75	611.0
C7-25-002	485036.4	5355852.5	363.9	41.7	-59.07	671.0
D6-25-001	487750.7	5357748.0	347.4	163.1	-44.10	452.0
D7-26-002	489064.9	5354900.5	352.3	309.7	-45.36	337.0
D7-26-005	488849.2	5354738.8	345.0	130.5	-45.47	353.0
FZ-25-117	485539.0	5355485.3	402.3	342.7	-62.50	323.0
FZ-25-127	485766.8	5355524.7	399.7	343.4	-55.01	299.0
FZ-25-140	486061.4	5355717.1	383.2	343.0	-65.15	302.0
FZ-25-141	485255.1	5355391.5	409.5	342.8	-51.57	251.0
FZ-25-143	485296.2	5355376.7	408.0	343.2	-56.42	272.0

FZ-25-147	485244.4	5355366.5	414.6	342.6	-48.33	296.0
FZ-25-149	485207.6	5355378.4	414.3	343.0	-56.39	320.0
FZ-25-150	485189.9	5355351.4	413.8	343.2	-60.63	254.0
FZ-25-152	485181.1	5355399.5	409.3	343.3	-58.85	320.0
FZ-25-154	485151.0	5355414.8	407.2	343.1	-71.79	146.0
FZ-25-155	485150.9	5355414.8	407.3	342.3	-67.82	239.0
FZ-25-157	485130.7	5355394.4	408.1	343.7	-72.09	293.0
FZ-25-158	486115.7	5355801.4	383.7	343.6	-74.97	302.0
FZ-25-159	485114.3	5355402.1	407.5	342.4	-61.57	260.0
FZ-25-161	486065.5	5355801.1	384.0	341.3	-75.16	317.0
FZ-25-162	485233.9	5355494.2	399.3	344.0	-64.70	242.0
FZ-25-163	485205.1	5355472.8	397.0	342.6	-60.67	302.0
FZ-25-165	484980.3	5355357.1	419.0	343.1	-57.82	206.0
FZ-26-167	485904.8	5355622.7	390.5	342.9	-62.57	503.0
FZ-26-168	485834.1	5355642.7	395.1	343.1	-67.71	539.0
FZ-26-169	485712.1	5355536.9	402.6	343.1	-59.23	407.0
FZ-26-170	485580.3	5355546.6	403.5	342.4	-65.28	395.0
FZ-26-171	485473.4	5355487.2	404.8	342.6	-58.75	503.0
FZ-26-173	485393.0	5355487.8	406.4	343.2	-60.24	398.0
FZ-26-174	485232.7	5355418.8	405.4	342.8	-60.07	401.0
FZ-26-175	485052.9	5355434.8	405.1	342.3	-60.01	302.0
FZ-26-178	484884.5	5355362.4	414.5	342.7	-60.37	386.0
FZ-26-180	484822.0	5355404.1	408.2	343.1	-59.35	266.0
FZ-26-182	484840.6	5355345.4	418.4	342.8	-60.38	320.0
LP-24-001	486530.3	5355879.0	379.5	342.3	-59.23	731.0
LP-24-002	486103.7	5355916.9	382.6	53.5	-66.47	476.0
LP-25-003	486279.1	5355811.9	383.3	55.5	-65.77	152.0
LP-25-004	486204.7	5355830.5	382.2	341.6	-69.65	410.0
LP-25-005	486227.8	5355795.7	382.7	55.1	-65.10	293.0
LP-25-006	486239.0	5355719.5	383.3	343.7	-64.80	167.0
MA-24-489	492714.5	5360463.8	350.3	33.6	-59.49	1016.0
MA-24-490	492078.1	5359867.2	354.9	29.5	-64.93	497.0
MA-25-491	492304.7	5359946.9	343.5	343.8	-70.10	615.0
MA-25-492	492296.8	5360012.6	344.1	20.5	-64.84	1022.9
MA-25-493	492647.6	5360250.4	354.7	343.1	-78.36	683.0
MA-25-494	492856.9	5360422.0	353.8	343.0	-82.68	785.0
MA-26-495	492007.6	5359915.6	354.0	162.7	-49.37	271.0
MA-26-496	492039.8	5359764.7	365.4	342.5	-59.57	302.0
MA-26-497	491944.3	5359697.3	368.0	341.2	-74.47	461.0
MA-26-498	491887.9	5359897.7	351.5	163.4	-51.56	251.0
MA-26-499	491817.2	5359675.4	367.2	343.6	-64.79	251.0
MA-26-501	491846.0	5359779.0	357.3	162.5	-75.32	290.0
MA-26-502	491825.3	5359738.0	359.3	162.5	-74.88	239.0
MA-26-503	491800.6	5359736.6	358.8	164.1	-81.05	347.0
MG-25-001	491879.3	5360399.4	343.6	343.2	-69.90	260.0
MG-25-002	491793.5	5360340.2	346.8	342.9	-60.07	200.0
MG-25-003	491727.2	5360261.8	344.1	340.4	-69.88	254.0
MG-25-004	491816.1	5360282.7	344.7	342.9	-59.52	89.0
MG-25-005	491909.0	5360426.4	342.3	343.4	-61.31	230.0
MG-25-006	491811.3	5360304.4	346.9	342.0	-55.86	200.0
MG-25-007	491806.0	5360455.1	346.3	144.9	-44.65	251.0
MG-25-008	491736.1	5360401.5	348.7	144.6	-45.38	251.0

MG-25-010	491686.4	5360335.5	344.6	145.3	-44.07	230.0
MG-25-012	491864.1	5360524.2	347.1	145.2	-45.28	152.0
MT-26-029	485838.0	5363855.0	327.0	341.3	-44.67	524.0
MT-26-030	486235.5	5364788.0	377.9	190.7	-44.63	293.0
MT-26-031	486229.3	5364702.4	371.9	213.7	-43.20	200.0
MT-26-033	486226.1	5364592.8	380.1	0.3	-75.52	221.0
MT-26-035	485962.8	5364491.9	360.2	3.7	-74.66	311.0
MT-26-039	486400.8	5364120.3	343.1	165.1	-45.58	299.0
MT-26-041	486569.4	5364202.2	351.9	344.2	-45.62	326.0
SQ-24-002	508163.1	5363791.6	352.6	1.6	-49.61	179.0
SQ-24-007	507530.4	5363741.0	348.5	170.0	-65.00	113.0
STS-26-001	488326.6	5357789.7	398.4	345.3	-75.35	305.0
STS-26-008	488096.2	5357395.3	390.0	343.6	-69.82	254.0
STS-26-009	488143.6	5357512.0	391.6	342.5	-70.57	275.0
STS-26-010	488187.4	5357610.2	388.9	343.3	-69.16	218.0
SZ-24-002	487865.9	5357054.7	389.9	163.1	-49.61	226.0
SZ-24-004	487991.0	5357235.2	393.8	342.4	-64.72	467.0
SZ-24-005	488036.1	5357263.4	392.0	343.7	-65.33	317.0
SZ-24-007	487384.3	5356888.7	398.2	342.4	-59.94	356.0
SZ-24-008	487051.6	5356724.7	417.8	343.3	-74.98	326.0
SZ-24-009	487044.7	5356763.7	419.3	343.9	-68.31	263.0
SZ-24-011	486959.1	5356694.0	405.8	343.0	-52.53	443.0
SZ-24-012	486830.3	5356488.8	400.7	342.7	-61.78	301.0
SZ-25-013	487153.7	5356731.4	411.6	342.6	-54.60	314.0
SZ-25-014	487114.0	5356692.4	417.0	341.4	-59.36	513.5
SZ-25-016	487233.9	5356708.7	404.6	343.4	-59.02	726.7
SZ-25-017	486957.7	5356681.1	405.4	343.5	-60.89	323.0
SZ-25-018	487310.4	5356833.2	406.8	340.8	-59.82	443.0
SZ-25-019	487192.5	5356632.3	400.0	342.9	-59.83	404.0
SZ-25-020	487166.8	5356700.0	409.9	343.4	-60.96	578.0
SZ-25-021	487384.1	5356891.0	398.1	162.8	-64.66	332.0
SZ-25-022	488620.7	5357744.8	414.4	342.7	-83.56	353.0
SZ-26-024	488488.2	5357670.3	406.9	345.9	-84.87	293.0
SZ-26-025	488528.2	5357695.7	409.0	345.8	-84.09	284.0
SZ-26-026	488566.7	5357723.5	411.4	345.1	-84.15	302.0
SZ-26-027	488594.9	5357671.2	415.1	162.6	-65.63	404.0
SZ-26-028	488644.2	5357624.6	417.2	342.9	-70.46	305.0
SZ-26-029	488598.6	5357576.4	409.6	342.7	-70.14	251.0
SZ-26-030	488482.6	5357539.0	409.0	343.1	-71.15	275.0
SZ-26-033	488644.1	5357821.4	414.2	342.9	-78.43	302.0
SZ-26-036	488464.0	5357593.5	415.7	343.4	-70.03	296.0
SZ-26-037	488529.8	5357587.1	412.0	341.5	-70.67	284.0
SZ-26-039	488506.9	5357752.1	404.8	342.8	-82.94	386.0
SZ-26-041	488459.4	5357722.0	403.4	343.2	-83.83	389.7
SZ-26-042	489001.4	5357883.2	429.6	342.9	-75.29	305.0
SZ-26-044	488326.2	5357347.0	395.9	343.7	-65.19	380.0
SZ-26-045	488080.3	5357519.5	384.8	161.0	-64.88	609.5
SZ-26-051	488141.5	5357318.9	385.7	343.6	-69.66	295.7
TR-24-001	493472.5	5361099.5	313.4	343.9	-59.80	641.0
TR-24-002	493331.0	5361326.6	307.6	164.0	-69.81	383.0
TR-24-003	493604.8	5361131.1	333.0	30.7	-69.94	257.8
TR-24-004	493551.2	5361088.9	329.9	345.1	-77.06	485.0

VGD-24-105	496297.9	5365214.5	264.4	149.3	-45.28	452.0
VGD-24-106	496555.5	5365088.5	259.7	298.7	-45.39	392.0
WP-26-015	482729.5	5355154.4	326.4	0.2	-44.18	307.0

Table 6: Valentine Composite Drill Results

Hole ID	From (m)	To (m)	Core Length (m)	Estimated True Width (m)	Au (g/t)	Au GXM	Including 1.0g/t COG	Including 3.0g/t COG	Including 10.0g/t COG	Including 15.0g/t COG
B6-25-003	26.0	27.0	1.0	1.0	0.73	0.73				
	253.0	254.0	1.0	1.0	1.33	1.33				
BN-26-001	10.0	38.4	28.4	27.0	1.53	43.29	21.4m @ 1.99 g/t	5.0m @ 6.33 g/t	0.9m @ 28.68 g/t	0.9m @ 28.68 g/t
	101.0	102.0	1.0	1.0	1.27	1.27				
	124.0	124.3	0.3	0.3	14.95	4.78	0.3m @ 14.95 g/t	0.3m @ 14.95 g/t		
	133.4	158.0	24.6	23.4	1.02	25.04	20.0m @ 1.14 g/t	0.6m @ 26.66 g/t	0.6m @ 26.66 g/t	0.6m @ 26.66 g/t
	169.0	174.1	5.1	4.8	1.79	9.13	1.1m @ 7.92 g/t	1.1m @ 7.92 g/t		
	215.0	216.0	1.0	1.0	0.59	0.59				
BN-26-002	243.0	244.0	1.0	1.0	0.52	0.52				
	27.4	31.3	3.9	3.6	1.22	4.78	3.9m @ 1.22 g/t			
	58.0	62.0	4.0	3.7	2.34	9.36	4.0m @ 2.34 g/t	1.3m @ 5.27 g/t		
BN-26-003	135.0	137.0	1.9	1.8	2.10	4.09	1.9m @ 2.10 g/t			
	91.0	92.0	1.0	1.0	0.49	0.49				
	98.0	113.0	15.0	14.3	0.31	4.62				
	116.0	117.2	1.2	1.1	0.56	0.64				
	135.0	157.0	22.0	20.9	0.56	12.28	1.0m @ 2.53 g/t, 4.1m @ 1.13 g/t			
	164.0	171.0	7.0	6.7	0.43	3.04	1.0m @ 1.72 g/t			
	189.0	190.0	1.0	1.0	2.93	2.93	1.0m @ 2.93 g/t			
BN-26-004	196.9	198.0	1.1	1.0	0.52	0.58				
	17.9	26.0	8.1	7.7	0.40	3.22	1.1m @ 1.98 g/t			
	37.0	41.0	4.0	3.8	0.86	3.44	1.0m @ 2.78 g/t			
	48.8	49.9	1.1	1.0	4.95	5.24	1.1m @ 4.95 g/t	1.1m @ 4.95 g/t		
	57.2	83.0	25.8	24.6	0.59	15.14	6.0m @ 1.65 g/t	1.0m @ 7.16 g/t		
	95.3	101.4	6.2	5.9	2.05	12.59	6.2m @ 2.05 g/t	0.7m @ 8.68 g/t, 1.4m @ 3.56 g/t		
	113.0	141.0	28.0	26.8	0.34	9.40	4.3m @ 1.19 g/t			
	144.0	147.0	3.0	2.9	0.35	1.06				
	167.9	169.0	1.2	1.1	1.18	1.36				
	181.0	182.0	1.0	1.0	1.29	1.29				
	268.0	270.0	2.0	1.9	1.10	2.24	1.0m @ 1.56 g/t			
	288.0	295.0	7.0	6.7	0.66	4.63	1.0m @ 3.92 g/t			
	317.0	318.0	1.0	1.0	0.61	0.61				
BN-26-005	18.0	19.4	1.4	1.3	3.01	4.18	0.7m @ 5.32 g/t			
	28.2	68.0	39.8	38.1	1.81	72.15	15.0m @ 1.47 g/t, 10.0m @ 4.78 g/t	0.6m @ 9.64 g/t, 1.5m @ 6.20 g/t, 5.4m @ 8.51 g/t	2.1m @ 17.76 g/t	0.9m @ 31.36 g/t
	78.0	94.0	16.0	15.3	1.52	24.37	16.0m @ 1.52 g/t	2.0m @ 4.16 g/t, 1.0m @ 7.16 g/t		
	109.0	110.0	1.0	1.0	1.17	1.17				
	117.0	125.0	8.0	7.7	1.66	13.28	4.0m @ 2.87 g/t	0.8m @ 8.92 g/t		

	132.0	150.2	18.2	17.4	3.04	55.36	0.8m @ 2.46 g/t, 0.5m @ 97.00 g/t	0.5m @ 97.00 g/t	0.5m @ 97.00 g/t	0.5m @ 97.00 g/t
	158.4	202.4	44.0	42.0	3.57	157.03	1.6m @ 23.38 g/t, 22.2m @ 5.19 g/t	1.6m @ 23.38 g/t, 1.0m @ 9.01 g/t, 5.0m @ 16.65 g/t, 1.0m @ 8.62 g/t	1.6m @ 23.38 g/t, 1.0m @ 74.51 g/t	1.0m @ 29.38 g/t, 1.0m @ 74.51 g/t
	210.0	211.0	1.0	1.0	1.25	1.25				
	215.5	216.3	0.8	0.8	0.63	0.51				
	253.0	254.1	1.1	1.1	0.53	0.58				
	265.0	272.5	7.5	7.2	0.75	5.63	1.0m @ 4.33 g/t			
	286.1	291.0	4.9	4.7	1.18	5.76	3.9m @ 1.32 g/t			
	312.0	313.0	1.0	1.0	0.64	0.64				
BN-26-006	20.0	20.5	0.5	0.5	1.30	0.65				
	78.5	82.5	4.1	3.9	0.86	3.47	1.1m @ 2.36 g/t			
	100.5	103.0	2.6	2.4	9.17	23.39	0.5m @ 41.79 g/t	0.5m @ 41.79 g/t	0.5m @ 41.79 g/t	0.5m @ 41.79 g/t
	136.6	137.0	0.4	0.4	10.72	4.29	0.4m @ 10.72 g/t			
	145.2	145.6	0.4	0.3	6.98	2.44	0.4m @ 6.98 g/t			
	184.4	186.0	1.6	1.5	0.76	1.21				
	227.0	228.2	1.2	1.1	0.49	0.59				
	235.5	236.0	0.5	0.5	9.94	4.97	0.5m @ 9.94 g/t	0.5m @ 9.94 g/t		
	246.4	251.0	4.6	4.4	0.79	3.64	1.0m @ 3.13 g/t			
BN-26-007	47.3	51.0	3.7	3.5	4.37	16.07	1.0m @ 14.62 g/t	1.0m @ 14.62 g/t	1.0m @ 14.62 g/t	
	63.9	80.5	16.6	15.6	0.93	15.39	8.8m @ 1.45 g/t, 0.5m @ 2.86 g/t	1.2m @ 5.72 g/t		
	97.0	98.0	1.0	0.9	0.58	0.58				
	113.0	114.0	1.0	0.9	0.53	0.53				
	135.0	137.5	2.5	2.3	0.52	1.30				
BN-26-008	42.6	45.0	2.4	2.3	0.56	1.35				
	65.2	70.5	5.3	5.1	1.02	5.40	5.3m @ 1.02 g/t			
	95.0	96.0	1.0	1.0	1.07	1.07				
	113.1	126.0	12.9	12.3	1.40	18.08	7.1m @ 2.42 g/t	1.2m @ 7.50 g/t, 1.2m @ 4.81 g/t		
	135.8	147.8	12.0	11.5	1.53	18.42	5.8m @ 3.06 g/t	0.9m @ 7.58 g/t, 0.8m @ 11.49 g/t	0.8m @ 11.49 g/t	
	188.0	201.0	13.0	12.4	0.36	4.62	1.0m @ 1.54 g/t, 1.0m @ 2.30 g/t			
	222.0	230.0	8.0	7.7	0.39	3.12	1.0m @ 1.87 g/t			
	253.0	259.0	6.0	5.7	0.36	2.16				
	264.0	265.0	1.0	1.0	1.22	1.22				
BN-26-009	48.0	50.0	2.0	1.9	0.77	1.55				
	123.0	124.0	1.0	1.0	0.58	0.58				
	131.0	132.0	1.0	1.0	1.56	1.56	1.0m @ 1.56 g/t			
	160.0	171.0	11.0	10.5	0.57	6.27	0.4m @ 5.71 g/t, 1.0m @ 3.06 g/t			
	181.4	191.1	9.7	9.2	0.56	5.40	1.5m @ 1.71 g/t			
	298.0	299.0	1.0	1.0	0.56	0.56				
	320.0	321.0	1.0	1.0	0.57	0.57				
	354.0	355.0	1.0	1.0	0.88	0.88				
BN-26-010	90.5	90.8	0.3	0.3	16.36	4.91	0.3m @ 16.36 g/t	0.3m @ 16.36 g/t		
	128.0	129.0	1.0	1.0	0.82	0.82				
BN-26-011	57.0	59.0	2.0	1.9	0.58	1.14				
	75.0	87.0	12.0	11.5	0.41	4.88	0.9m @ 1.88 g/t, 1.0m @ 1.57 g/t			

BN-26-012	169.0	170.0	1.0	1.0	0.61	0.61					
	120.0	121.0	1.0	1.0	0.56	0.56					
	134.3	135.0	0.7	0.6	0.80	0.53					
	184.1	185.0	0.9	0.8	1.76	1.55	0.9m @ 1.76 g/t				
	202.4	204.6	2.2	2.1	4.15	9.08	2.2m @ 4.15 g/t	1.1m @ 7.74 g/t			
BN-26-013	92.1	92.7	0.5	0.5	3.45	1.83	0.5m @ 3.45 g/t				
	115.3	124.8	9.5	9.0	6.48	61.54	9.5m @ 6.48 g/t	6.3m @ 9.54 g/t	1.0m @ 42.82 g/t	1.0m @ 42.82 g/t	
	216.0	220.0	4.0	3.8	0.87	3.48	1.0m @ 2.08 g/t				
	230.0	231.0	1.0	1.0	0.59	0.59					
	271.4	272.0	0.6	0.6	1.55	0.98					
BN-26-014	36.3	37.2	0.9	0.8	1.00	0.87					
	48.0	50.0	2.0	1.9	0.71	1.41					
	56.9	60.0	3.1	3.0	1.58	4.92	1.2m @ 3.26 g/t				
	67.8	68.4	0.6	0.6	1.14	0.68					
	87.8	89.5	1.7	1.6	0.93	1.58					
	157.4	161.0	3.6	3.4	0.75	2.69					
	178.0	179.0	1.0	1.0	0.75	0.75					
	208.0	208.7	0.7	0.6	60.19	39.12	0.7m @ 60.18 g/t	0.7m @ 60.18 g/t	0.7m @ 60.18 g/t	0.7m @ 60.18 g/t	
BN-26-017	14.0	15.5	1.5	1.4	0.64	0.97					
	30.0	31.0	1.0	1.0	2.02	2.02	1.0m @ 2.02 g/t				
	65.0	66.0	1.0	1.0	1.08	1.08					
	72.0	73.0	1.0	1.0	0.51	0.51					
	125.0	126.0	1.0	1.0	6.23	6.23	1.0m @ 6.23 g/t	1.0m @ 6.23 g/t			
	133.0	170.0	37.0	35.4	0.63	23.26	14.0m @ 1.39 g/t	3.0m @ 4.47 g/t			
	178.0	179.0	1.0	1.0	1.86	1.86	1.0m @ 1.86 g/t				
	187.0	190.0	3.0	2.9	1.30	3.91	1.0m @ 3.26 g/t				
	200.0	227.0	27.0	25.8	1.27	34.27	1.0m @ 18.22 g/t, 9.0m @ 1.43 g/t	1.0m @ 18.22 g/t, 1.0m @ 4.60 g/t	1.0m @ 18.22 g/t	1.0m @ 18.22 g/t	
	234.0	240.0	6.0	5.7	1.02	6.12	4.0m @ 1.33 g/t				
BN-26-018	33.0	50.0	17.0	16.2	0.32	5.46	0.9m @ 2.60 g/t				
	57.0	62.0	5.0	4.8	0.47	2.36	1.0m @ 1.71 g/t				
	74.0	75.0	1.0	1.0	1.50	1.50					
	102.0	116.0	14.0	13.3	0.43	6.02	1.0m @ 3.13 g/t, 1.0m @ 1.79 g/t				
	135.0	136.0	1.0	1.0	0.63	0.63					
	145.0	151.0	6.0	5.7	0.50	2.98	0.7m @ 2.29 g/t				
	180.0	191.0	11.0	10.5	1.16	12.72	9.0m @ 1.33 g/t	1.0m @ 7.79 g/t			
	204.0	205.0	1.0	1.0	2.22	2.22	1.0m @ 2.22 g/t				
	212.8	213.2	0.5	0.4	2.35	1.10					
	302.2	305.0	2.9	2.7	1.23	3.49	2.9m @ 1.23 g/t				
BN-26-019	19.0	21.0	2.0	1.9	0.47	0.94					
	37.0	38.0	1.0	1.0	0.63	0.63					
	43.0	44.0	1.0	1.0	1.32	1.32					
	49.0	52.0	3.0	2.9	0.40	1.21					
	75.0	80.4	5.4	5.2	0.46	2.48	1.4m @ 1.13 g/t				
	99.0	100.0	1.0	1.0	5.47	5.47	1.0m @ 5.46 g/t	1.0m @ 5.46 g/t			
	107.0	133.0	26.0	24.8	1.03	26.84	1.0m @ 2.68 g/t, 10.2m @ 2.11 g/t	2.0m @ 7.13 g/t			
	142.0	163.0	21.0	20.1	0.34	7.17	1.0m @ 2.04 g/t				
	175.0	176.0	1.0	1.0	1.07	1.07					
BN-26-020	262.5	265.8	3.3	3.2	0.31	1.01					
	17.0	19.0	2.0	1.9	0.54	1.08					

	48.8	49.6	0.8	0.8	0.94	0.78	1.0m @ 1.61 g/t								
	58.0	61.0	3.0	2.9	0.68	2.05									
	84.7	85.0	0.3	0.3	1.66	0.58									
	107.0	108.0	1.0	0.9	0.98	0.93	1.0m @ 2.16 g/t								
	166.0	167.0	1.0	1.0	2.16	2.16									
	270.0	271.0	1.0	1.0	0.97	0.97									
BN-26-021	22.0	23.0	1.0	1.0	1.04	1.04	17.2m @ 3.30 g/t	0.4m @ 110.45 g/t, 2.2m @ 3.25 g/t	0.4m @ 110.45 g/t	0.4m @ 110.45 g/t					
	69.0	70.5	1.5	1.4	0.80	1.20									
	252.0	281.0	29.0	27.7	2.02	58.65									
BN-26-022	63.0	69.0	6.0	5.7	0.37	2.20	1.0m @ 1.64 g/t	1.0m @ 7.45 g/t							
	84.0	85.0	1.0	1.0	0.49	0.49									
	90.0	91.0	1.0	0.9	0.73	0.70									
	153.0	154.0	1.0	1.0	7.45	7.45									
	164.5	165.0	0.6	0.5	6.38	3.51									
BN-26-024	60.0	67.0	7.0	6.7	0.52	3.65	1.0m @ 2.28 g/t	2.1m @ 1.67 g/t							
	74.7	75.2	0.5	0.5	2.40	1.20									
	94.7	96.0	1.3	1.3	1.46	1.96									
	107.8	108.2	0.4	0.4	2.11	0.84									
	118.0	119.0	1.0	1.0	1.23	1.23									
	135.0	136.0	1.0	1.0	0.96	0.96									
	145.9	150.0	4.1	3.9	0.93	3.80									
	165.0	166.0	1.0	1.0	0.49	0.49									
	308.2	309.3	1.1	1.1	0.60	0.69									
	BN-26-027	17.8	35.0	17.2	16.5	1.04	17.95		13.2m @ 1.21 g/t	2.2m @ 4.24 g/t					
107.9		114.0	6.1	5.8	0.97	5.91	1.1m @ 4.15 g/t								
162.9		165.7	2.8	2.7	0.94	2.60	0.8m @ 2.59 g/t								
183.1		208.0	25.0	23.9	0.60	15.07	2.2m @ 4.24 g/t, 1.0m @ 1.83 g/t								
217.2		217.9	0.6	0.6	1.92	1.17									
224.9		225.8	0.9	0.9	0.54	0.49									
BP-25-001	10.0	16.0	6.0	5.4	1.32	7.94	1.0m @ 6.58 g/t	1.0m @ 6.58 g/t							
	91.0	94.0	3.0	2.7	1.22	3.66	1.0m @ 2.30 g/t								
	117.0	118.0	1.0	0.9	0.53	0.53	1.0m @ 7.02 g/t	1.0m @ 7.02 g/t							
	124.0	125.0	1.0	0.9	1.03	1.03									
	154.0	155.0	1.0	0.9	0.88	0.88									
	167.0	168.0	1.0	0.9	7.03	7.03									
	196.0	197.0	1.0	0.9	0.78	0.78									
232.0	233.0	1.0	0.9	0.98	0.98										
BP-25-002	81.0	83.0	2.0	1.8	1.11	2.23	4.0m @ 4.12 g/t	2.0m @ 6.46 g/t							
	102.0	104.0	2.0	1.8	0.36	0.71									
	114.0	115.0	1.0	0.9	0.80	0.80									
	181.0	190.0	9.0	8.1	2.07	18.61									
	210.0	215.0	5.0	4.5	0.42	2.10									
	249.0	258.0	9.0	8.1	0.31	2.79									
BP-25-003	79.0	82.0	3.0	2.7	0.39	1.17	1.0m @ 2.06 g/t								
	187.0	190.0	3.0	2.7	1.24	3.72									
	236.0	237.0	1.0	0.9	0.82	0.82									
	269.0	270.0	1.0	0.9	1.61	1.61	1.0m @ 1.60 g/t								
	316.0	317.0	1.0	0.9	0.72	0.72									
	322.0	323.0	1.0	0.9	0.80	0.80									

	338.0	339.0	1.0	0.9	0.91	0.91				
	346.0	365.0	19.0	17.1	0.49	9.33	2.0m @ 1.55 g/t			
	427.0	428.0	1.0	0.9	0.49	0.49				
BP-25-004	61.0	66.0	5.0	4.3	0.46	2.28				
	99.0	106.0	7.0	6.0	0.92	6.41	1.0m @ 4.25 g/t			
	118.0	119.0	1.0	0.9	0.50	0.50				
	130.0	132.0	2.0	1.7	1.30	2.61	1.0m @ 2.08 g/t			
	211.0	221.0	10.0	8.6	0.37	3.72				
	244.0	245.0	1.0	0.9	1.09	1.09				
BP-25-005	404.0	405.0	1.0	0.9	0.97	0.97				
	33.0	40.0	7.0	6.2	0.34	2.35	1.0m @ 1.68 g/t			
	55.0	66.0	11.0	9.7	0.57	6.22	1.0m @ 3.09 g/t			
	136.0	142.0	6.0	5.3	1.23	7.40	1.0m @ 4.58 g/t			
	221.0	222.0	1.0	0.9	0.82	0.82				
	281.0	289.0	8.0	7.1	1.34	10.74	8.0m @ 1.34 g/t			
	298.0	299.0	1.0	0.9	10.01	10.01	2.0m @ 3.98 g/t			
BP-25-006	393.0	397.0	4.0	3.5	1.06	4.24	1.0m @ 10.01 g/t			
	16.0	18.0	2.0	1.7	1.09	2.18	1.0m @ 10.01 g/t			
	53.0	61.0	8.0	6.9	2.83	22.65	1.0m @ 10.01 g/t			
	113.0	114.0	1.0	0.9	9.48	9.48	1.0m @ 10.01 g/t			
	132.0	156.0	24.0	20.8	3.58	85.83	1.0m @ 10.01 g/t			
	188.0	193.0	5.0	4.3	0.75	3.77	4.0m @ 1.06 g/t			
	204.0	217.0	13.0	11.3	3.72	48.30	4.0m @ 1.06 g/t			
BP-25-007	239.0	241.0	2.0	1.7	1.88	3.75	3.0m @ 7.16 g/t			
	16.0	18.0	2.0	1.8	0.43	0.86	1.0m @ 17.28 g/t			
	27.0	28.0	1.0	0.9	0.58	0.58	1.0m @ 17.28 g/t			
	56.0	73.0	17.0	14.9	0.63	10.68	1.0m @ 17.28 g/t			
	87.0	88.0	1.0	0.9	4.23	4.23	1.0m @ 17.28 g/t			
	96.0	97.0	1.0	0.9	2.13	2.13	1.0m @ 17.28 g/t			
	110.0	111.0	1.0	0.9	0.94	0.94	1.0m @ 17.28 g/t			
	131.0	149.0	18.0	15.8	1.11	20.00	1.0m @ 17.28 g/t			
	170.0	171.0	1.0	0.9	0.57	0.57	1.0m @ 17.28 g/t			
	181.0	199.0	18.0	15.8	1.73	31.07	1.0m @ 17.28 g/t			
	207.0	215.0	8.0	7.0	1.77	14.13	1.0m @ 17.28 g/t			
	222.0	227.0	5.0	4.4	0.71	3.54	1.0m @ 17.28 g/t			
	235.0	236.0	1.0	0.9	0.59	0.59	1.0m @ 17.28 g/t			
	267.0	268.0	1.0	0.9	0.90	0.90	1.0m @ 17.28 g/t			
	339.0	340.0	1.0	0.9	0.48	0.48	1.0m @ 17.28 g/t			
	411.0	412.0	1.0	0.9	0.65	0.65	1.0m @ 17.28 g/t			
	420.0	421.0	1.0	0.9	0.82	0.82	1.0m @ 17.28 g/t			
	447.0	461.0	14.0	12.3	0.37	5.11	1.0m @ 17.28 g/t			
	476.0	477.0	1.0	0.9	2.40	2.40	1.0m @ 17.28 g/t			
	492.0	493.0	1.0	0.9	1.02	1.02	1.0m @ 17.28 g/t			
	516.0	526.0	10.0	8.8	0.70	6.96	1.0m @ 17.28 g/t			
BP-25-008	621.0	622.0	1.0	0.9	0.92	0.92	1.0m @ 17.28 g/t			
	23.0	26.0	3.0	2.6	0.30	0.90	1.0m @ 17.28 g/t			
	48.0	55.0	7.0	6.1	0.37	2.61	1.0m @ 17.28 g/t			
	112.0	113.0	1.0	0.9	1.07	1.07	1.0m @ 17.28 g/t			
	251.0	252.0	1.0	0.9	0.64	0.64	1.0m @ 17.28 g/t			

	264.0	265.0	1.0	0.9	0.57	0.57					
	303.0	327.0	24.0	21.0	0.47	11.38	5.0m @ 1.01 g/t, 1.0m @ 2.10 g/t				
	372.0	394.0	22.0	19.3	0.48	10.65	3.0m @ 2.47 g/t	1.0m @ 4.71 g/t			
	403.0	406.0	3.0	2.6	0.40	1.20					
BP-25-009	23.0	31.0	8.0	7.2	1.51	12.07	7.0m @ 1.64 g/t	3.0m @ 3.07 g/t			
	57.0	58.0	1.0	0.9	1.00	1.00					
	70.0	77.0	7.0	6.3	3.45	24.18	7.0m @ 3.45 g/t	1.0m @ 17.98 g/t	1.0m @ 17.98 g/t	1.0m @ 17.98 g/t	
	96.0	97.0	1.0	0.9	0.50	0.50					
	109.0	130.0	21.0	18.8	1.27	26.64	1.0m @ 18.40 g/t, 2.0m @ 1.70 g/t	1.0m @ 18.40 g/t	1.0m @ 18.40 g/t	1.0m @ 18.40 g/t	
	146.0	152.0	6.0	5.4	1.88	11.30	4.0m @ 2.73 g/t	1.0m @ 4.87 g/t			
	159.0	168.0	9.0	8.1	1.91	17.20	8.0m @ 2.08 g/t	1.0m @ 7.37 g/t, 1.0m @ 5.86 g/t			
	184.0	232.0	48.0	43.0	1.21	57.89	26.0m @ 1.89 g/t, 2.0m @ 1.45 g/t	2.0m @ 17.79 g/t	1.0m @ 26.16 g/t	1.0m @ 26.16 g/t	
	317.0	318.0	1.0	0.9	0.54	0.54					
	325.0	326.0	1.0	0.9	0.64	0.64					
	331.0	332.0	1.0	0.9	0.46	0.46					
BP-25-010	38.0	39.0	1.0	0.9	3.65	3.65	1.0m @ 3.65 g/t				
	98.0	101.0	3.0	2.7	0.33	0.99					
	296.0	298.0	2.0	1.8	2.24	4.48	1.0m @ 3.83 g/t				
	334.0	352.0	18.0	16.1	0.78	14.09	4.0m @ 1.48 g/t, 6.0m @ 1.15 g/t				
	369.0	372.0	3.0	2.7	9.06	27.17	3.0m @ 9.06 g/t	2.0m @ 12.44 g/t	1.0m @ 16.39 g/t	1.0m @ 16.39 g/t	
BP-26-014	56.0	57.0	1.0	0.9	2.98	2.98	1.0m @ 2.98 g/t				
BP-26-016	23.0	24.0	1.0	0.9	2.02	2.02	1.0m @ 2.02 g/t				
BP-26-021	333.0	334.0	1.0	0.9	1.43	1.43					
	581.0	581.9	0.9	0.8	0.85	0.80					
	978.0	978.5	0.5	0.4	1.72	0.79					
C6-25-005	335.0	336.0	1.0	1.0	0.95	0.95					
C7-25-002	129.0	133.0	4.0	4.0	0.43	1.72					
	431.0	433.0	2.0	2.0	0.69	1.37					
	603.0	604.0	1.0	1.0	0.46	0.46					
D6-25-001	232.0	233.0	1.0	0.7	1.76	1.76	1.0m @ 1.76 g/t				
	352.0	353.0	1.0	0.7	0.59	0.59					
D7-26-002	67.2	72.0	4.8	4.8	2.51	12.00	4.8m @ 2.51 g/t	0.8m @ 9.38 g/t			
D7-26-005	101.0	102.0	1.0	1.0	1.36	1.36					
	236.0	236.7	0.7	0.7	1.61	1.06					
FZ-25-117	8.0	26.0	18.0	16.4	0.39	7.01	1.0m @ 3.58 g/t				
	37.0	47.0	10.0	9.1	0.36	3.61					
	63.0	64.0	1.0	0.9	0.98	0.98					
	71.0	74.0	3.0	2.7	2.17	6.51	3.0m @ 2.17 g/t	1.0m @ 4.68 g/t			
	196.0	200.0	4.0	3.6	6.92	27.69	3.0m @ 9.09 g/t	2.0m @ 13.08 g/t	1.0m @ 22.79 g/t	1.0m @ 22.79 g/t	
	252.0	253.0	1.0	0.9	0.52	0.52					
	270.0	271.0	1.0	0.9	0.46	0.46					
	296.0	321.0	25.0	22.8	0.53	13.19	4.0m @ 2.12 g/t	1.0m @ 6.86 g/t			
	8.0	9.0	1.0	0.9	6.10	6.10	1.0m @ 6.10 g/t	1.0m @ 6.10 g/t			
	193.0	194.0	1.0	0.9	0.71	0.71					
	208.0	209.0	1.0	0.9	1.10	1.10					
	236.0	237.0	1.0	0.9	0.55	0.55					
	239.0	249.0	10.0	8.9	0.33	3.34					

FZ-25-140	285.0	286.0	1.0	0.9	1.71	1.71	1.0m @ 1.71 g/t		
	257.0	258.0	1.0	0.9	0.46	0.46			
	272.0	273.0	1.0	0.9	3.54	3.54	1.0m @ 3.54 g/t		
FZ-25-141	85.0	86.0	1.0	0.9	0.58	0.58			
	93.0	95.0	2.0	1.7	0.41	0.82			
	207.0	208.0	1.0	0.9	1.20	1.20			
	234.0	236.0	2.0	1.7	0.37	0.73			
	245.0	246.0	1.0	0.9	0.71	0.71			
FZ-25-143	28.0	29.0	1.0	0.9	2.19	2.19	1.0m @ 2.19 g/t		
	72.0	75.0	3.0	2.7	0.87	2.62	1.0m @ 1.53 g/t		
FZ-25-147	27.0	28.0	1.0	0.9	0.63	0.63			
	52.0	57.0	5.0	4.3	0.62	3.12	1.0m @ 2.60 g/t		
	87.0	116.0	29.0	24.8	0.45	13.14	1.0m @ 5.51 g/t, 1.0m @ 1.55 g/t		1.0m @ 5.51 g/t
	124.0	125.0	1.0	0.9	0.59	0.59			
	223.0	227.0	4.0	3.4	0.50	2.01			
FZ-25-149	240.0	259.0	19.0	16.3	1.25	23.77	12.0m @ 1.90 g/t	2.0m @ 8.12 g/t	1.0m @ 11.39 g/t
	287.0	288.0	1.0	0.9	1.52	1.52	1.0m @ 1.52 g/t		
	13.0	16.0	3.0	2.7	0.45	1.35			
FZ-25-150	32.0	58.0	26.0	23.2	0.57	14.89	1.0m @ 4.57 g/t, 3.0m @ 2.15 g/t		1.0m @ 4.57 g/t, 1.0m @ 4.78 g/t
	93.0	94.0	1.0	0.9	1.89	1.89	1.0m @ 1.89 g/t		
	121.0	122.0	1.0	0.9	0.63	0.63			
	229.0	230.0	1.0	0.9	0.59	0.59			
	242.0	243.0	1.0	0.9	1.23	1.23			
	272.0	274.0	2.0	1.8	0.37	0.75			
	275.0	277.0	2.0	1.8	0.33	0.67			
	287.0	289.0	2.0	1.8	0.57	1.13			
	14.0	15.0	1.0	0.9	0.50	0.50			
	26.0	27.0	1.0	0.9	0.82	0.82			
FZ-25-152	34.0	35.0	1.0	0.9	0.46	0.46			
	41.0	42.0	1.0	0.9	0.87	0.87			
	58.0	61.0	3.0	2.7	3.25	9.75	1.0m @ 8.74 g/t		1.0m @ 8.74 g/t
	113.0	117.0	4.0	3.6	0.50	1.99			
	127.0	128.0	1.0	0.9	1.17	1.17			
	167.0	183.0	16.0	14.5	0.31	4.96			
	210.0	215.0	5.0	4.5	0.50	2.51			
	238.0	241.0	3.0	2.7	0.43	1.30			
	168.0	170.0	2.0	1.8	0.60	1.21			
	173.0	174.0	1.0	0.9	0.51	0.51			
FZ-25-154	179.0	180.0	1.0	0.9	0.93	0.93			
	244.0	249.0	5.0	4.5	0.32	1.59			
	287.0	288.0	1.0	0.9	0.54	0.54			
	303.0	319.0	16.0	14.5	0.70	11.18	1.0m @ 1.83 g/t, 3.0m @ 1.34 g/t		
	127.0	128.0	1.0	0.9	3.75	3.75	1.0m @ 3.75 g/t		
FZ-25-155	137.0	141.0	4.0	3.7	0.74	2.94	1.0m @ 1.62 g/t		
	19.0	21.0	2.0	1.8	0.72	1.43			
	90.0	91.0	1.0	0.9	0.53	0.53			
FZ-25-156	139.0	187.0	48.0	44.1	0.44	21.09	6.0m @ 1.10 g/t, 1.0m @ 2.47 g/t		
	225.0	239.0	14.0	12.9	0.78	10.97	5.0m @ 1.49 g/t		1.0m @ 5.45 g/t

FZ-25-157	3.4	22.0	18.6	17.1	0.41	7.56				
	29.0	40.0	11.0	10.1	3.47	38.19	1.0m @ 36.51 g/t	1.0m @ 36.51 g/t	1.0m @ 36.51 g/t	1.0m @ 36.51 g/t
	84.0	85.0	1.0	0.9	0.57	0.57				
	110.0	112.0	2.0	1.8	1.40	2.80	2.0m @ 1.40 g/t			
	141.0	147.0	6.0	5.5	0.33	1.99				
	163.0	164.0	1.0	0.9	0.49	0.49				
	188.0	189.0	1.0	0.9	0.95	0.95				
FZ-25-158	200.0	202.0	2.0	1.8	0.93	1.87				
	51.0	54.0	3.0	2.7	0.77	2.31				
FZ-25-159	171.0	179.0	8.0	7.3	1.36	10.88	5.0m @ 1.97 g/t	1.0m @ 7.93 g/t		
	23.0	25.0	2.0	1.8	0.47	0.94				
	51.0	52.0	1.0	0.9	5.05	5.05	1.0m @ 5.05 g/t	1.0m @ 5.05 g/t		
	104.0	105.0	1.0	0.9	0.98	0.98				
	170.0	171.0	1.0	0.9	0.47	0.47				
	192.0	210.0	18.0	16.4	0.89	16.01	3.0m @ 2.44 g/t, 1.0m @ 4.28 g/t			
	219.0	220.0	1.0	0.9	0.57	0.57				
FZ-25-161	242.0	251.0	9.0	8.2	0.72	6.48	1.0m @ 2.88 g/t			
	12.0	26.0	14.0	12.8	0.31	4.31	1.0m @ 2.34 g/t			
FZ-25-162	37.0	38.0	1.0	0.9	0.54	0.54				
	149.0	153.0	4.0	3.7	0.43	1.71				
	166.0	167.0	1.0	0.9	0.54	0.54				
	171.0	174.0	3.0	2.7	0.34	1.03				
	180.0	181.0	1.0	0.9	1.63	1.63	1.0m @ 1.63 g/t			
FZ-25-163	192.0	202.0	10.0	9.1	0.82	8.23	3.0m @ 2.02 g/t			
	152.0	158.0	6.0	5.4	1.93	11.57	6.0m @ 1.93 g/t	1.0m @ 8.51 g/t		
	174.0	177.0	3.0	2.7	1.00	2.99				
	249.0	250.0	1.0	0.9	0.67	0.67				
	258.0	260.0	2.0	1.8	0.79	1.57				
FZ-25-165	276.0	292.0	16.0	14.5	0.31	5.02				
	56.0	64.0	8.0	7.2	1.03	8.24	2.0m @ 3.02 g/t	1.0m @ 4.83 g/t		
	97.0	101.0	4.0	3.6	0.82	3.26	1.0m @ 1.82 g/t			
	125.0	154.0	29.0	26.0	0.97	28.09	1.0m @ 1.80 g/t, 1.0m @ 21.49 g/t	1.0m @ 21.49 g/t	1.0m @ 21.49 g/t	1.0m @ 21.49 g/t
	163.0	164.0	1.0	0.9	0.62	0.62				
FZ-26-167	169.0	170.0	1.0	0.9	1.15	1.15				
	183.0	201.0	18.0	16.2	0.43	7.67	2.0m @ 1.83 g/t			
	133.5	134.6	1.1	1.0	4.76	5.24	1.1m @ 4.76 g/t	1.1m @ 4.76 g/t		
	179.0	180.1	1.1	1.0	2.59	2.85	0.6m @ 3.93 g/t			
	214.0	215.0	1.0	0.9	11.35	11.35	1.0m @ 11.34 g/t	1.0m @ 11.34 g/t	1.0m @ 11.34 g/t	
	244.0	258.9	14.9	13.6	1.06	15.83	2.0m @ 5.76 g/t, 0.5m @ 5.95 g/t	1.0m @ 8.90 g/t	0.3m @ 18.95 g/t	
	289.9	316.0	26.2	23.9	1.98	51.87	22.2m @ 2.27 g/t	0.5m @ 46.26 g/t, 3.4m @ 3.81 g/t	0.5m @ 46.26 g/t	0.5m @ 46.26 g/t
	322.8	371.2	48.5	44.3	0.65	31.48	6.8m @ 1.19 g/t, 13.7m @ 1.15 g/t	1.0m @ 4.84 g/t, 0.8m @ 8.70 g/t		
	387.5	392.0	4.5	4.1	6.74	30.35	4.5m @ 6.74 g/t	4.0m @ 7.40 g/t	1.0m @ 22.10 g/t	1.0m @ 22.10 g/t
FZ-26-168	419.4	420.8	1.4	1.3	0.36	0.50				
	428.7	429.0	0.3	0.3	7.95	2.38	0.3m @ 7.95 g/t			
	187.0	189.0	2.0	1.8	0.80	1.60				
	198.0	218.5	20.5	18.8	4.01	82.14	17.0m @ 4.78 g/t	3.0m @ 24.28 g/t	1.0m @ 10.27 g/t, 0.5m @ 116.68 g/t	0.5m @ 116.68 g/t

	230.5	252.5	22.0	20.2	4.00	88.05	22.0m @ 4.00 g/t	6.1m @ 10.25 g/t, 2.0m @ 6.76 g/t	0.5m @ 82.25 g/t	0.5m @ 82.25 g/t
	273.0	286.0	13.0	11.9	1.49	19.38	6.0m @ 3.15 g/t	1.0m @ 8.88 g/t, 1.0m @ 4.98 g/t		
	293.9	312.8	19.0	17.4	0.39	7.39	1.0m @ 3.91 g/t			
	318.9	319.2	0.3	0.3	5.86	2.05	0.3m @ 5.86 g/t			
	334.0	340.1	6.1	5.6	0.83	5.06	2.3m @ 1.23 g/t			
	346.8	348.0	1.2	1.1	0.55	0.68				
	355.0	362.0	7.0	6.4	3.75	26.28	7.0m @ 3.75 g/t	2.8m @ 7.36 g/t	0.8m @ 14.57 g/t	
	394.3	395.0	0.8	0.7	2.54	1.91	0.8m @ 2.54 g/t			
	423.0	424.0	1.0	0.9	1.17	1.17				
	432.4	436.0	3.6	3.3	1.80	6.51	1.0m @ 5.80 g/t	1.0m @ 5.80 g/t		
	446.2	447.0	0.8	0.7	1.44	1.14				
FZ-26-169	100.0	101.0	1.0	0.9	2.11	2.11	1.0m @ 2.11 g/t			
	224.0	231.0	7.0	6.3	1.29	9.05	7.0m @ 1.29 g/t	1.3m @ 3.55 g/t		
	237.5	238.1	0.6	0.6	0.84	0.54				
	245.0	248.4	3.4	3.1	5.94	20.19	1.4m @ 14.16 g/t	1.4m @ 14.16 g/t	1.4m @ 14.16 g/t	
	257.0	257.4	0.4	0.4	1.30	0.52				
	269.7	270.3	0.6	0.5	7.86	4.71	0.6m @ 7.86 g/t	0.6m @ 7.86 g/t		
	298.5	330.0	31.6	28.5	0.90	28.44	21.6m @ 1.17 g/t			
	360.3	406.0	45.7	41.3	0.96	43.66	0.7m @ 8.09 g/t, 16.0m @ 1.09 g/t, 5.1m @ 1.56 g/t, 3.0m @ 2.29 g/t	0.7m @ 8.09 g/t, 1.4m @ 4.59 g/t		
FZ-26-170	92.0	93.0	1.0	0.9	0.63	0.63				
	114.9	123.0	8.1	7.4	0.42	3.43				
	133.0	134.0	1.0	0.9	1.49	1.49				
	215.0	216.0	1.0	0.9	0.66	0.66				
FZ-26-171	3.3	19.0	15.7	14.1	1.01	15.89	1.5m @ 2.99 g/t, 1.3m @ 6.23 g/t	1.3m @ 6.23 g/t		
	53.0	60.0	7.0	6.3	0.41	2.90	1.0m @ 1.54 g/t			
	77.5	82.5	5.0	4.5	4.86	24.47	5.0m @ 4.86 g/t	1.5m @ 14.09 g/t	1.5m @ 14.09 g/t	
	358.2	359.0	0.8	0.8	1.03	0.87				
	365.3	366.2	0.8	0.7	1.87	1.55	0.8m @ 1.87 g/t			
	374.7	378.7	4.0	3.6	0.36	1.46				
	384.0	386.2	2.2	2.0	0.53	1.17				
	424.0	425.0	1.0	0.9	17.14	17.14	1.0m @ 17.14 g/t	1.0m @ 17.14 g/t	1.0m @ 17.14 g/t	1.0m @ 17.14 g/t
	433.0	434.0	1.0	0.9	0.48	0.48				
	452.0	476.2	24.2	21.8	1.39	33.56	9.0m @ 3.21 g/t	1.3m @ 16.44 g/t	1.3m @ 16.44 g/t	1.3m @ 16.44 g/t
	490.0	495.0	5.0	4.5	4.48	22.39	1.0m @ 20.33 g/t	1.0m @ 20.33 g/t	1.0m @ 20.33 g/t	1.0m @ 20.33 g/t
FZ-26-173	67.0	68.0	1.0	0.9	0.54	0.54				
	75.0	79.0	4.0	3.6	0.95	3.81	2.1m @ 1.37 g/t			
	91.9	99.0	7.1	6.4	0.52	3.70	0.7m @ 3.56 g/t			
	138.0	145.5	7.4	6.8	0.32	2.39				
	182.0	188.0	6.0	5.4	0.51	3.09	1.5m @ 1.36 g/t			
	217.0	233.0	16.0	14.5	0.42	6.79	0.6m @ 4.64 g/t, 0.8m @ 2.94 g/t			
	308.0	321.5	13.5	12.2	0.76	10.19	5.5m @ 1.10 g/t, 1.1m @ 2.15 g/t			
	356.3	359.0	2.7	2.4	0.54	1.47				
	369.0	370.0	1.0	0.9	0.75	0.75				
FZ-26-174	22.1	22.8	0.7	0.6	3.54	2.48	0.7m @ 3.54 g/t			

	84.0	90.7	6.7	6.1	2.56	17.14	6.7m @ 2.56 g/t	1.4m @ 8.75 g/t	
	297.4	340.0	42.6	38.5	0.49	20.80	7.0m @ 1.57 g/t		
	355.0	367.0	12.0	10.8	0.49	5.85			
FZ-26-178	100.5	101.0	0.5	0.5	1.52	0.84			
	179.3	179.9	0.5	0.5	1.06	0.58			
	188.4	191.4	3.0	2.7	7.89	23.43	3.0m @ 7.89 g/t	3.0m @ 7.89 g/t	1.2m @ 14.78 g/t
	202.0	226.0	24.0	21.7	1.35	32.41	11.0m @ 1.61 g/t, 2.9m @ 3.74 g/t	1.0m @ 6.13 g/t, 0.9m @ 9.61 g/t	
	246.7	265.0	18.3	16.5	0.38	6.96			
	283.8	294.0	10.3	9.3	0.66	6.76	0.8m @ 4.83 g/t		
	307.0	333.0	26.0	23.5	0.80	20.83	3.0m @ 2.56 g/t, 0.8m @ 6.43 g/t	0.8m @ 6.43 g/t	
	342.3	343.2	0.9	0.8	1.08	1.00			
	357.0	369.0	12.0	10.8	0.35	4.14			
	375.0	376.0	1.0	0.9	0.92	0.92			
FZ-26-180	166.7	266.0	99.4	89.8	0.98	97.60	21.2m @ 1.73 g/t, 15.3m @ 1.66 g/t, 4.9m @ 1.50 g/t, 1.0m @ 2.91 g/t, 5.7m @ 1.27 g/t, 2.2m @ 2.07 g/t	1.5m @ 5.88 g/t, 1.3m @ 7.07 g/t, 4.8m @ 3.81 g/t	0.6m @ 10.09 g/t
FZ-26-182	56.3	56.9	0.6	0.6	0.93	0.60			
	131.0	151.0	20.0	18.1	0.53	10.64	2.0m @ 1.01 g/t, 1.0m @ 2.61 g/t		
	197.0	198.0	1.0	0.9	0.51	0.51			
	207.0	208.0	1.0	0.9	1.37	1.37			
	231.0	242.0	11.0	9.9	0.62	6.77	0.4m @ 6.62 g/t		
	286.0	303.0	17.0	15.4	0.38	6.54	1.0m @ 1.87 g/t		
	310.0	311.0	1.0	0.9	0.53	0.53			
LP-24-001	8.0	9.0	1.0	0.9	1.47	1.47			
	22.0	50.0	28.0	23.8	1.38	38.50	2.0m @ 3.83 g/t, 10.0m @ 2.81 g/t	2.0m @ 3.83 g/t, 5.0m @ 5.10 g/t	1.0m @ 12.27 g/t
	66.0	73.0	7.0	6.0	0.73	5.08	1.0m @ 3.10 g/t		
	83.0	115.0	32.0	27.2	3.52	112.59	21.0m @ 4.94 g/t, 2.0m @ 3.35 g/t	7.0m @ 4.28 g/t, 4.0m @ 15.97 g/t, 1.0m @ 4.79 g/t	3.0m @ 20.28 g/t 2.0m @ 23.85 g/t
	143.0	144.0	1.0	0.9	1.09	1.09			
	153.0	164.0	11.0	9.4	2.29	25.22	11.0m @ 2.29 g/t	1.0m @ 6.62 g/t, 1.0m @ 11.52 g/t	1.0m @ 11.52 g/t
	226.0	242.0	16.0	13.6	1.49	23.78	15.0m @ 1.56 g/t	1.0m @ 10.00 g/t	
	259.0	276.0	17.0	14.5	1.38	23.39	5.0m @ 3.92 g/t	5.0m @ 3.92 g/t	
	297.0	423.0	126.0	107.1	2.15	270.75	25.0m @ 2.77 g/t, 49.0m @ 3.72 g/t, 1.0m @ 3.14 g/t, 1.0m @ 1.64 g/t, 1.0m @ 1.61 g/t, 1.0m @ 1.58 g/t	6.0m @ 3.15 g/t, 8.0m @ 5.14 g/t, 5.0m @ 3.98 g/t, 28.0m @ 4.99 g/t	1.0m @ 11.57 g/t, 1.0m @ 10.36 g/t, 1.0m @ 35.54 g/t 1.0m @ 35.54 g/t
	439.0	440.0	1.0	0.9	0.62	0.62			
	453.0	454.0	1.0	0.9	0.50	0.50			
	468.0	471.0	3.0	2.6	0.59	1.77			
LP-24-002	43.0	44.0	1.0	0.9	0.88	0.88			
	247.0	248.0	1.0	0.9	1.37	1.37			

	349.0	351.0	2.0	1.7	0.39	0.77						
	362.0	366.0	4.0	3.5	0.34	1.35						
	374.0	377.0	3.0	2.6	0.76	2.29						
	394.0	402.0	8.0	7.0	0.63	5.01	1.0m @ 3.36 g/t					
LP-25-003	9.0	37.0	28.0	24.2	0.58	16.35	1.0m @ 2.43 g/t, 3.0m @ 1.34 g/t, 6.0m @ 1.21 g/t					
	107.0	117.0	10.0	8.7	1.69	16.86	5.0m @ 2.99 g/t	1.0m @ 8.77 g/t, 1.0m @ 6.12 g/t				
	125.0	130.0	5.0	4.3	0.37	1.85						
LP-25-004	23.0	24.0	1.0	0.9	3.34	3.34	1.0m @ 3.34 g/t					
	284.0	286.0	2.0	1.7	0.56	1.12						
	365.0	374.0	9.0	7.8	0.33	2.94						
LP-25-005	144.0	145.0	1.0	0.9	0.47	0.47						
	208.0	209.0	1.0	0.9	1.49	1.49						
	258.0	259.0	1.0	0.9	4.22	4.22	1.0m @ 4.22 g/t					
LP-25-006	37.0	38.0	1.0	0.9	1.13	1.13						
MA-24-489	10.0	14.0	4.0	3.8	0.74	2.97						
	31.0	195.0	164.0	154.1	2.55	417.44	17.0m @ 2.55 g/t, 9.0m @ 1.18 g/t, 1.0m @ 1.64 g/t, 8.0m @ 1.09 g/t, 3.0m @ 1.06 g/t, 39.0m @ 6.17 g/t, 33.0m @ 2.76 g/t	4.0m @ 3.08 g/t, 5.0m @ 4.06 g/t, 1.0m @ 4.65 g/t, 2.0m @ 13.14 g/t, 2.0m @ 19.96 g/t, 22.0m @ 7.28 g/t, 2.0m @ 16.39 g/t, 2.0m @ 4.78 g/t, 1.0m @ 10.30 g/t, 4.0m @ 5.00 g/t	1.0m @ 16.11 g/t, 1.0m @ 20.38 g/t, 2.0m @ 19.96 g/t, 3.0m @ 11.09 g/t, 1.0m @ 18.86 g/t, 1.0m @ 13.79 g/t, 1.0m @ 17.38 g/t, 1.0m @ 18.22 g/t, 1.0m @ 14.09 g/t, 1.0m @ 29.67 g/t, 1.0m @ 10.30 g/t	1.0m @ 16.11 g/t, 1.0m @ 20.38 g/t, 2.0m @ 19.96 g/t, 1.0m @ 17.12 g/t, 1.0m @ 18.86 g/t, 1.0m @ 17.38 g/t, 1.0m @ 18.22 g/t, 1.0m @ 29.67 g/t		
	213.0	258.0	45.0	42.3	1.14	51.27	9.0m @ 3.45 g/t, 8.0m @ 1.19 g/t, 4.0m @ 1.13 g/t	2.0m @ 11.72 g/t, 1.0m @ 5.11 g/t	1.0m @ 16.15 g/t	1.0m @ 16.15 g/t		
	299.0	304.0	5.0	4.7	0.47	2.35						
	344.0	355.0	11.0	10.3	0.36	3.91						
	368.0	370.0	2.0	1.9	0.42	0.84						
	374.0	375.0	1.0	0.9	0.54	0.54						
	384.0	385.0	1.0	0.9	0.49	0.49						
	400.0	418.0	18.0	16.9	0.35	6.32	1.0m @ 2.34 g/t					
	426.0	432.0	6.0	5.6	0.51	3.03						
	446.0	458.0	12.0	11.3	1.87	22.39	12.0m @ 1.87 g/t	2.0m @ 4.75 g/t				
	493.0	494.0	1.0	0.9	0.62	0.62						
	500.0	501.0	1.0	0.9	0.54	0.54						
	695.0	697.0	2.0	1.9	0.56	1.11						
	728.0	729.0	1.0	0.9	0.59	0.59						
	755.0	771.0	16.0	15.0	1.36	21.72	1.0m @ 1.52 g/t, 5.0m @ 3.64 g/t	5.0m @ 3.64 g/t	1.0m @ 13.72 g/t			
	785.0	792.0	7.0	6.6	0.39	2.73						
	799.0	812.0	13.0	12.2	1.02	13.30	3.0m @ 3.35 g/t	1.0m @ 6.76 g/t				
	871.0	872.0	1.0	0.9	0.62	0.62						
	885.0	892.0	7.0	6.6	2.89	20.26	1.0m @ 18.73 g/t	1.0m @ 18.73 g/t	1.0m @ 18.73 g/t	1.0m @ 18.73 g/t		
	904.0	913.0	9.0	8.5	0.48	4.29	1.0m @ 2.30 g/t					
	927.0	936.0	9.0	8.5	0.66	5.96	1.0m @ 2.52 g/t					
	948.0	949.0	1.0	0.9	0.52	0.52						
	963.0	968.0	5.0	4.7	0.50	2.49						

MA-24-490	975.0	977.0	2.0	1.9	1.32	2.64	1.0m @ 2.09 g/t				
	992.0	994.0	2.0	1.9	0.69	1.38					
	10.0	11.0	1.0	1.0	7.62	7.62	1.0m @ 7.62 g/t	1.0m @ 7.62 g/t			
	58.0	65.0	7.0	6.7	1.54	10.79	6.0m @ 1.69 g/t	1.0m @ 5.77 g/t			
	98.0	111.0	13.0	12.4	3.28	42.67	6.0m @ 6.85 g/t	1.0m @ 35.81 g/t	1.0m @ 35.81 g/t	1.0m @ 35.81 g/t	
	134.0	136.0	2.0	1.9	1.77	3.55	2.0m @ 1.77 g/t				
	227.0	230.0	3.0	2.9	2.27	6.81	2.0m @ 2.92 g/t	1.0m @ 4.69 g/t			
	289.0	291.0	2.0	1.9	1.72	3.43	2.0m @ 1.72 g/t				
MA-25-491	341.0	342.0	1.0	1.0	1.69	1.69	1.0m @ 1.69 g/t				
	22.0	23.0	1.0	1.0	0.54	0.54					
	33.0	34.0	1.0	1.0	0.46	0.46					
	50.0	66.0	16.0	15.3	0.30	4.82					
	95.0	101.0	6.0	5.7	0.85	5.08	1.0m @ 2.08 g/t				
	126.0	132.0	6.0	5.7	0.58	3.50	1.0m @ 3.01 g/t				
	173.0	217.0	44.0	42.1	3.22	141.50	41.0m @ 3.41 g/t	2.0m @ 7.68 g/t, 5.0m @ 15.61 g/t, 1.0m @ 9.22 g/t, 2.0m @ 3.94 g/t	1.0m @ 11.55 g/t, 3.0m @ 23.53 g/t	1.0m @ 57.19 g/t	
	225.0	226.0	1.0	1.0	0.63	0.63					
	235.0	237.0	2.0	1.9	0.36	0.73					
	252.0	258.0	6.0	5.7	0.33	1.99					
	265.0	266.0	1.0	1.0	2.48	2.48	1.0m @ 2.48 g/t				
	282.0	308.0	26.0	24.9	0.67	17.55	1.0m @ 7.34 g/t, 2.0m @ 2.51 g/t	1.0m @ 7.34 g/t			
	321.0	322.0	1.0	1.0	0.99	0.99					
	334.0	336.0	2.0	1.9	0.37	0.73					
	367.0	380.0	13.0	12.4	0.42	5.52	1.0m @ 1.55 g/t				
	393.0	394.0	1.0	1.0	0.60	0.60					
	404.0	405.0	1.0	1.0	0.74	0.74					
MA-25-492	6.7	8.0	1.3	1.2	0.77	0.98					
	68.0	69.0	1.0	1.0	4.09	4.09	1.0m @ 4.09 g/t				
	89.0	90.0	1.0	1.0	1.77	1.77	1.0m @ 1.77 g/t				
	98.0	102.0	4.0	3.8	0.47	1.90					
	114.0	115.0	1.0	1.0	1.68	1.68	1.0m @ 1.68 g/t				
	134.0	136.0	2.0	1.9	0.45	0.89					
	175.0	183.0	8.0	7.6	2.27	18.13	2.0m @ 8.50 g/t	1.0m @ 15.86 g/t	1.0m @ 15.86 g/t	1.0m @ 15.86 g/t	
	203.0	265.0	62.0	59.0	1.13	69.98	54.0m @ 1.23 g/t	1.0m @ 8.36 g/t, 1.0m @ 10.83 g/t	1.0m @ 10.83 g/t		
	332.0	334.0	2.0	1.9	4.11	8.23	1.0m @ 7.55 g/t	1.0m @ 7.55 g/t			
	754.0	757.0	3.0	2.9	0.51	1.54					
MA-25-493	858.0	862.0	4.0	3.8	0.61	2.42	1.0m @ 1.78 g/t				
	10.0	21.0	11.0	10.5	2.19	24.13	11.0m @ 2.19 g/t	6.0m @ 3.61 g/t	1.0m @ 10.03 g/t		
	51.0	52.0	1.0	1.0	0.91	0.91					
	162.0	163.0	1.0	1.0	0.51	0.51					
	180.0	182.0	2.0	1.9	0.50	1.00					
	190.0	191.0	1.0	1.0	0.53	0.53					
	201.0	202.0	1.0	1.0	2.45	2.45	1.0m @ 2.45 g/t				
	242.0	246.0	4.0	3.8	0.65	2.60	1.0m @ 1.92 g/t				
	312.0	314.0	2.0	1.9	5.13	10.27	2.0m @ 5.13 g/t	1.0m @ 7.28 g/t			
	353.0	360.0	7.0	6.7	0.32	2.22					
	374.0	376.0	2.0	1.9	0.41	0.81					
	387.0	388.0	1.0	1.0	0.93	0.93					

	420.0	421.0	1.0	1.0	1.12	1.12				
	442.0	443.0	1.0	1.0	0.72	0.72				
	506.0	544.0	38.0	36.1	0.43	16.32	3.0m @ 1.28 g/t			
	586.0	589.0	3.0	2.9	0.30	0.90				
	649.0	654.0	5.0	4.8	0.56	2.78				
MA-25-494	30.0	32.0	2.0	1.9	0.79	1.57				
	43.0	45.0	2.0	1.9	7.88	15.77	2.0m @ 7.88 g/t	1.0m @ 13.61 g/t	1.0m @ 13.61 g/t	
	87.0	94.0	7.0	6.6	0.78	5.43	1.0m @ 4.93 g/t	1.0m @ 4.93 g/t		
	181.0	182.0	1.0	0.9	3.47	3.47	1.0m @ 3.47 g/t			
	224.0	225.0	1.0	0.9	7.96	7.96	1.0m @ 7.96 g/t	1.0m @ 7.96 g/t		
	271.0	272.0	1.0	0.9	1.43	1.43				
	298.0	299.0	1.0	0.9	1.10	1.10				
	396.0	397.0	1.0	0.9	0.75	0.75				
	416.0	421.0	5.0	4.7	0.79	3.95	1.0m @ 3.48 g/t			
	494.0	498.0	4.0	3.8	0.43	1.72				
	508.0	509.0	1.0	0.9	0.97	0.97				
	533.0	535.0	2.0	1.9	0.66	1.32				
	566.0	568.0	2.0	1.9	13.47	26.95	1.0m @ 26.11 g/t	1.0m @ 26.11 g/t	1.0m @ 26.11 g/t	1.0m @ 26.11 g/t
	600.0	607.0	7.0	6.6	1.71	11.97	7.0m @ 1.71 g/t	1.0m @ 9.97 g/t		
	706.0	707.0	1.0	0.9	0.48	0.48				
MA-26-495	25.4	27.0	1.6	1.4	0.64	1.01				
	40.0	42.0	2.0	1.8	0.77	1.55				
	82.0	83.0	1.0	0.9	0.70	0.70				
	94.0	95.0	1.0	0.9	1.33	1.31				
	235.0	236.0	1.0	0.9	2.14	2.14	1.0m @ 2.13 g/t			
MA-26-496	53.9	56.1	2.2	2.0	1.21	2.63	1.1m @ 2.04 g/t			
	202.0	205.3	3.3	3.1	0.35	1.15				
	211.0	216.5	5.5	5.2	0.35	1.94	1.0m @ 1.65 g/t			
MA-26-497	155.0	168.0	13.0	12.4	4.36	56.67	13.0m @ 4.36 g/t	4.0m @ 10.73 g/t, 3.0m @ 3.61 g/t	1.0m @ 38.12 g/t	1.0m @ 38.12 g/t
	185.0	202.0	17.0	16.2	0.54	9.10	1.0m @ 3.35 g/t, 2.0m @ 2.21 g/t			
	209.9	214.0	4.1	3.9	0.51	2.10	1.0m @ 1.67 g/t			
	221.1	226.0	4.9	4.7	4.52	22.38	2.9m @ 7.32 g/t	1.0m @ 20.14 g/t	1.0m @ 20.14 g/t	1.0m @ 20.14 g/t
	245.8	247.0	1.2	1.2	0.61	0.75				
	256.0	257.0	1.0	0.9	1.05	1.03				
	264.0	266.5	2.6	2.5	1.30	3.34	1.0m @ 2.75 g/t			
	294.0	295.0	1.0	1.0	3.84	3.84	1.0m @ 3.84 g/t			
	338.4	371.2	32.9	31.4	4.14	135.95	32.8m @ 4.14 g/t	5.0m @ 9.25 g/t, 3.4m @ 14.01 g/t, 0.7m @ 36.75 g/t	2.0m @ 18.64 g/t, 1.0m @ 23.67 g/t, 1.1m @ 18.48 g/t, 0.7m @ 36.75 g/t	1.0m @ 26.71 g/t, 1.0m @ 23.67 g/t, 1.1m @ 18.48 g/t, 0.7m @ 36.75 g/t
	373.4	374.1	0.7	0.7	1.81	1.30				
	389.1	412.0	22.9	21.9	2.21	50.54	4.9m @ 8.59 g/t, 4.0m @ 1.28 g/t	4.9m @ 8.59 g/t	0.9m @ 36.75 g/t	0.9m @ 36.75 g/t
	432.5	433.0	0.6	0.5	0.97	0.54				
MA-26-498	71.0	73.8	2.8	2.5	25.94	72.64	0.8m @ 90.01 g/t	0.8m @ 90.01 g/t	0.8m @ 90.01 g/t	0.8m @ 90.01 g/t
	87.0	88.3	1.3	1.2	0.51	0.68				
	120.0	127.0	7.0	6.3	1.28	8.96	3.0m @ 2.63 g/t	0.6m @ 10.74 g/t	0.6m @ 10.74 g/t	
	154.0	155.0	1.0	0.9	0.51	0.51				
	213.5	215.0	1.5	1.4	12.97	19.72	0.9m @ 21.21 g/t	0.9m @ 21.21 g/t	0.9m @ 21.21 g/t	0.9m @ 21.21 g/t
	234.6	237.5	2.9	2.6	1.93	5.56	2.9m @ 1.93 g/t			

MA-26-499	13.5	14.2	0.7	0.7	1.07	0.77	1.0m @ 3.52 g/t	1.0m @ 7.87 g/t				
	32.0	34.0	2.0	1.9	2.18	4.36						
	48.0	49.0	1.0	1.0	0.62	0.62						
	59.1	62.9	3.8	3.6	0.79	2.99	0.6m @ 2.97 g/t					
	90.0	91.0	1.0	1.0	2.33	2.33	1.0m @ 2.33 g/t					
	110.0	113.0	3.0	2.9	3.36	10.07	3.0m @ 3.36 g/t					
MA-26-501	8.1	9.6	1.4	1.4	0.48	0.69	0.4m @ 20.23 g/t 1.4m @ 16.25 g/t	0.4m @ 20.23 g/t 1.4m @ 16.25 g/t	0.4m @ 20.23 g/t 1.4m @ 16.25 g/t	0.4m @ 20.23 g/t 1.4m @ 16.25 g/t		
	16.0	17.0	1.0	1.0	0.69	0.69						
	193.6	194.0	0.4	0.4	20.23	8.09						
	200.6	202.0	1.4	1.4	16.25	23.56	1.4m @ 16.25 g/t	1.4m @ 16.25 g/t	1.4m @ 16.25 g/t	1.4m @ 16.25 g/t		
	210.0	211.0	1.0	1.0	0.67	0.67	9.2m @ 2.42 g/t 1.0m @ 4.81 g/t, 1.2m @ 10.77 g/t	1.2m @ 10.77 g/t				
	227.0	239.3	12.3	11.7	1.92	23.48						
	255.0	259.0	4.0	3.8	0.81	3.22			1.0m @ 1.87 g/t			
MA-26-502	159.0	160.0	1.0	1.0	1.17	1.17	1.0m @ 2.10 g/t, 0.9m @ 3.17 g/t, 1.0m @ 1.66 g/t					
	175.0	203.0	28.0	26.8	0.47	13.08						
	227.7	228.5	0.8	0.8	1.68	1.37						
MA-26-503	7.0	8.0	1.0	0.9	1.10	1.10	0.7m @ 2.30 g/t	1.3m @ 4.76 g/t				
	32.0	33.1	1.1	1.0	1.78	1.96						
	58.0	59.0	1.0	0.9	1.22	1.22						
	88.0	88.3	0.3	0.3	3.59	1.11	3.0m @ 2.33 g/t 1.0m @ 1.86 g/t					
	98.0	102.0	4.0	3.8	1.87	7.46						
	220.3	222.5	2.2	2.1	1.05	2.29						
	229.2	230.2	1.0	1.0	0.50	0.50						
MG-25-001	48.0	49.0	1.0	1.0	3.04	3.04	1.0m @ 3.04 g/t	1.0m @ 6.62 g/t 2.0m @ 8.72 g/t				
	101.0	102.0	1.0	1.0	6.62	6.62	1.0m @ 6.62 g/t					
	116.0	118.0	2.0	2.0	8.72	17.43	2.0m @ 8.72 g/t					
	141.0	143.0	2.0	2.0	2.38	4.76	1.0m @ 4.09 g/t					
	170.0	171.0	1.0	1.0	0.47	0.47						
MG-25-002	15.0	20.0	5.0	5.0	1.23	6.16	4.0m @ 1.39 g/t	1.0m @ 9.20 g/t 1.0m @ 10.42 g/t, 1.0m @ 16.16 g/t, 5.0m @ 4.62 g/t, 10.0m @ 4.36 g/t	1.0m @ 10.42 g/t, 1.0m @ 16.16 g/t, 1.0m @ 17.40 g/t	1.0m @ 16.16 g/t, 1.0m @ 17.40 g/t		
MG-25-003	48.0	51.0	3.0	3.0	3.29	9.88	1.0m @ 9.20 g/t					
MG-25-004	2.3	54.0	51.8	51.8	2.05	105.87	3.0m @ 4.06 g/t, 17.0m @ 2.77 g/t, 10.0m @ 4.36 g/t					
MG-25-005	74.0	75.0	1.0	1.0	0.54	0.54	1.0m @ 4.39 g/t					
	108.0	125.0	17.0	17.0	0.54	9.24						
	188.0	191.0	3.0	3.0	0.30	0.91						
MG-25-006	5.0	28.0	23.0	23.0	0.64	14.78	1.0m @ 1.55 g/t, 8.0m @ 1.17 g/t, 1.0m @ 1.60 g/t	1.0m @ 7.53 g/t				
	54.0	55.0	1.0	1.0	0.96	0.96	4.0m @ 2.39 g/t 1.0m @ 3.17 g/t, 1.0m @ 1.66 g/t, 3.0m @ 1.36 g/t					
	90.0	94.0	4.0	4.0	2.39	9.56						
	112.0	125.0	13.0	13.0	0.80	10.41						
		150.0	153.0	3.0	3.0	0.35	1.06	3.0m @ 19.50 g/t 1.0m @ 57.30 g/t 1.0m @ 57.30 g/t 1.0m @ 57.30 g/t				
		156.0	160.0	4.0	4.0	0.41	1.64					
		186.0	190.0	4.0	4.0	14.82	59.28					
148.0		161.0	13.0	13.0	0.77	10.07	8.0m @ 1.16 g/t					

MG-25-008	96.0	112.0	16.0	16.0	1.70	27.27	6.0m @ 4.01 g/t, 1.0m @ 1.74 g/t	2.0m @ 9.27 g/t	1.0m @ 10.21 g/t		
	126.0	134.0	8.0	8.0	0.68	5.47	2.0m @ 1.22 g/t, 1.0m @ 2.09 g/t				
	146.0	153.0	7.0	7.0	0.82	5.75	1.0m @ 4.94 g/t	1.0m @ 4.94 g/t			
	172.0	174.0	2.0	2.0	0.92	1.83	1.0m @ 1.52 g/t				
MG-25-010	27.0	31.0	4.0	4.0	2.90	11.61	4.0m @ 2.90 g/t	1.0m @ 7.42 g/t			
	123.0	124.0	1.0	1.0	20.60	20.60	1.0m @ 20.60 g/t	1.0m @ 20.60 g/t	1.0m @ 20.60 g/t	1.0m @ 20.60 g/t	
	135.0	141.0	6.0	6.0	0.74	4.42	1.0m @ 3.19 g/t				
MG-25-012	66.0	74.0	8.0	8.0	1.34	10.73	5.0m @ 1.98 g/t	1.0m @ 8.62 g/t			
	85.0	96.0	11.0	11.0	1.22	13.39	1.0m @ 5.70 g/t, 2.0m @ 2.94 g/t	1.0m @ 5.70 g/t			
MT-26-029	4.7	17.0	12.3	12.3	0.58	7.18					
	23.6	56.0	32.4	32.4	0.91	29.41	8.7m @ 1.33 g/t, 15.7m @ 1.01 g/t	0.4m @ 16.00 g/t	0.4m @ 16.00 g/t		
	64.0	105.0	41.0	41.0	0.65	26.85	1.4m @ 5.30 g/t, 1.0m @ 2.58 g/t, 1.0m @ 5.84 g/t	1.4m @ 5.30 g/t, 1.0m @ 5.84 g/t			
	112.0	115.0	3.0	3.0	0.65	1.95					
	125.9	135.4	9.5	9.5	2.72	25.73	9.5m @ 2.72 g/t	0.5m @ 34.71 g/t	0.5m @ 34.71 g/t	0.5m @ 34.71 g/t	
	170.0	173.5	3.5	3.5	2.66	9.31	0.5m @ 17.18 g/t	0.5m @ 17.18 g/t	0.5m @ 17.18 g/t	0.5m @ 17.18 g/t	
	197.2	213.0	15.8	15.8	0.92	14.48	6.5m @ 1.88 g/t	1.1m @ 4.09 g/t, 1.0m @ 6.90 g/t			
	223.2	226.0	2.8	2.8	1.03	2.87	0.8m @ 2.28 g/t				
	233.0	251.3	18.3	18.3	0.74	13.47	0.6m @ 2.54 g/t, 8.0m @ 1.25 g/t	1.0m @ 5.31 g/t			
	261.4	262.4	1.0	1.0	0.53	0.55					
	265.6	276.7	11.1	11.1	0.33	3.71					
	283.0	284.0	1.0	1.0	1.65	1.65	1.0m @ 1.65 g/t				
	294.0	297.0	3.0	3.0	1.28	3.85	3.0m @ 1.28 g/t				
	303.2	319.2	16.0	16.0	0.86	13.72	6.0m @ 1.89 g/t	0.9m @ 7.31 g/t			
	330.0	363.2	33.2	33.2	1.57	52.17	10.5m @ 4.51 g/t	0.9m @ 31.21 g/t, 2.1m @ 8.49 g/t	0.9m @ 31.21 g/t	0.9m @ 31.21 g/t	
	377.9	383.0	5.1	5.1	0.31	1.59					
	387.5	388.8	1.4	1.4	0.66	0.90					
	405.0	405.9	0.9	0.9	0.62	0.52					
	412.0	428.3	16.3	16.3	0.74	12.04	4.8m @ 1.74 g/t				
	436.9	454.0	17.2	17.2	0.81	13.88	1.1m @ 1.77 g/t, 3.6m @ 2.30 g/t	0.7m @ 10.81 g/t	0.7m @ 10.81 g/t		
	466.1	474.0	7.9	7.9	0.45	3.58	1.2m @ 1.22 g/t				
	491.2	510.5	19.3	19.3	0.56	10.81	0.7m @ 7.37 g/t	0.7m @ 7.37 g/t			
	521.7	523.0	1.3	1.3	1.44	1.87	0.8m @ 1.92 g/t				
MT-26-030	29.4	44.0	14.6	14.6	0.47	6.92	2.1m @ 2.30 g/t				
	136.4	140.0	3.6	3.6	0.59	2.10					
MT-26-031	79.0	105.5	26.5	26.5	1.08	28.59	17.3m @ 1.43 g/t	3.2m @ 3.51 g/t, 1.3m @ 3.61 g/t			
MT-26-033	2.4	11.7	9.3	9.3	0.54	4.96	1.4m @ 1.59 g/t				
	18.6	42.2	23.6	23.6	0.76	17.94	3.8m @ 1.49 g/t, 3.8m @ 1.68 g/t				
	59.0	60.7	1.7	1.7	0.46	0.79					
	69.1	72.6	3.5	3.5	0.61	2.14					
MT-26-035	45.0	50.2	5.2	5.2	2.41	12.49	1.0m @ 11.19 g/t	1.0m @ 11.19 g/t	1.0m @ 11.19 g/t		
	71.2	73.1	1.9	1.9	2.32	4.53	1.9m @ 2.32 g/t				

	85.1	98.4	13.2	13.2	1.20	15.86	6.9m @ 2.19 g/t	1.1m @ 12.03 g/t	1.1m @ 12.03 g/t	
	105.5	106.8	1.3	1.3	0.59	0.74				
	114.0	115.0	1.0	1.0	2.03	2.03	1.0m @ 2.03 g/t			
	124.0	138.0	14.0	14.0	1.00	13.99	8.1m @ 1.68 g/t	1.1m @ 8.89 g/t		
	152.0	164.7	12.7	12.7	2.88	36.61	1.1m @ 1.76 g/t, 3.7m @ 9.03 g/t	2.3m @ 13.49 g/t	0.9m @ 22.66 g/t	0.9m @ 22.66 g/t
	180.0	180.7	0.7	0.7	2.70	1.75	0.7m @ 2.70 g/t			
	188.0	215.3	27.3	27.3	2.11	57.48	10.1m @ 4.24 g/t, 1.9m @ 6.35 g/t	1.2m @ 32.03 g/t, 1.9m @ 6.35 g/t	1.2m @ 32.03 g/t	1.2m @ 32.03 g/t
	223.0	227.0	4.0	4.0	7.14	28.76	4.0m @ 7.14 g/t	0.9m @ 27.70 g/t	0.9m @ 27.70 g/t	0.9m @ 27.70 g/t
MT-26-039	150.8	153.5	2.7	2.7	2.90	7.78	1.3m @ 5.56 g/t	1.3m @ 5.56 g/t		
	180.0	181.4	1.3	1.3	0.44	0.59				
MT-26-041	269.9	270.7	0.8	0.8	9.77	7.91	0.8m @ 9.77 g/t	0.8m @ 9.77 g/t		
SQ-24-002	21.0	28.0	7.0	7.0	0.60	4.22				
SQ-24-007	16.0	21.0	5.0	5.0	0.80	4.02	2.0m @ 1.50 g/t			
	30.0	31.0	1.0	1.0	0.61	0.61				
STS-26-001	30.9	35.0	4.1	4.1	0.97	3.98	1.1m @ 1.92 g/t, 1.1m @ 1.46 g/t			
	105.9	110.6	4.6	4.6	1.09	5.08	1.1m @ 3.67 g/t			
STS-26-008	37.0	49.0	12.0	12.0	1.58	18.92	3.0m @ 5.34 g/t	2.0m @ 7.34 g/t	1.0m @ 11.18 g/t	
	173.0	175.0	2.0	2.0	0.81	1.62				
	202.0	224.0	22.0	22.0	0.78	17.19	3.5m @ 3.27 g/t	2.0m @ 4.90 g/t		
STS-26-009	138.0	139.0	1.0	1.0	1.43	1.43				
STS-26-010	40.0	41.0	1.0	1.0	0.65	0.65				
	205.0	207.0	2.0	2.0	0.85	1.69				
SZ-24-002	102.0	103.0	1.0	0.7	0.83	0.83				
	214.0	216.0	2.0	1.5	1.94	3.87	1.0m @ 3.48 g/t			
SZ-24-004	73.0	74.0	1.0	0.8	4.74	4.74	1.0m @ 4.74 g/t	1.0m @ 4.74 g/t		
	230.0	233.0	3.0	2.4	1.01	3.02	1.0m @ 2.12 g/t			
SZ-24-005	7.0	8.0	1.0	0.8	1.70	1.70	1.0m @ 1.70 g/t			
	78.0	80.0	2.0	1.6	0.47	0.93				
	241.0	243.0	2.0	1.6	2.33	4.66	2.0m @ 2.33 g/t			
	290.0	293.0	3.0	2.4	0.42	1.27				
SZ-24-007	217.0	220.0	3.0	2.4	0.75	2.24				
	238.0	242.0	4.0	3.2	0.34	1.38				
SZ-24-008	14.0	15.0	1.0	0.8	0.58	0.58				
	149.0	150.0	1.0	0.8	0.86	0.86				
	156.0	158.0	2.0	1.6	0.57	1.13				
	226.0	227.0	1.0	0.8	0.94	0.94				
	272.0	273.0	1.0	0.8	0.85	0.85				
	282.0	283.0	1.0	0.8	0.70	0.70				
	293.0	294.0	1.0	0.8	0.54	0.54				
	298.0	299.0	1.0	0.8	0.52	0.52				
SZ-24-009	4.0	8.0	4.0	3.2	1.39	5.57	4.0m @ 1.39 g/t			
	18.0	34.0	16.0	12.9	1.58	25.26	16.0m @ 1.58 g/t	1.0m @ 14.30 g/t	1.0m @ 14.30 g/t	
	57.0	58.0	1.0	0.8	0.80	0.80				
	76.0	77.0	1.0	0.8	1.89	1.89	1.0m @ 1.88 g/t			
	101.0	102.0	1.0	0.8	0.61	0.61				
	136.0	137.0	1.0	0.8	0.71	0.71				
	205.0	213.0	8.0	6.5	0.51	4.06	1.0m @ 2.27 g/t			
SZ-24-011	20.0	21.0	1.0	0.8	0.74	0.74				
	27.0	28.0	1.0	0.8	0.73	0.73				

	37.0	90.0	53.0	42.2	1.03	54.49	16.0m @ 1.06 g/t, 26.0m @ 1.38 g/t	1.0m @ 4.53 g/t, 1.0m @ 4.68 g/t			
	121.0	133.0	12.0	9.6	0.66	7.92	1.0m @ 3.21 g/t				
	167.0	168.0	1.0	0.8	0.54	0.54					
SZ-24-012	32.0	33.0	1.0	0.9	3.17	3.17	1.0m @ 3.16 g/t				
SZ-25-013	177.0	188.0	11.0	8.5	0.35	3.90					
	208.0	211.0	3.0	2.3	1.40	4.19	1.0m @ 3.55 g/t				
	269.0	273.0	4.0	3.1	2.01	8.04	1.0m @ 7.12 g/t	1.0m @ 7.12 g/t			
	288.0	290.0	2.0	1.5	1.31	2.63	1.0m @ 1.92 g/t				
SZ-25-014	229.0	232.0	3.0	2.4	38.43	115.29	2.0m @ 57.49 g/t	2.0m @ 57.49 g/t	1.0m @ 108.97 g/t	1.0m @ 108.97 g/t	
	254.0	255.0	1.0	0.8	1.13	1.13					
	410.0	412.0	2.0	1.6	1.94	3.87	2.0m @ 1.94 g/t				
	509.0	510.0	1.0	0.8	0.54	0.54					
SZ-25-016	340.0	345.0	5.0	4.0	1.94	9.71	4.0m @ 2.24 g/t	1.0m @ 7.49 g/t			
	514.0	515.0	1.0	0.8	0.49	0.49					
	539.0	540.0	1.0	0.8	0.77	0.77					
	660.0	661.0	1.0	0.8	0.56	0.56					
	668.0	669.0	1.0	0.8	0.46	0.46					
	673.0	677.0	4.0	3.2	0.36	1.46					
	705.0	706.0	1.0	0.8	0.80	0.80					
SZ-25-017	8.0	9.0	1.0	0.8	1.30	1.30					
	70.0	103.0	33.0	26.4	0.65	21.47	2.0m @ 5.17 g/t	1.0m @ 8.80 g/t			
	183.0	185.0	2.0	1.6	0.36	0.72					
SZ-25-018	151.0	152.0	1.0	0.8	0.47	0.47					
	157.0	158.0	1.0	0.8	1.11	1.11					
	204.0	205.0	1.0	0.8	3.10	3.10	1.0m @ 3.10 g/t				
	353.0	355.0	2.0	1.6	1.04	2.09					
	381.0	382.0	1.0	0.8	0.69	0.69					
SZ-25-019	6.0	7.0	1.0	0.8	0.63	0.63					
	114.0	115.0	1.0	0.8	3.16	3.16	1.0m @ 3.16 g/t				
	124.0	140.0	16.0	12.7	0.49	7.81	4.0m @ 1.02 g/t				
	216.0	218.0	2.0	1.6	0.94	1.88					
SZ-25-020	176.0	178.0	2.0	1.6	0.45	0.91					
	353.0	355.0	2.0	1.6	1.36	2.73	1.0m @ 2.17 g/t				
	376.0	377.0	1.0	0.8	0.46	0.46					
	386.0	388.0	2.0	1.6	1.49	2.98	2.0m @ 1.49 g/t				
	408.0	409.0	1.0	0.8	0.60	0.60					
	573.0	574.0	1.0	0.8	0.53	0.53					
SZ-25-021	273.0	274.0	1.0	0.8	0.75	0.75					
	283.0	287.0	4.0	3.2	1.88	7.53	4.0m @ 1.88 g/t				
	313.0	314.0	1.0	0.8	0.51	0.51					
SZ-25-022	61.0	75.4	14.4	11.5	1.01	14.50	14.4m @ 1.01 g/t				
	78.0	79.0	1.0	0.8	0.49	0.49					
	85.0	86.0	1.0	0.8	0.84	0.84					
	126.0	127.0	1.0	0.8	1.19	1.19					
	141.0	142.0	1.0	0.8	1.53	1.53	1.0m @ 1.53 g/t				
	169.0	170.0	1.0	0.8	0.63	0.63					
	181.0	183.0	2.0	1.6	1.00	1.99					
SZ-26-024	3.6	5.0	1.4	1.1	0.34	0.48					
	7.2	50.3	43.1	34.3	0.95	41.07	3.0m @ 3.84 g/t, 22.0m @ 1.18 g/t	3.0m @ 3.84 g/t, 2.0m @ 4.74 g/t, 1.0m @ 4.58 g/t	0.9m @ 10.06 g/t		

	67.4	69.6	2.2	1.7	0.36	0.79			
	85.7	86.3	0.7	0.5	4.99	3.34	0.7m @ 4.99 g/t		
	106.0	107.0	1.0	0.8	0.51	0.51			
	120.0	121.0	1.0	0.8	1.61	1.61	1.0m @ 1.61 g/t		
SZ-26-025	20.0	32.1	12.1	9.7	1.51	18.28	12.1m @ 1.51 g/t	0.7m @ 9.88 g/t	
	48.6	49.3	0.7	0.5	5.51	3.69	0.7m @ 5.51 g/t		
	93.0	159.6	66.6	53.1	0.68	45.41	2.2m @ 1.45 g/t, 1.0m @ 1.62 g/t, 6.2m @ 1.38 g/t, 5.0m @ 1.34 g/t, 3.6m @ 1.09 g/t, 7.3m @ 1.66 g/t	1.7m @ 3.80 g/t	
	169.9	171.2	1.3	1.0	0.53	0.66			
	210.5	214.0	3.5	2.8	0.61	2.12	1.0m @ 1.62 g/t		
SZ-26-026	5.4	65.2	59.8	47.7	1.81	108.09	36.0m @ 2.80 g/t	1.3m @ 9.58 g/t, 5.0m @ 3.63 g/t, 11.0m @ 4.86 g/t, 1.0m @ 6.93 g/t	1.0m @ 12.38 g/t
	117.0	118.0	1.0	0.8	0.87	0.87			
	184.0	193.0	9.0	7.2	0.39	3.55			
	219.0	221.0	2.0	1.6	0.70	1.41			
SZ-26-027	132.0	133.0	1.0	0.8	1.12	1.12			
	143.0	144.0	1.0	0.8	0.50	0.50			
SZ-26-028	15.0	23.2	8.2	6.6	0.56	4.56	0.6m @ 4.13 g/t		
	46.7	47.6	0.9	0.7	0.68	0.61			
	75.2	75.9	0.7	0.6	0.64	0.45			
	224.0	225.0	1.0	0.8	0.79	0.79			
SZ-26-029	75.8	76.1	0.3	0.2	2.18	0.65			
	83.4	86.0	2.6	2.1	2.94	7.64	0.4m @ 18.26 g/t	0.4m @ 18.26 g/t	0.4m @ 18.26 g/t
	163.6	165.1	1.5	1.2	1.22	1.83			
	212.0	213.0	1.0	0.8	0.66	0.66			
SZ-26-030	8.0	8.5	0.5	0.4	35.30	18.00	0.5m @ 35.30 g/t	0.5m @ 35.30 g/t	0.5m @ 35.30 g/t
	64.1	65.1	0.9	0.8	0.71	0.66			
	80.0	85.0	5.0	4.1	0.37	1.85			
	154.0	155.0	1.0	0.8	0.75	0.75			
	161.0	162.0	1.0	0.8	1.25	1.25			
	200.0	201.0	1.0	0.8	2.15	2.15	1.0m @ 2.15 g/t		
	266.0	267.0	1.0	0.8	0.65	0.65			
SZ-26-033	233.6	234.3	0.7	0.5	2.19	1.42			
SZ-26-036	81.0	81.6	0.6	0.5	2.38	1.43			
	116.0	117.2	1.2	1.0	0.53	0.64			
	282.0	283.0	1.0	0.8	3.35	3.35	1.0m @ 3.35 g/t		
SZ-26-039	78.9	79.7	0.8	0.7	0.70	0.58			
	232.0	234.3	2.3	1.8	0.90	2.02			
	247.0	254.0	7.0	5.6	0.50	3.51			
	341.0	342.0	1.0	0.8	0.80	0.80			
SZ-26-041	68.0	69.5	1.5	1.2	0.31	0.47			
	85.2	89.0	3.8	3.0	0.62	2.35	1.4m @ 1.12 g/t		
SZ-26-042	47.9	49.2	1.3	1.0	1.15	1.44			
	143.0	144.0	1.0	0.8	1.17	1.17			
	177.0	178.0	1.0	0.8	0.85	0.85			
SZ-26-044	259.0	267.3	8.3	6.7	0.69	5.74	1.2m @ 2.90 g/t		

SZ-26-045	276.0	278.0	2.0	1.6	1.08	2.16	1.2m @ 1.52 g/t			
	170.3	172.0	1.7	1.3	1.63	2.72	0.9m @ 2.80 g/t			
	360.0	361.0	1.0	0.8	3.00	3.00	1.0m @ 3.00 g/t			
	596.0	598.0	2.0	1.6	0.51	1.02				
TR-24-001	6.0	7.0	1.0	1.0	1.10	1.10				
	183.0	188.0	5.0	5.0	7.24	36.20	1.0m @ 35.43 g/t	1.0m @ 35.43 g/t	1.0m @ 35.43 g/t	1.0m @ 35.43 g/t
	200.0	201.0	1.0	1.0	19.02	19.02	1.0m @ 19.02 g/t	1.0m @ 19.02 g/t	1.0m @ 19.02 g/t	1.0m @ 19.02 g/t
	384.0	386.0	2.0	2.0	0.41	0.83				
TR-24-002	300.0	301.0	1.0	1.0	1.05	1.05				
TR-24-003	92.0	93.0	1.0	1.0	0.52	0.52	2.0m @ 69.35 g/t	2.0m @ 69.35 g/t	2.0m @ 69.35 g/t	2.0m @ 69.35 g/t
	118.0	121.0	3.0	3.0	46.47	139.42				
	128.0	129.0	1.0	1.0	0.58	0.58				
	139.0	142.0	3.0	3.0	0.38	1.13				
	175.0	176.0	1.0	1.0	0.70	0.70				
	218.0	219.0	1.0	1.0	0.81	0.81				
	241.0	243.0	2.0	2.0	0.79	1.58				
	257.0	257.8	0.8	0.8	7.39	5.77	0.8m @ 7.39 g/t	0.8m @ 7.39 g/t		
TR-24-004	21.0	25.0	4.0	4.0	0.31	1.24	5.0m @ 1.04 g/t	1.0m @ 1.70 g/t, 1.0m @ 1.71 g/t		
	88.0	89.0	1.0	1.0	0.48	0.48				
	101.0	120.0	19.0	19.0	0.44	8.41				
	152.0	155.0	3.0	3.0	0.50	1.50				
	176.0	190.0	14.0	14.0	0.64	8.95	2.0m @ 4.01 g/t	1.0m @ 6.74 g/t		
	239.0	242.0	3.0	3.0	0.37	1.12				
	250.0	252.0	2.0	2.0	4.01	8.03				
	287.0	290.0	3.0	3.0	0.44	1.33				
VGD-24-105	377.0	378.0	1.0	1.0	0.76	0.76	4.0m @ 1.71 g/t	1.0m @ 5.26 g/t		
	278.0	294.0	16.0	12.3	0.33	5.32				
	302.0	304.0	2.0	1.5	0.47	0.94				
	308.0	312.0	4.0	3.1	0.36	1.44				
	320.0	322.0	2.0	1.5	0.32	0.65				
	329.0	330.0	1.0	0.8	0.51	0.51				
	341.0	342.0	1.0	0.8	0.65	0.65				
	348.0	352.0	4.0	3.1	0.53	2.11				
	360.0	369.0	9.0	6.9	0.94	8.50	4.0m @ 1.71 g/t	1.0m @ 5.26 g/t		
	377.0	379.0	2.0	1.5	0.94	1.89				
	396.0	399.0	3.0	2.3	0.54	1.63				
		417.0	434.0	17.0	13.0	1.50	25.47	17.0m @ 1.50 g/t	1.0m @ 7.64 g/t, 1.0m @ 10.06 g/t	1.0m @ 10.06 g/t
VGD-24-106	101.0	105.0	4.0	3.1	2.25	8.99	4.0m @ 2.25 g/t	1.0m @ 7.79 g/t		
	124.0	125.0	1.0	0.8	2.41	2.41	1.0m @ 2.41 g/t			
	143.0	144.0	1.0	0.8	0.71	0.71				
	227.0	228.0	1.0	0.8	2.57	2.57	1.0m @ 2.56 g/t			
WP-26-015	31.0	32.3	1.3	1.3	1.94	2.52	1.3m @ 1.94 g/t			

Cut off grade 0.3g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m, if Au grade x length > 0.45 the composite will be added

Note: One sample included in a composite for hole BN-26-002 had a sample length of 0.2 m